


Batteries154,155
Cord Reels.....161,162
Extension & Power Cords.....157,158
Flashlight & Lantern Parts & Accessories153,154
Flashlights & Lanterns.....144,145

Fuses162
Ground Fault Circuit Interrupters160
Light Bulbs.....157
Plugs & Receptacles160,161
Work Lights.....156,157





Razor LED Flashlights

Features:

- Constructed of super tough nylon
- Deep dish reflector focuses the light from the high output LED
- Ergonomically designed push button switch
- Watertight seal (allowing waterproof, IP68, to 1 meter) for wet environments
- Light intensity is at 6 feet
- Intrinsically Safe
- Optional holster #27425 available

Lumens [Max]: 90

Light Intensity: 1,850 lx

Bulb Type: LED

Lamp Life: 30,000 h



SKU	No. of Batteries	Batt. Size	Color
120-60100	3	AA	Black
120-60101	3	AA	Hi-Viz Lime Green
120-60102	3	AA	Safety Orange

The Bright Star® Industrial Flashlights

Features:

- Faceted reflector
- Patented lens ring stand offs
- Switch guard
- Unbreakable Tuflexx® lens
- Sure-grip ribbed, crush resistant case
- Anti-roll design
- Spare bulb holder
- Made in the USA
- Lens ring accepts snap-in wand

Bulb Type: PR-2; KPR-102

Lamp Life: 15 h



SKU	No. of Batteries	Batt. Size	Beam Concentration (MBCP)
120-10500	2	D	10,000 cp

Worksafe™ Flashlights

Features:

- Made in the USA
- Lens ring accepts snap-in wand
- Imprinting available



Features:

- Circuit breaking mechanism instantly disconnects bulb from power source in the event of bulb breakage
- Push button for providing intermittent light
- 3 way switch
- Waterproof

Includes: Charger; Li-Ion battery; Strap

SKU	No. of Batteries	Batt. Size	Beam Concentration (MBCP)	Bulb Type	Lamp Life
120-14460	2	D	10,000 cp	PR-2	16 h

Features:

- Circuit breaking mechanism instantly disconnects bulb from power source in the event of bulb breakage
- Push button for providing intermittent light
- 3 way switch
- Waterproof

SKU	No. of Batteries	Batt. Size	Beam Concentration (MBCP)	Bulb Type	Lamp Life
120-14720	3	D	15,000 cp	PR-3	15 h

Features:

- Switch guard
- Spare bulb holder
- Unbreakable lens
- Anti-roll design
- Crush resistant case

SKU	No. of Batteries	Batt. Size	Beam Concentration (MBCP)	Bulb Type	Lamp Life
120-13740	2	D	10,000 cp	PR-2	15 h

Worksafe™ Lanterns

Features:

- Oversized reflector
- Circuit breaking mechanism instantly disconnects bulb from power source in the event of bulb breakage
- Spare bulb holder
- Switch guard
- Made in the USA
- Waterproof & floating
- Glove size handle
- Krypton Bulb

Lamp Life: 15 h



SKU	No. of Batteries	Batt. Size	Beam Concentration (MBCP)
120-07050	1	6V	50,000 cp



LED D-Cell Flashlights

Features:

- Great for home, auto and outdoor use
- Powerful projecting LED beam
- "Spot-to-Flood" adjustable LED beam
- Anodized for corrosion resistance and durability
- Rugged, machined aluminum case
- Intelligent Energy Source Management - continuously monitors the balance between high brightness and efficient power usage allowing for prolonged battery life

Battery Type: Alkaline


SKU	No. of Batteries	Batt. Size
459-ST2D016	2	D

Mag-Lite® Flashlights

Features:

- High-intensity adjustable light beam (Spot to Flood)
- Recessed, pushbutton, self-cleaning, 3-position switch
- Rugged, machined aluminum construction with knurled design
- Anodized inside and out for improved corrosion resistance
- Spare lamp safely secured inside the tailcap

Batt. Size: C

Resistance: Shock; Water

Run Time: 5 h


SKU	No. of Batteries	Light Intensity	Voltage
459-S2C016	2	12,000 lm/ft2	3 VDC
459-S3C016	3	16,000 lm/ft2	4.5 VDC

Mag-Lite® LED Flashlights

Features:

- A Powerful Projecting Beam that focuses simply by rotating the head
- Balanced Optics™, combining a highly refined reflector with a quality LED, for a brilliant adjustable beam
- Intelligent Energy Source Management (patent pending) balancing high brightness with efficient power usage

Battery Type: Alkaline

Bulb Type: LED


SKU	No. of Batteries	Batt. Size
459-ST3D016	3	D

Mag-Lite® Standard Flashlights

Features:

- High-intensity adjustable light beam (Spot to Flood)
- Recessed, pushbutton, self-cleaning, 3-position switch
- Rugged, machined aluminum construction with knurled design
- Anodized inside and out for improved corrosion resistance
- Spare lamp safely secured inside the tailcap

Batt. Size: D

Resistance: Shock; Water

Run Time: 10 h


SKU	No. of Batteries	Light Intensity	Voltage
459-S2D016*	2	18,000 lm/ft2	3 VDC
459-S3D016	3	22,000 lm/ft2	4.5 VDC
459-S4D016	4	24,000 lm/ft2	6 VDC

*Packing Type: Hang Pack

Mini Maglite® AA Flashlights

Features:

- High-intensity light beam
- 1/2 turn, twist focus, spot-to-flood
- Patented candle mode
- Spare lamp
- O-ring sealed for water resistance
- Vented tailcap

No. of Batteries: 2

Batt. Size: AA

Battery Type: Alkaline

Light Intensity: 2,200 lm/ft2

Voltage: 3 VDC

Resistance: Water Resistant

Includes: Batteries; Flashlight

Run Time: 6 h


SKU	Color	Includes
459-M2A016	Black	
459-M2A01H	Black	Polypropylene Belt Holster
459-M2A11H	Blue	Polypropylene Belt Holster

Mini Maglite® AAA Flashlights

Features:

- High-intensity light beam
- Twist focus, spot-to-flood
- Innovative extended key lead
- Spare lamp
- High-strength aluminum alloy case
- O-ring
- Vented tailcap

Battery Type: Alkaline

Light Intensity: 1,200 lm/ft2

Bulb Type: Incandescent

Resistance: Water Resistant

Includes: Batteries; Flashlight; Pocket Clip

Run Time: 3 h


SKU	No. of Batteries	Batt. Size	Voltage
459-M3A016	2	AAA	3 VDC



Mini Maglite® LED Flashlights

Features:

- Powerful Projecting Beam that focuses simply by rotating the head
- Balanced Optics™, combining a highly refined reflector with a quality LED, for a brilliant adjustable beam
- Intelligent Energy Source Management (patent pending) balancing high brightness with efficient power usage
- Candle Mode, unscrew flashlight head, place head down on stable flat surface and set flashlight barrel into head

Battery Type: Alkaline



SKU	No. of Batteries	Batt. Size	Color
459-SP2201H	2	AA	Black
459-SP2203H	2	AA	Red



2360 LED Flashlights

Features:

- Constructed of durable of materials
- High and Low light output
- Non-slip textured body
- Removable two way pocket clip
- Convenience of AA alkaline batteries with the performance of lithium batteries
- Built-in battery level indicator
- Run time: 3.5 hours

Battery Type: Alkaline

Beam Distance: 163 m



SKU	No. of Batteries	Batt. Size
562-2360	2	AA

HeadsUP Lite®

Features:

- Water resistant
- Combo headlight - LEDs (for close-up work) or Xenon (for general use)
- ABS resin body and shroud
- Water Resistant



SKU	No. of Batteries	Batt. Size	Beam Concentration (MBCP)
562-2620C	3	AAA	6,000 cp; 10,000 cp

HeadsUp Lite™ LED Flashlights

Battery Type: Alkaline

Color: Black

Includes: (3) Batteries; Cloth Strap; Rubber Strap



SKU	No. of Batteries	Batt. Size	Bulb Type
562-2610C	3	AAA	3 LEDs
562-2690-BLACK	3	AAA	LED

KingLite™ Pro 4000 Series Flashlights

Features:

- Made of an unbreakable material lens has a thermoplastic rubber shroud
- Include a dual filament Xenon back-up safety lamp, operating during 30 hours each filament (60 hours in total)
- Includes a patented shock absorbing internal battery module that protects 8-D cells alkaline batteries (not included) from hard abuse

Battery Type: Alkaline

Beam Type: Laser Spot™

Lamp Life: 30 h

Run Time: 10 h - 12 h



SKU	No. of Batteries	Batt. Size	Beam Concentration (MBCP)
562-4000B-YELLOW	8	D	100,000 cp

MityLite™ Flashlights

Features:

- The Mitylite™ is compact, lightweight and equipped with a shirt clip, making it easy to fit into pockets, purses, tool kits, camera bags, or glove compartments
- Accidental turn on and mechanical switch failure is eliminated because of the rotary on/off switch
- Water resistant (not for diving applications)
- Contoured body is corrosion-proof
- Push-button tail switch for one-handed operation
- For hands-free use attach it to your helmet or hard hat with included clip
- Compact, lightweight design
- Easy on/off operation

Battery Type: Alkaline

Beam Concentration (MBCP): 6,000 cp

Beam Type: Laser Spot™

Run Time: 2 h

Voltage: 3 V

Lamp Life: 20 h



SKU	No. of Batteries	Batt. Size
562-1900C-BLACK	2	AAA
562-1900C-YELLOW	2	AAA

MityLite™ Plus Flashlights

Features:

- Equipped with a belt clip and a handy tail button switch (on/off intermittent) that can be used with only one hand
- Made of an unbreakable material lens has a thermoplastic rubber shroud
- Water resistant (not for diving applications)

Battery Type: Alkaline

Beam Type: Laser Spot™

Run Time: 4.2 h

Voltage: 3 V

Lamp Life: 20 h

Resistance: Chemical; Water



SKU	No. of Batteries	Batt. Size	Beam Concentration (MBCP)
562-2340C-YELLOW	2	AA	8,000 cp



Pocket SabreLite™ Flashlights

Features:

- Pre-focused lamp module, belt/shirt clip and lanyard

Battery Type: Alkaline

Beam Type: Laser Spot™

Voltage: 3 V

Lamp Life: 30 h

Resistance: Water

Includes: Batteries

Run Time: 7.5 h



SKU	No. of Batteries	Batt. Size	Beam Concentration (MBCP)
562-1820C-YELLOW	2	C	10,000 cp

SabreLite™ Recoil LED™ Flashlights

Features:

- Recoil LED Technology™ produces a white collimated beam that's as bright as an incandescent light

- Twist on/off lens shroud eliminates accidental discharge

No. of Batteries: 3

Batt. Size: C

Lamp Life: 10,000 h



SKU	Color
562-2010C-BLACK	Black
562-2010C-YELLOW	Yellow

StealthLite™ Flashlights

Features:

- Features Pelican's patented state-of-the-art Laser Spot™ Xenon lamp module with an unsurpassed white collimated light beam

- Batteries (not included)

- Corrosion proof

- Resistant to extreme temperatures

- Submersible

- Powered by 4 AA alkaline batteries

- For hands-free operation, attach it to your hardhat with an optional helmet light holder

No. of Batteries: 4

Batt. Size: AA

Battery Type: Alkaline

Beam Type: Laser Spot™

Run Time: 4 h

Lamp Life: 30 h

Resistance: Corrosion; Water



SKU	Beam Concentration (MBCP)
562-2400C-BLACK	10,000 cp
562-2400C-YELLOW	10,000 cp

Super PeliLite™ Flashlights

Features:

- Its Xenon lamp module can cut through, smoke, fog, and rain, making it a perfect light source for all applications

- Accidental turn on and mechanical switch failure is eliminated because of the rotary on/off switch

- Batteries (not included)

No. of Batteries: 2

Batt. Size: C

Battery Type: Alkaline

Beam Type: Laser Spot™

Run Time: 7.5 h

Voltage: 3 V

Depth: 250 ft

Lamp Life: 30 h

Resistance: Water



SKU	Beam Concentration (MBCP)
562-1800C-BLACK	10,000 cp
562-1800C-YELLOW	10,000 cp

Super SabreLite™ Flashlights

Features:

- The SabreLite™ has an exclusive state-of-the-art laser spot xenon lamp module that produces a tightly focused white light beam

- Accidental turn on and mechanical switch failure is eliminated because of the rotary on/off switch

No. of Batteries: 3

Batt. Size: C

Battery Type: Alkaline

Beam Type: Laser Spot™

Run Time: 7.5 h

Voltage: 4.5 V

Lamp Life: 30 h

Resistance: Water

Includes: Black lanyard; Stainless steel split ring



SKU	Beam Concentration (MBCP)
562-2000C-BLACK	12,000 cp
562-2000C-ORANGE	12,000 cp
562-2000C-YELLOW	12,000 cp



Flashlight with Krypton Bulb and Magnet

Features:

- Comfort grip
- Extra tough hanging ring
- Protected slide switch
- Impact resistant to 7 feet
- Shock-absorbing spare bulb holder
- Smooth beam with prismatic reflector for close-in use
- Strong magnet attaches to furnace, fuse box, refrigerator, cabinets and more
- Spot to flood focus
- Krypton Bulb
- Tough polypropylene body with barrier wall and bulb support system
- Robust tool-yellow color/texture
- Consumer preferred comfort grip

Battery Type: D

Resistance: Chemical; Gas; Oil; Water

Includes: Hanging Ring; Magnet

Beam Distance: 58m



SKU	No. of Batteries	Batt. Size
620-IN2-KMLC	2	D
620-IN2-KMLC	2	D

Indestructible Series Flashlights

Features:

- 160m beam distance on high
- 30 foot drop test
- Aluminum titanium alloy
- Designed for maximum durability and simplicity
- Rubber head and tail cap shock absorbers
- Ergonomic design with thumb area built in
- "Protected" tactical tail cap switch

Battery Type: Alkaline

Run Time: 40 h - Low; 5 h - High

Bulb Type: LED

Resistance: Impact; IPX4 Water Resistant

Includes: Batteries



SKU	No. of Batteries	Batt. Size
620-DIY3AAA-B	3	AAA

Industrial™ Flashlights

SKU	Batt. Size	Bulb Type	Includes
620-301K	6V	Krypton	
620-I2D-BULK	D	PR-2	PR2 Bulb; Ring Hanger
620-KFL	6V	Krypton	Stand



Rayovac Value Bright 6V Economy Floating Lantern

Features:

- Bright krypton bulb
- Durable construction
- 4.5 Hour Run Time on Alkaline Battery
- 75 Lumens

Color: Blue; Yellow; Blue; Bright Red

Bulb Type: Krypton

Includes: (1) 6-Volt Rayovac Alkaline Battery

Beam Distance: 226m



SKU	No. of Batteries
620-EFL6V-BA	1

Sportsman LED Headlamp

Features:

- 3 modes: red LED for night vision, white LED for close vision, T3 bulb standard vision
- Pivoting head adjustment
- Spot to flood adjustment
- Ultra compact and lightweight

Battery Type: AAA

Beam Color: Red; White

Bulb Type: LED

Resistance: Water

Includes: 3 AAA Batteries



SKU	No. of Batteries	Batt. Size
620-SPHLED-BB	3	AAA



Argo® HP Headlamps

Features:

- Ultra-compact, impact-resistant housing, lightweight for maximum comfort
- Solid State Power Regulation provides maximum light output throughout battery life
- 90° tilting head

Beam Color: White

Run Time: 6.5 h - High; 30 h - Low

Bulb Type: C4® LED

Lamp Life: 50,000 h

Includes: Elastic Head Strap; Rubber Hard Hat Strap



SKU	Batt. Size	Battery Type	Lumens
683-61302	3-Volt	Lithium	62 - High; 16 - Low

Enduro® LED Headlamps

Features:

- Easy to use push button "on-off".
- Waterproof for 1 meter for up to 1 hour

Beam Type: Spot

Beam Color: White

Run Time: 24 h - Low; 6 h - High

Bulb Type: Super High-Flux LED

Lamp Life: 100,000 h

Strap Material: Elastic/Rubber

Includes: Batteries; Visor Clip



SKU	Batt. Size	Battery Type	Lumens
683-61400	AAA	Alkaline	14.5 - High; 6 - Low



Fire Vulcan® LED Rechargeable Lanterns

Features:

- Deep dish parabolic reflector produces a tight beam with optimum peripheral illumination
- The 2 ultra-bright blue taillight LEDs can be seen through thick smoke
- Run Times: Steady LED and Taillights - Up to 3 hours to the 10% output level (High) and up to 6 hours (Low)
- IPX rated design - waterproof to 1 meter for 30 minutes
- 8 total programmable functions - 4 functions when toggle switch in "left" position and 4 functions when toggle switch is in "right" position
- Raised handle and toggle "on-off" switch ensure ease of use with a gloved hand
- Fits existing Streamlight Vulcan chargers and serialized for positive identification

Battery Type: Lithium Ion

Beam Color: White

Bulb Type: C4® LED

Lamp Life: 50,000 h

Charge Cycles: 500

Charging Time: 8 h

Includes: AC & DC Charge Cords; Charging Rack; Shoulder Strap



SKU	No. of Batteries	Beam Concentration (MBCP)	Lumens [Max]
683-44450	1	80,000 cp	150

Haz-Lo™ Headlamps

Features:

- Intrinsically safe for use in atmospheres containing hazardous gases, vapors and liquids
- Push-button switch provides easy operation when wearing heavy gloves
- Impact resistant housing
- O-Ring sealed, water resistant

Beam Color: White

Run Time: 11 h

Bulb Type: Super High-Flux LED

Lamp Life: 50,000 h

Strap Material: Elastic & Rubber Hard Hat Straps

Includes: Batteries; Elastic Head Strap; Rubber Hard Hat Strap



SKU	Batt. Size	Battery Type	Lumens [Max]
683-61200	AA	Alkaline	34

MicroStream® LED Flashlights

Features:

- Compact, slim, machined aluminum flashlight
- Proprietary micro-optical system optimizes output and run time

Beam Type: Spot

Run Time: 1.5 h

Bulb Type: Super High-Flux LED

Lamp Life: 30,000 h

Includes: Batteries; Lanyard



SKU	No. of Batteries	Batt. Size	Battery Type	Beam Color	Lumens [Max]
683-66318	1	AAA	Alkaline	White	20

PolyStinger® LED Haz-Lo® Rechargeable Flashlights

Features:

- Developed for hazardous locations, atmospheres and environments including petro-chem, utility, and other heavy industrial applications
- Multi-function push-button switch tested to 1 million cycles
- Deep-dish parabolic reflector produces a tight beam with optimum peripheral illumination
- 3 meter impact-resistance tested
- IPX4 rated for water-resistance
- Serialized for positive identification

Battery Type: Nickel Cadmium Rechargeable

Beam Type: High/Low/Moonlight

Bulb Type: C4® LED

Lamp Life: 50,000 h

Includes: Battery Stick; Steady Charge 120V AC/12V DC Chargers



SKU	No. of Batteries	Batt. Size	Lumens
683-76412	1	4 Cell	50 - Low; 130 - High; 1.3 - Moonlight

Professional Tactical Flashlights

Features:

- Waterproof to 1 meter for 30 minutes
- Compact, tactical flashlight featuring a super bright C4 LED

No. of Batteries: 2

Beam Color: White

Bulb Type: C4® LED

Lamp Life: 50,000 h

Includes: Batteries; Holster



SKU	Batt. Size	Battery Type	Lumens
1.75 h - High; 21 h - Low			
683-88033	AA	Alkaline	120 - High; 14 - Low
50 h - Low; 2.5 h - High			
683-88031	3V	Lithium	180 - High; 10 - Low



ProPolymer® Flashlights

Battery Type: Alkaline
Beam Color: White

Features:

- Waterproof, safety approved
- Tail cap On/Off switching
- Virtually indestructible, non-conductive polymer which features a rubber face cap for impact and shock resistance
- Wrist lanyard connection
- C-cell lights have a spring loaded clip
- Includes batteries (except C-Cell models)



SKU	No. of Batteries	Batt. Size	Run Time	Lumens [Max]	Lamp Life
Bulb Type: Xenon					
683-68254	4	AA	4 h	34	30 h
Bulb Type: (7) LED's					
683-68201	4	AA	155 h	67	100,000 h
683-68202	4	AA	155 h	67	100,000 h
Bulb Type: (10) LED's					
683-33202	3	C	336 h	85	100,000 h
Bulb Type: Super High-Flux LED					
683-68244	4	AA	4 h	42	50,000 h
683-68602	4	AA	4 h	42	50,000 h
683-67101	2	AA	18 h	25	30,000 h

ProTac® HL

Features:

- Three different selectable programs with Ten-Tap programmable switch
- Optimized electronics provide regulated intensity
- Anti-roll head prevents the light from rolling away when you set it down
- Removable pocket clip
- O-ring sealed glass lens
- Waterproof to 1 meter for 30 minutes
- 1 meter impact resistance tested

Battery Type: Lithium

Beam Type: Flood

Beam Color: White

Bulb Type: LED

Lamp Life: 50,000 h

Includes: (2) 3 Volt CR123A Lithium Batteries

Beam Distance: High - 235 m; Low - 57 m



SKU	No. of Batteries	Batt. Size	Lumens
683-88040	2	3V CR123A Lithium	600 - High; 33 - Low

Scorpion® Flashlights

Features:

- The Scorpion is one of the brightest, lightest and smallest personal lights ever developed
- Body is covered by a rubber armored-sleeve
- Adjustable head allowing for spot-to-flood focus

Batt. Size: 3V

Beam Type: Adjustable

Beam Color: White

Run Time: 1 h

Lamp Life: 30 h

Includes: Batteries; Spare Bulb



SKU	No. of Batteries	Battery Type	Lumens [Max]
683-85001	2	Lithium-Ion	78

Scorpion® LED Flashlights

Features:

- Anti-roll head design
- Rubber-armored sleeve for a sure grip
- Push button tail cap "on-off" for easy, one-handed operation
- O-ring sealed for moisture protection

Battery Type: Lithium-Ion

Beam Color: White

Bulb Type: C4® LED

Lamp Life: 50,000 h

Run Time: 3.5 h

Includes: Batteries



SKU	No. of Batteries	Batt. Size	Lumens [Max]
683-85010	2	3V	120

Septor® LED Headlamps

Features:

- Seven 100,000 hr. life ultra-bright, white LED's
- Adjustable elastic head strap and rubber hard hat strap
- 90° tilting head

Battery Type: Alkaline

Run Time: 150 h - 1 LED

Bulb Type: LEDs

Lamp Life: 100,000 h

Strap Material: Elastic & Rubber Hard Hat Straps

Includes: Batteries



SKU	No. of Batteries	Batt. Size	Beam Color	Lumens
683-61052	3	AAA	White	50 @ 7 LEDs; 25 @ 3 LEDs; 9 @ 1 LED

SL-20X® Flashlights

Features:

- Machined aircraft aluminum with anodized finish
- Constant-on and momentary modes
- Rechargeable up to 1000 times

Battery Type: Nickel Cadmium Rechargeable

Beam Type: Pre-Focused

Beam Color: White

Run Time: 1.5 h

Lamp Life: 100 h

Includes: (2) Sleeves; AC & DC Charge Cords

Charging Time: 8 h



SKU	No. of Batteries	Batt. Size	Lumens [Max]
683-26010	1	6V	200



Stinger DS® LED Rechargeable Flashlights

Features:

- Compact & extremely powerful, rechargeable flashlights offer 3 microprocessor controlled intensity modes, strobe mode and the latest in power LED technology
- The Stinger DS® LED includes a second independent easy to locate tactical tailcap switch
- The combination of rechargeable batteries and the C4® LED results in one of the lowest operating costs of any flashlight made
- C4® LED technology for extreme brightness. Serialized for positive identification. LED Charge-continuity indicator on charger base
- Compact, snap-in charger mounts in any position

Battery Type: Ni-Cd sub-C

Beam Color: White

Run Time: 2 h - High; 3.75 h - Medium; 7.25 h - Low

Lumens: 180 - High; 45 - Medium; 95 - Low; 175 - Medium; 350 - High; 85 - Low

Lamp Life: 50,000 h

Run Time: 7.25 h

Resistance: Water

Beam Distance: 261m; 190m; 134m



SKU	No. of Batteries	Batt. Size	Voltage
683-75832	1	3.6 V	3.6 V

Stinger® DS LED Flashlights

Features:

- Compact & extremely powerful, rechargeable flashlights offer 3 microprocessor controlled variable intensity modes, strobe mode and the latest in power LED technology
- Includes a second independent easy to locate tactical tailcap switch
- The combination of rechargeable batteries and the C4®LED results in one of the lowest operating costs of any flashlight made
- C4®LED technology for extreme brightness
- IPX4 Rated for water resistant operation
- 3 meter impact resistance tested
- Serialized for positive identification
- Compact, snap-in charger mounts in any position

Battery Type: Nickel Cadmium Rechargeable

Beam Color: White

Run Time: 2 h - High; 3.75 h - Medium; 7.25 h - Low

Lamp Life: 50,000 h

Resistance: Water

Includes: (2) Holders; AC & DC Charge Cords; Anti-Roll Rubber Ring

Beam Distance: 438m; 309m; 209m



SKU	No. of Batteries	Batt. Size	Lumens
683-75813	1	3.6V	50 - Low; 200 - High; 100 - Medium

Stinger® DS LED HP Flashlights

Features:

- Compact & extremely powerful, rechargeable flashlights offer 3 microprocessor controlled variable intensity modes, strobe mode and the latest in power LED technology
- Includes a second independent easy to locate tactical tailcap switch
- The combination of rechargeable batteries and the C4®LED results in one of the lowest operating costs of any flashlight made
- C4®LED technology for extreme brightness
- IPX4 Rated for water resistant operation
- 3 meter impact resistance tested
- Serialized for positive identification
- Compact, snap-in charger mounts in any position

Includes: (2) Charger/Holders; AC & DC Charge Cords; Battery

Battery Type: Nickel Cadmium Rechargeable

Beam Type: Long Range Targeting

Beam Color: White

Run Time: 2 h - High; 3.75 h - Medium; 7.25 h - Low

Lumens: 50 - Low; 200 - High; 100 - Medium

Bulb Type: C4® LED

Lamp Life: 50,000 h

Charging Time: 10 h

Beam Distance: 438m; 309m; 209m



SKU	No. of Batteries	Batt. Size
683-75863	1	3.6V

Stinger® Flashlights

Features:

- Machined aluminum housing anodized against corrosion inside and out

Beam Type: Adjustable

Beam Color: White

Lamp Life: 30 h

Body Material: Machined Aluminum

Lens Material: Polycarbonate

Battery Type: Nickel Cadmium Rechargeable

Includes: (2) Holders; AC & DC Charge Cords



SKU	No. of Batteries	Batt. Size	Lumens [Max]
683-75014	1	3.6V	125



Stinger® LED Flashlights



Features:

- Compact & extremely powerful, rechargeable flashlights offer 3 microprocessor controlled variable intensity modes, strobe mode and the latest in power LED technology
- Includes a second independent easy to locate tactical tailcap switch
- The combination of rechargeable batteries and the C4@LED results in one of the lowest operating costs of any flashlight made
- C4@LED technology for extreme brightness
- IPX4 Rated for water resistant operation
- 3 meter impact resistance tested
- Serialized for positive identification
- Compact, snap-in charger mounts in any position

Battery Type: Nickel Cadmium Rechargeable

Beam Type: Long Range Targeting

Beam Color: White

Run Time: 2 h - High; 3.75 h - Medium; 7.25 h - Low

Lumens: 50 - Low; 200 - High; 100 - Medium

Bulb Type: C4@ LED

Lamp Life: 50,000 h

Run Time: 7.25 h

Includes: (2) Holders; AC & DC Charge Cords

Beam Distance: 261m; 190m; 134m

SKU	No. of Batteries	Batt. Size
683-75713	1	3.6V

Streamlight Jr.® LED Flashlights

Features:

- Push-button tailcap - steady on and momentary on/off operation
- Shock/water-resistant

No. of Batteries: 2

Battery Type: Alkaline

Beam Color: White

Bulb Type: C4@ LED

Lamp Life: 50,000 h

Run Time: 4 h

Includes: Nylon Flapless Holster



SKU	Batt. Size	Lumens [Max]
683-71500	AA	80

Strion® LED Flashlights

Features:

- Ultra compact & powerful, the Strion® LED and Strion® LED HP rechargeable flashlights offer 3 microprocessor controlled variable intensity modes, strobe mode and the latest in power LED technology
- The combination of rechargeable batteries and the C4@ LED results in one of the lowest operating costs of any flashlight made
- C4@ LED technology for extreme brightness
- Compact, snap-in charger mounts in any position
- Serialized for positive identification
- Fully recharges battery in 3 hours and charges battery in product

Battery Type: Lithium Ion with on-board safety control circuit

Beam Color: White

Run Time: 2 h - High; 4 h - Medium; 7.5 h - Low

Lumens: 160 - High; 40 - Low; 80 - Medium

Lamp Life: 50,000 h

Charging Time: 3 h

Resistance: Water

Run Time: 7.5

Includes: 2 Charger/Holders; AC & DC Charge Cords

Beam Distance: 200m; 141m; 100m



SKU	No. of Batteries	Batt. Size
683-74302	1	3.75 V

Stylus Pro® LED Flashlights

Features:

- Compact, slim, machined aluminum flashlight
- Proprietary micro-optical system optimizes output and run time
- Rotary switch with a 1/4" high actuator

Battery Type: Alkaline

Run Time: 7.5 h

Bulb Type: Super High-Flux LED

Lamp Life: 30,000 h

Beam Color: White

Includes: Batteries; Pocket Clip



SKU	No. of Batteries	Batt. Size	Lumens [Max]
683-66118	2	AAA	24

Stylus Reach® Flashlights

Features:

- Flexible, insulated cable extension
- Momentary "blink" or constant "on" switching
- Waterproof

Battery Type: Alkaline

Beam Color: White

Length: 7 in

Run Time: 60 h

Bulb Type: LED

Lamp Life: 100,000 h

Includes: Batteries; Pocket Clip



SKU	No. of Batteries	Batt. Size	Lumens [Max]	Extension Length
683-65618	3	AAAA	10	7 in



Stylus® Flashlights

Features:

- Waterproof
- Individually serialized
- Momentary "blink" switch and constant "on"
- Nonslip grip
- Other LED colors available

Battery Type: Alkaline

Bulb Type: LED

Beam Color: White

Run Time: 60 h

Lamp Life: 100,000 h

Includes: Batteries; Pocket Clip



SKU	No. of Batteries	Batt. Size	Lumens [Max]
683-65018	3	AAAA	10

Survivor® LED Flashlights

Features:

- Rechargeable model fits all existing Survivor charging units and accepts existing batteries
- Optimum peripheral illumination to aid in navigation
- Water-resistant

Beam Color: White

Run Time: 3.5 h - High; 10 h - Low

Lumens [Max]: 100

Bulb Type: C4® LED

Lamp Life: 50,000 h

Charging Time: 10 h

Includes: AC & DC Charge Cords; Charger



SKU	No. of Batteries	Color	Width	Height
683-90503	1	Orange	2.85 in	7.06 in
683-90513	1	Yellow	9 1/2 in	3 in

Trident® Headlamps

Features:

- LEDs provide low lighting for battery economy
- Small, lightweight design with adjustable straps
- Water resistant, with scratch resistant lens

Battery Type: Alkaline

Beam Color: White

Run Time: 150 h - 1 LED

Lumens: 12 Xenon, 24 3-LEDs, 9 1-LED

Lamp Life: 100,000 h

Strap Material: Elastic & Rubber Hard Hat Straps

Includes: Batteries



SKU	No. of Batteries	Batt. Size	Lumens [Max]
683-61050	3	AAA	24

UltraStinger® Flashlights

Features:

- Machined aluminum housing anodized against corrosion inside and out

Beam Type: Adjustable

Beam Color: White

Run Time: 1 h

Lamp Life: 30 h

Includes: AC/DC Charger - 2 Holders

Charging Time: 8 h



SKU	No. of Batteries	Batt. Size	Lumens [Max]
683-78014	1	6V	295

Waypoint® Flashlights

Features:

- Can also use 4 C Alkaline batteries
- Hand-held, pistol grip spotlight features a super bright C4 LED

Battery Type: Alkaline

Beam Type: Spot

Beam Color: White

Run Time: 120 h - Using C Batteries

Modes: High, Low and Emergency Signal

Bulb Type: C4® LED

Lamp Life: 50,000 h

Includes: 12V DC Power Cord; High Strength Lanyard



SKU	No. of Batteries	Batt. Size	Lumens
683-44900	4	C	20 - Low; 210 - High



MAG-Lite® Rechargeable Batteries

Features:

- Up to 1000 hrs of battery life

Batt. Size: 6V

Battery Type: NiMH



SKU
459-ARXX235

Mag-Lite® Replacement Lamps

Features:

- Mag-lite D rechargeable Flashlight
- Used With:** Rechargeable Flashlight



SKU
459-LR00001



Replacement Modules

Features:

- Allows safe use in many different hazardous environments and conditions
- Produces a powerful collimated white beam

For Model: 2000C

Beam Type: Laser Spot™

Bulb Type: Xenon



SKU
562-2004



Stinger® Parts & Accessories

Features:

- Supplies high-surge current
- Rechargeable up to 1000 times

Used With: Stinger HP™ Flashlights; Stinger® Flashlights



SKU
683-75175

DURACELL®

CopperTop® Alkaline Batteries with DuraLock Power Preserve™ Technology



SKU	Batt. Size	Voltage	Batt. Cap.	Quantity
243-MN1300	D	1.5 V	15 A-h	12 per pack
243-MN1300	D	1.5 V	15 A-h	12 per pack
243-MN1400	C	1.5 V	7.8 A-h	12 per pack
243-MN1500BKD	AA	1.5 V	2.85 A-h	24 per pack
243-MN1604BKD	9V	9 V	580 mA-h	12 per pack
243-MN2400BKD	AAA	1.5 V	1.15 A-h	24 per pack

Duracell® Alkaline Lantern Batteries

Features:

- Engineered for devices consumers use most
- The technology of CopperTop has been upgraded to provide advanced performance in popular battery powered devices
- Dependable, long lasting power with up to a 10-year freshness guarantee
- Date coded to ensure freshness
- Lasts up to 10 times longer than super heavy duty and carbon zinc batteries in power demanding applications
- Features Duralock Technology, which provides advanced performance in popular battery-powered devices
- Dependable, long-lasting power
- Designed for intermittent use
- Ten-year shelf life
- Mercury-free

Type: Non-Rechargeable Dry Cell



SKU	Voltage	Batt. Cap.
243-MN908	6 V	13 A-h

Duracell® Lithium Batteries

Features:

- Up to 4 times the power of alkaline batteries
- Excellent shelf life
- High energy density and rate capability with Duralock technology
- High capacity, low discharge for longer service life

Quantity: 1 per pack



SKU	Batt. Size	Voltage
243-DL2032BPK	2032	3 V
243-DL2450BPK	2450	3 V

Duracell® Procell® Batteries

Features:

- Date coded to ensure freshness
- Lasts up to 10 times longer than super heavy duty and carbon zinc batteries in power demanding applications
- Engineered for intermittent use
- Economically packaged for professional applications
- Contains no added mercury

Battery Type: Alkaline



SKU	Batt. Size	Voltage
243-PC1300	D	1.5 V
243-PC1400	C	1.5 V
243-PC1500BKD	AA	1.5 V
243-PC1604BKD	9V	9 V
243-PC2400BKD	AAA	1.5 V

DURACELL®

Duracell® Procell® Lantern Batteries

Features:

- Last up to twice as long as super heavy duty zinc carbon batteries and provide an extra measure of leakage resistance for critical applications
- Date coding to ensure freshness
- A long shelf life
- Dependable, long lasting power with up to a 7-year freshness guarantee
- Date coded to ensure freshness
- Lasts up to 10 times longer than super heavy duty and carbon zinc batteries in power demanding applications

Battery Type: Alkaline

Terminal Type: Screw Post



SKU	Voltage
243-PC915	6 V

Duracell® Procell® Lithium Batteries

Features:

- Dependable, long lasting power with up to a 7-year freshness guarantee
- Date coded to ensure freshness
- Lasts up to 10 times longer than super heavy duty and carbon zinc batteries in power demanding applications
- Engineered for intermittent use
- Economically packaged for professional applications
- Contains no added mercury



SKU	Voltage	Quantity
243-DL123ABPK	3 V	1 per pack
243-DL123ABPK	3 V	1 per pack
243-PL123AM	3 V	400 per pack

Duracell® Watch/Electronic Batteries

Features:

- Have the reliable power you need

Battery Type: Silver Oxide

SKU	Voltage	Quantity
243-D303/357PK	1.5 V	6 per carton



Alkaline Reclosable Batteries

Features:

- Better for the environment - mercury and cadmium free formula
- Date coded packaging
- Dependable performance - for "must work" applications
- Guaranteed against leakage
- Longer storage life
- Industrial contractor reclosable packs

Battery Type: Alkaline



SKU	Batt. Size	Quantity
620-ALAA-24	AA	24 per pack
620-ALAA-48F	AA	48 per pack
620-ALAAA-24	AAA	24 per pack
620-ALD-12	D	12 per pack

Heavy Duty Shrink Pack Batteries

Features:

- General purpose industrial lantern battery

SKU	Batt. Size	Quantity
620-HD-DA	D	6 per pack



Keyless Entry Batteries

Features:

- Dependable, long life
- Keeps keyless remotes functioning
- Lithium keyless entry battery

Used With: Keyless Remote

SKU	Batt. Size	Battery Type
620-KECR2032-1	3V	Lithium



Lantern Batteries

Features:

- Heavy-duty
- Spring terminal

Terminal Type: Coil Spring

SKU	Batt. Size
620-6V-HD	6V



Maximum® Alkaline Shrink Pack Batteries

SKU	Batt. Size	Quantity
620-AL-9V	9V	6 per pack
620-AL-AA	AA	8 per pack
620-AL-AAA	AAA	8 per pack
620-AL-C	C	6 per pack
620-AL-D	D	6 per pack





Silver Watch/Electronic Batteries

Features:

- High-performance to help keep specialty devices going strong
- Mercury free formula

Battery Type: Silver Oxide

Applications: Calculators; Medical Devices; Remote Controls; Watches

Used With: Electronics



SKU	Batt. Size	Voltage
620-303/357-1ZM	303/357	1.5 V



AAAA Batteries

Features:

- Reliable
- Long-lasting power

Battery Type: Alkaline

Includes: (6) AAAA Alkaline Batteries



SKU	Voltage	Quantity
683-65030	1.5 V	6 per pack

Streamlight® Lithium Batteries

Features:

- Reliable
- 10 year shelf life

Battery Type: Lithium

Includes: (12) CR123A Lithium Batteries



SKU	Voltage	Quantity
683-85177	3 V	12 per pack



Cord-O-Lite™ Temporary Lightings

Features:

- Accommodates A-23 bulbs up to 150 watts
- Available in 50 ft and 100 ft lengths, 12/3 or 14/2 cord
- Available with easy-open plated metal lamp guards or snap-on plastic guards
- Durable outdoor/indoor lighting systems

Bulb Type: Incandescent

Conductor Size: 12/3 AWG

Cable Marking: SJTW

Cord Length: 50 ft

Jacket: Yellow

Current Input @ Voltage: 15 A @ 125 VAC

Cover Material: Metal

Resistance: Weather Resistant

No. of Sockets: 5



SKU	Bulb Cap.	Voltage	Amps
172-07538	150 W	125 VAC	15 A

Double Halogen Flood Light

Features:

- Heavy-duty, die-cast frame
- Shadow Fighter™ Grills for maximum light output
- Tempered high heat glass lens
- Shadow Fighter Grills for maximum light output

Bulb Type: Quartz Halogen

Conductor Size: 18/3 AWG

Cable Marking: SJT

Cord Length: 5 ft

Jacket: Black

Lumens: 20,000

Body Material: Metal



SKU	Bulb Capacity	Voltage	Watts
172-L14SLED	1,000 W	125 V	1,000 W

Polar/Solar® Trouble Lights

Features:

- Classic mechanic's light features a protective, vinyl-coated metal bulb back shield and vinyl-coated metal-wire bulb guard
- Guard-mounted hang hook
- Large, handle-mounted push-button switch

Bulb Type: Incandescent

Conductor Size: 14/3 AWG

Cable Marking: SJEO

Cord Length: 25 ft

Jacket: Yellow



SKU	Voltage	Amps
172-05657	125 VAC	15 A

Portable Halogen Work Light

Features:

- Heavy-duty, die-cast frame
- Shadow Fighter™ Grills for maximum light output

• Tempered high heat glass lens

• Grills for maximum light output

Bulb Type: Quartz Halogen

Conductor Size: 18/3 AWG

Cable Marking: SJT

Cord Length: 3 ft

Jacket: Black

Lumens: 8,000

Body Material: Metal



SKU	Voltage	Height	Watts
172-L33	125 V	8 1/2 in	500 W



Trouble Work Lights

Features:

- Constructed from tough PVC yet lightweight construction makes handling effortless
- Round orange vinyl jacket is flexible, easy to see and won't mark floors or walls
- Dual hook system permits hanging the work light by either the guard or handle
- Standard with power switches and bulb cages for fast light bulb changes

Jacket: Orange

Control Type: In Handle; Push-through

Handle Material: Thermoplastic

Jacket Material: PVC

SKU	Height
172-0691	17 in



LED Magnetic Rotating Work Lights

Features:

- Strong magnetic base
- Head rotates 360°
- Durable aluminum housing

No. of Batteries: 3

SKU	Bulb Type	Battery Type
758-RT-2LT	24 LED	AAA
758-RT-48LT	48 LED	AA



Quartz Light Bulbs

Features:

- Quartz replacement bulbs provide a bright light
- May be used with any 500W halogen worklight or lamp
- Standard RSC style base makes it easy to change burned-out bulb

SKU	Power Consumption	Quantity
172-07880	500 W	6 per pack



Rough Service Replacement Bulbs

Features:

- Rough service bulb provides durability and long life
- Manufactured to withstand vibrations and movements that can damage filaments

Power Consumption: 100 W

SKU	Voltage	Quantity
172-05903	125 VAC	120 per case



Extension Cords



Features:

- Lighted receptacles indicate power, promoting safety
- Heavy-Duty molded ends offer safety and durability for industrial use

Conductor Size: 8/3 AWG

Cable Marking: STW

Color: Blue

NEMA/IEC Configuration: 6-50P to Lighted 6-50R

SKU	Length	Voltage	Watts	Amps
100-601917-88-06	15 in	250 V	10,000 W	40 A
100-601922-88-06	15 in	250 V	10,000 W	40 A



Coleman Cable Generator Extension Cords

Features:

- Temporary power cord with three 15 Amp receptacles and one male 5-15 plug engineered to work exclusively with generators or other equipment rated equal to or less than 15 AMPS
- Heavy duty molded tri-source female receptacles
- Professional quality

Conductor Size: 12/3 AWG

Cable Marking: SJTW

No. of Outlets: 3

Amps: 15 A

NEMA/IEC Configuration: 5-15P to 5-15R

SKU	Length	Voltage
172-01910	3 in	125 V



Coleman Cable Yellow Jacket® Power Cords

Features:

- Durable vinyl jacket
- Lighted end

Cable Marking: SJTW

No. of Outlets: 1

Resistance: Water Resistant; Weather Resistant

SKU	Length	Voltage	Amps
172-02587-88-02	25 ft	125 VAC	15 A





Luma-Site® Cord Reels w/Lighted Tri Source®

Features:

- Illuminated Tri-Source
- Cord pulls out to desired length, locks and automatically retracts with a slight pull of the cord
- Circuit breaker with reset button
- Impact resistant ABS plastic housing
- Quick detach mounting bracket



SKU	Conductor Size	Cable Marking	Length	No. of Outlets
172-04820	12/3 AWG	SJTW	50 ft	3

Polar/Solar® Extension Cords

Features:

- Reinforced blades help prevent accidental bending or breaking
- Heavy-duty strain relief protects electrical connections resulting in longer cord life
- Outer jacket is flame retardant and water resistant

Cable Marking: SJEOW

Voltage: 125 VAC

Withstanding Voltage: 300 V

Resistance: Chemical; Oil Resistant; Weather Resistant



SKU	Conductor Size	Length	Amps
172-01288	16/3 AWG	3 in	15 A
172-01488	14/3 AWG	50 ft	15 A
172-01489	14/3 AWG	100 ft	13 A
172-01687	12/3 AWG	25 ft	15 A
172-01688	12/3 AWG	50 ft	15 A
172-01689	12/3 AWG	100 ft	15 A
172-01788	10/3 AWG	5 in	15 A
172-01789	10/3 AWG	5 in	15 A

Stripes® Extension Cords

Features:

- Clear molded ends feature a power indicator light
- Neon stripe cords help to easily identify cords on job

Conductor Size: 12/3 AWG

Cable Marking: SJTW



SKU	Length
172-02548-88-41	50 ft

Tri-Source™ Polar/Solar Plus® Multiple Outlet Cords

Features:

- Heavy-duty strain relief protects electrical connections resulting in longer cord life
- Outer jacket is flame retardant and water resistant
- Reinforced blades help prevent accidental bending or breaking

Conductor Size: 12/3 AWG

Cable Marking: SJEOW

Voltage: 125 VAC

Amps: 15 A

No. of Outlets: 3

Withstanding Voltage: 300 V

Resistance: Chemical; Oil Resistant; Weather Resistant



SKU	Length
172-03487	25 ft
172-03488	50 ft

Tri-Source™ Polar/Solar® Multiple Outlet Cords

Features:

- Reinforced blades help prevent accidental bending or breaking
- Heavy-duty strain relief protects electrical connections resulting in longer cord life
- Outer jacket is flame retardant and water resistant

Cable Marking: SJEOW

No. of Outlets: 3

Withstanding Voltage: 300 V

Resistance: Chemical; Oil Resistant; Weather Resistant



SKU	Conductor Size	Length	Voltage	Amps
172-03489	12/3 AWG	100 ft	125 VAC	15 A

Tri-Source™ Vinyl Multiple Outlet Cords

Features:

- Reinforced blades help prevent accidental bending or breaking
- Heavy-duty strain relief protects electrical connections resulting in longer cord life
- Vinyl jacket resists moisture, abrasion and prolonged exposure to sunlight

Voltage: 125 VAC

Amps: 15 A

No. of Outlets: 3

Resistance: Weather Resistant



SKU	#	Conductor Size	Cable Marking	Length	Withstand Voltage
172-04112	1	12/3 AWG	STW	2 ft	600 V
172-04188	2	12/3 AWG	SJTW	7 1/2 in	300 V
172-04188	2	12/3 AWG	SJTW	7 1/2 in	300 V
172-04218	2	14/3 AWG	SJTW	50 ft	300 V



Vinyl Extension Cords

Voltage: 125 VAC

No. of Outlets: 1

Resistance: Weather Resistant



SKU	Conductor Size	Cable Marking	Length	Amps
Oil Resistant				
172-02304 [*]	16/3 AWG	SJTW	10 ft	13 A



SKU	Conductor Size	Cable Marking	Length	Amps
Oil Resistant				
172-02307 [*]	16/3 AWG	SJTW	25 ft	13 A
172-02308 [*]	16/3 AWG	SJTW	50 ft	13 A
172-02309 [*]	16/3 AWG	SJTW	100 ft	10 A
Water Resistant				
172-02407 [*]	14/3 AWG	SJTW		15 A
172-02408 [*]	14/3 AWG	SJTW	50 ft	15 A
172-02409 [*]	14/3 AWG	SJTW	100 ft	13 A
172-02558 [*]	12/3 AWG	STW	50 ft	15 A
172-02559 [*]	12/3 AWG	STW	100 ft	15 A
172-02568 [*]	12/3 AWG	SJTW	3 in	15 A
172-02568 [*]	12/3 AWG	SJTW	3 in	15 A
172-02589-0002 [†]	12/3 AWG	SJTW	3 1/2 in	15 A
172-02688 [‡]	10/3 AWG	SJTW	50 ft	15 A
172-02689 [‡]	10/3 AWG	SJTW	100 ft	15 A

* Molded plugs and heavy-duty strain relief protects electrical connections resulting in longer cord life

• Reinforced blades help prevent accidental bending or breaking

• Vinyl jacket resists moisture, abrasion and prolonged exposure to sunlight

† Lighted female end

‡ Clear ends and a power indicator light in the female end



Outdoor Round Vinyl Extension Cords

Features:

- Solid molded plugs
- Made with stranded and cabled copper conductors
- Resists deterioration from moisture and abrasion

Cable Marking: SJTW

Color: Orange

Voltage: 300 V

Amps: 15 A



SKU	Conductor Size	Length
860-528	12/3 AWG	25 ft
860-529	12/3 AWG	3 in
860-530	12/3 AWG	5 in
860-626	14/3 AWG	50 ft

Woods Wire Vinyl Extension Cord

Features:

- Lighted female end
- Vinyl jacket resists moisture, abrasion and prolonged exposure to sunlight
- Reinforced blades help prevent accidental bending or breaking
- Molded plugs and heavy-duty strain relief protects electrical connections resulting in longer cord life
- Outer jacket won't mark floors or walls

Conductor Size: 12/3 AWG

Cable Marking: SJTW

No. of Outlets: 1

Resistance: Weather Resistant,
Water Resistant



SKU	Length	Voltage	Amps
172-02588-0002	50 ft	125 VAC	15 A

Yellow Jacket® Power Cords

Features:

- Longer life - three times greater resistance to abrasion
- Polymer filling - for added tensile strength
- Powerlite™ Plug - plugs that glow when cord has power
- Super flexibility - 30-50% more flexible than orange cords

Conductor Size: 12/3 AWG

Cable Marking: SJTW

Amps: 15 A

Resistance: Abrasion



SKU	Length
860-2884	50 ft
860-2885	100 ft



Ground Fault Circuit Interrupters



Features:

- Made with rugged Seoprene or vinyl cable and thermoplastic protective housing
- Weather proof and rainproof

Conductor Size: 12/3 AWG

Power @ Voltage: 1,800 W @ 120 VAC

Amps: 15 A

No. of Outlets: 3

Function: GFCI

SKU	#	Cable Marking	Length
172-02837	1	SJEOW	25 ft
172-02838	1	SJEOW	7 1/4 in
172-26020008-6	2	SJTW	2.5 ft



Ericson® Ground Fault Circuit Interrupters

Features:

- Indoor/Outdoor use: provides increased resistance to water, UV exposure, impact and heat
- Larger test and reset buttons are easier to operate and provide enhanced tactile feel and audible feedback

Conductor Size: 12/3 AWG

Cable Marking: SJTW

NEMA/IEC Configuration: 5-15



SKU	Length	Voltage	Amps	Watts
267-XG2-12-2TT	2 ft	125 V	15 A	1,875 W

COOPER Wiring Devices

Plugs & Receptacles

Color: Black



Features:

- Heavy-gauge galvanized steel mounting strap for corrosion resistance

Body Cover Material: Thermoplastic

SKU	Amps	Voltage	NEMA/IEC Configuration
309-S21-SP	30 A; 50 A	125 V; 250 V	14-30; 14-50
309-S42-SP	50 A	250 V	6-30; 6-50
309-S80-SP	50 A	125 V; 250 V	10-30; 10-50

Features:


- Use with copper or aluminum wires
- Heavy gauge steel mounting strap zinc-plated for corrosion resistance
- Flush receptacle fits one or two gang enclosures

Body Cover Material: Nylon

SKU	Amps	Voltage	NEMA/IEC Configuration
309-1252	50 A	250 V	6-30; 6-50



Super-Safeway® Rubber Connectors



Features:

- Lower operating temperatures yielding longer life
- Wiring screw terminals backed out in order to provide easier and quicker wiring

Amps: 15 A

NEMA/IEC Configuration: 5-15

Face View: 2-Pole/3-Wire

Input Voltage: 125 V

Mounting Position: Straight

No. of Contacts: 3

SKU	Cable/Wire Size
840-1547	0.335 in - 0.64 in

Woodhead® molex

Super-Safeway® Rubber Plugs



Features:

- Lower operating temperatures yielding longer life
- Wiring screw terminals backed out in order to provide easier and quicker wiring

Amps: 15 A

NEMA/IEC Configuration: 5-15

Face View: 2-Pole/3-Wire

Input Voltage: 125 V

Mounting Position: Straight

No. of Contacts: 3

SKU	Cable/ Wire Size
840-1447	0.335 in - 0.64 in

Watertite® Rubber Connectors

Features:

- Locks out moisture and other contaminants
- Provides self-alignment and better mechanical and electrical connection
- Withstands high-pressure wash down up to 1000 psi (pounds per square inch)

NEMA/IEC Configuration: 5-15

Face View: 2-Pole/3-Wire

Input Voltage: 125 V

Mounting Position: Straight

No. of Contacts: 9



SKU	Amps	Height	Length	Width
840-15W47	15 A	1.85 in	4.3 in	1.85 in

Watertite® Rubber Plugs

Features:

- Locks out moisture and other contaminants
- Provides self-alignment and better mechanical and electrical connection
- Withstands high-pressure wash down up to 1000 psi (pounds per square inch)

NEMA/IEC Configuration: 5-15

Face View: 2-Pole/3-Wire


Input Voltage: 125 V

Mounting Position: Straight

No. of Contacts: 3



SKU	Amps	Height	Length	Width
840-14W47	15 A	1.85 in	2.62 in	1.85 in



PC10 Series Power Cord Reels

Features:

- All the power of our PC13 Series reel but built on the LG Series platform for one strong, durable & heavy duty reel
 - Includes 5' Pigtail & Grounding Plug (Except on less cord models)
 - CoxComposite™ hub that integrates a high strength composite with self lubricating bronze bearings
 - CoxComposite™ grommet with continuous radius design that eliminates pinched cords
- Conductor Size:** 12/3 AWG
Cord Length: 30 ft
Width: 7 1/4 in; 7 3/8 in



SKU	Voltage	Amps	Length
Single Receptacle			
170-PC10-3012-A	115 V	20 A	10 1/2 in
Quad Box Receptacle			
170-PC10-3012-B	115 V	20 A	10 1/2 in



PC13 Series Power Cord Reels



Features:

- Each model supplied with a 5' pigtail. PC13 models also include grounded plug
- Fully automatic self-retracting reel wraps, stores, & protects electrical cord
- High-quality steel construction & durable epoxy powder-coat finish
- Heavy Duty 1" solid steel axle with 1" self-lubricated precision bearings
- Heavy ribbed steel discs with rolled edges for maximum strength & safety
- Lubricated factory-balanced spring motor, constructed on in-house proprietary custom machinery, ensures the highest quality & long lasting reliability
- Cartridge-style spring motor easily accessed, serviced and/or replaced if necessary
- Multi-position locking ratchet easily secures electrical cord at desired length
- Guide arm adjusts for various mounting positions including wall, floor, ceiling, & vehicle

Conductor Size: 12/3 AWG

Cord Type: SJO

SKU	#	Voltage	Amps	Cord Length
Single Industrial Plug				
170-PC13-5012-A	1	115 V	20 A	50 ft
Quad Industrial Receptacle				
170-PC13-5012-B	2	115 V	20 A	50 ft



SDR Series Grounding Static Discharge Reel

Features:

- Used to ground static charges on service equipment during the transfer of combustible fuel and other flammable liquids
- Reel is compact in design for convenient mounting on fuel equipment
- Provides a light, constant spring tension on the ground cable, keeping the cable from becoming tangled
- Instant-acting lock and release provides operator convenience

Material: Steel



SKU	Cord Length	Length
391-SDR25-O	52 ft	50 ft
391-SDR50-O	27 ft	25 ft



Safe-T-Grip® Fuse Pullers



Features:

- Handy and convenient for removing or replacing cartridge-type fuses

SKU	#	Used With
131-34-001	1	250V; 9/32 - 1/2 in. Dia. Fuses
131-34-002	2	0 - 100A/250V, 600V; 1/2 - 1 in. Dia. Fuses
131-34-003	1	31 - 600A/250V; 31 - 400A/600V; 3/4 - 2 1/2 in. Dia. Fuses