

Activity Drinks	626,627	Fire Extinguishers	552,553	PVC Gloves	591,592
Anti-Fatigue Matting.....	661	First Aid Kits	556,557	Rainwear.....	512
Anti-Skid Treads.....	661	Footwear Covers	564,565	Rescue Systems.....	551
Antiseptics	559	Glove Parts & Accessories.....	597	Safety Can Parts & Accessories	656
Aprons.....	511,512	Hand Pads & Warmers	597	Safety Cans.....	654,655
Back Supports	525	Hard Hat & Cap Parts		Safety Cones.....	662
Bandages & Dressings	559	& Accessories.....	607,608	Safety Fences	662
Bandannas	625	Hard Hats & Caps	604,605	Safety Flags & Pennants.....	662
Boots & Shoes.....	563,564	Harness Parts & Accessories.....	543	Safety Glass Parts	
Cartridge Respirator Parts		Harnesses	541,542	& Accessories.....	537,538
& Accessories.....	637,638	Head & Face Covers.....	511	Safety Glasses.....	527,528
Cartridge Respirators.....	634,635	Helmet Headgear	619	Safety Goggles	538,539
Chore Gloves	565	High Dexterity Gloves	581,582	Safety Goggles Protection Parts	
Coated Gloves	566,567	High Heat Gloves.....	583,584	& Accessories.....	540
Coats & Jackets.....	504,505	Hydration Packs & Vests	625	Safety Signs	662
Cotton Canvas Gloves	572	Insect Repellents & Sunscreens.....	563	Safety Storage Cabinets	651,652
Coveralls & Overalls.....	506,507	Inspectors Gloves	584	Safety Storage Cases.....	654
Cut Resistant Gloves	572,573	Jersey Gloves	584,585	Safety Storage Container Parts	
Detectable Safety Tapes	663	Knee Pads	525,526	& Accessories.....	654
Detectors	551,552	Ladder Safety System Parts		Safety Storage Containers.....	654
Disposable Gloves	576,577	& Accessories.....	551	Safety Tapes	663
Disposable Respirator Parts		Lanyards.....	543,544	Safety Vests	664
& Accessories.....	633	Latex Gloves	585	Security Seals.....	651
Disposable Respirators	629,630	Leather Palm Gloves.....	586,587	Sleeves & Bibs.....	502,503
Dotted Canvas Gloves	579	Lenses & Plates.....	619,620	Sorbent Kits	660
Driver's Gloves	579,580	Lock Boxes	646	Sorbents.....	656,657
Earmuffs.....	512,513	Lockouts & Hasps	649,650	String Knit Gloves	592,593
Earplug Parts & Accessories	525	Neoprene Gloves	588	Sweat Bands	625,626
Earplugs	515,516	Nitrile Gloves	589,590	Testers.....	552
Escape Respirators	646	Padlocks & Cables	646,647	Welder Caps & Doo Rags	611
Eye Wash.....	559,560	Pallets.....	661	Welding Gloves.....	593,594
Faceshields & Visors	597,598	Pants & Shorts.....	502	Welding Helmet Accessories	623,624
Fall Protection Kits.....	548,549	Powered Air & Supplied Air System		Welding Helmets.....	611,612
Fall Protection Parts & Accessories.....	550	Parts & Accessories.....	642,643	Winter Liners & Hoods.....	610
Fire & Gas Protection Parts		Powered Air & Supplied			
& Accessories.....	555	Air Systems.....	641,642		

MILLER[®]

by Honeywell





DuPont™ Tyvek® Pants

Style: DuPont™ Tyvek® Pants

Color: White

Closure Type: Elastic Waist; Serged Seams

Model: 50

Quantity: 50 per case



SKU	#	Size Group
251-TY350S-L	1	Large
251-TY350S-XL	2	X-Large



Cape Sleeves



Features:

- For arm and upper body protection

SKU	Size Group	Material	Color
101-650-L	Large	Split Cowhide	Lava Brown
101-Q-2-L	Large	Leather	Golden Brown
101-650-XL	X-Large	Split Cowhide	Lava Brown
101-CA-650-XL-Snaps	X-Large	Cotton Sateen	Visual Green
101-Q-2-XL	X-Large	Leather	Golden Brown

Sateen Sleeves



Features:

- Adjustable black snaps at wrist

Closure Type: Snaps

SKU	Length	Material	Strap Type	Color
101-350	23 in	Split Cowhide	Shoulder	Lava Brown
101-CA-340-18	18 in	Cotton Sateen	Bicep	Visual Green
101-CA-350	23 in	Cotton Sateen	Shoulder	Visual Green



Welder's Sleeves

Features:

- Manufactured from a lightweight and breathable FR Kevlar® Blend
- Excellent protection from the high heat and open flame of welder's torches
- Superior cut resistance over cotton or light denim sleeves

Color: Brown

Resistance: Cut



SKU	Size Group	Material
012-59-406-22in	One Size	FR Kevlar®



Disposable Sleeve

Features:

- Bound seams
- Covered elastic wrists and biceps

Style: Elastic Top; Elastic Wrist

Closure Type: Serged



SKU	Size Group	Length
251-IC501BW-B	Standard	18 in

ProShield® NexGen® Sleeves

Features:

- ProShield® NexGen® garments are made with a microporous film that is laminated to a spundbonded polypropylene substrate
- ProShield® NexGen® garments are suitable for protection against non-hazardous particles, light liquid splash and aerosols in many industrial applications
- One size fits most

Style: Elastic Top; Elastic Wrist; Serged Seams

Closure Type: Serged



SKU	Size Group	Length	Quantity
251-NG500S	Standard	16 in	100 pair per case



DuPont™ Tyvek® Sleeves

Features:

- Tyvek® fabric offers an inherent barrier to particles down to 1 micron in size
- Tyvek® fabric's durability advantage over microporous film and SMS fabrics delivers consistently better barrier, even after wear and abrasion
- Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont
- Tyvek® provides an ideal balance of protection, durability and comfort of any limited use fabric technology
- One size fits most

Style: Serged Seams; Elastic at Both Ends

Closure Type: Serged



SKU	Size Group	Quantity
251-TY500S	Standard	100 pair per case

Honeywell

Heat & Cut Resistant Sleeves

Features:

- KEVLAR can withstand temperature up to 900° F (480° C) without breaking down, providing excellent flame resistance
- Sleeves are easily laundered with minimized shrinkage
- Soft and flexible knit is lightweight
- Snug fit conforms to arm for less obstruction while working

Color: Yellow



SKU	Material
582-KVS-2-18TH	100% Kevlar

LAPCO

Leather Armpads

Features:

- Provide protection from heat and support the arm, will not hinder arm movement, are insulated with high-quality foam, and tapered to provide protection above the elbow

Style: Left Arm



SKU	Material
160-LAP-AL	Leather



Cut Resistant Sleeves

Features:

- High comfort level
- Allows manual dexterity
- Made with FDA-accepted materials for use in food processing applications
- Launderable
- With thumb slot

Material: 100% Kevlar

Color: Yellow



SKU	Length
127-9378T	18 in
127-9378TE	

Dyneema® Sleeves

Features:

- Dyneema® is comparable to aramids and much better than traditional materials like leather, cotton, and nylon
- Disperses heat four times faster than aramids, cotton and leather, ensuring that the gloves feel cool and comfortable
- Dyneema® is able to bend and move in a very flexible way
- Due to its high tenacity (strength) it is extremely resistant to tears which increases the life of Dyneema® products

Thickness: 10 gauge



SKU	Width	Length	Height
127-9318D10	4 in	1 in	2 in

Memphis Glove Kevlar® Sleeves

Features:

- High comfort level
- Allows manual dexterity
- Made with FDA-accepted materials for use in food processing applications
- Launderable

Color: Yellow



SKU	Length	Material	Wt.
127-9378E	18 in	100% Kevlar	0.02 lb

WELLS LAMONT

Industrial

Flame and Cut-Resistant Sleeves

Features:

- Unique knit sleeve made from a patented combination of high performance materials and flame resistant fibers
- Blousy fit allows superior comfort and breathability
- Lightweight construction to increase employee acceptance and reduce the risk of injury
- Available with or without a thumb hole

Style: Thumb Hole



SKU	Length
815-SKC-18H	18 in



Cotton Sateen Jackets

Features:

- Shirt collars
- Adjustable black snaps on cuffs for flashback protection

Length: 30 in

Color: Visual Green

Closure Type: Snaps

Resistance: Flame Retardant

Usage: Welding



SKU	Size Group
101-CA-1200-M	Medium
101-CA-1200-L	Large
101-CA-1200-XL	X-Large
101-CA-1200-2XL	2X-Large
101-CA-1200-3XL	3X-Large

Leather/Sateen Combo Jackets

Features:

- Five insulated snaps with spatter guard front closure
- Flame retardant sateen body for cool protection
- Leather sleeves for heat, flame and abrasion resistance

Length: 30 in

Color: Blue Sateen with Tan Leather Sleeves

Resistance: Abrasion; Heat

Usage: Welding



SKU	Size Group
101-1201-L	Large
101-1201-XL	X-Large
101-1201-2XL	2X-Large

Q-Line Leather Jackets

Features:

- Jacket has inside pocket
- Soapstone holder
- Weltd shoulder seams

Color: Golden Brown

Closure Type: Snaps

Resistance: Abrasion; Heat

Usage: Welding



SKU	Length	Size Group
101-Q-1-XL	30 in	X-Large

Split Cowhide Leather Jackets

Features:

- Comfortable FR collar
- 5-ply Kevlar® sewn
- Lined shoulder for improved mobility
- Inside pockets

Length: 30 in

Color: Lava Brown

Closure Type: Insulated Snaps

Resistance: Abrasion; Heat

Usage: Welding



SKU	Size Group
101-1200-L	Large
101-1200-XL	X-Large



DuPont™ Tyvek® Frock

Features:

- Tyvek® fabric offers an inherent barrier to particles down to 1 micron in size
- Tyvek® fabric's durability advantage over microporous film and SMS fabrics delivers consistently better barrier, even after wear and abrasion
- Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont
- Tyvek® provides an ideal balance of protection, durability and comfort of any limited use fabric technology
- Laydown collar

Style: Collar; Front Snap Closure; Open Wrists; Serged Seams; Extends Below Hip

Closure Type: Serged



SKU	Length	Size Group
251-TY210S-2XL	16 in	2X-Large



DuPont™ Tyvek® Hoods

Features:

- Tyvek® fabric offers an inherent barrier to particles down to 1 micron in size
- Tyvek® fabric's durability advantage over microporous film and SMS fabrics delivers consistently better barrier, even after wear and abrasion
- Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont
- Tyvek® provides an ideal balance of protection, durability and comfort of any limited use fabric technology
- One size fits most

Style: Collar; Elastic Face; Front Snap Closure; Open Wrists; Serged Seams; Extends Below Hip

Closure Type: Serged

SKU	Size Group
251-TY657S	00; Small



DuPont™ Tyvek® Lab Coats

Closure Type: Serged

SKU	Length	Size Group
251-TY212S-M	16 in	Medium
251-TY212S-L	16 in	Large
251-TY212S-XL	16 in	X-Large
251-TY212S-3XL	16 in	3X-Large



Tychem® TK Encapsulated Level A Suit Front Entry

Features:

- Tychem® TK exhibits excellent chemical barrier properties and offers an extremely durable fabric that is puncture- and tear-resistant
- Tychem® TK fabric shows at least 30 minutes of barrier protection to 322 challenge chemicals with no observed breakthrough
- Tychem® TK is specifically developed for protection against toxic, corrosive gases, liquids and solid chemicals
- This high-performance chemical barrier fabric is suited for industrial, HazMat, and domestic preparedness applications
- Encapsulated Level A garment design is our highest level of protection from liquid splash and vapor/gas exposures for both the wearer and respiratory equipment
- Double taped seams provide strong chemical resistance against heavy liquid splashes
- A sewn seam is covered, both inside and outside of garment with compatible chemical-resistant material by heat-sealing
- Expanded faceshield provides wide 220 degree viewing angle
- EX faceshield is three-layer laminate composed of 40 mil PVC/5 mil Teflon® /20 mil PVC
- Front entry design allows wearer to partially don garment (maintain standby position) without assistance
- Expanded back to accommodate self-contained air breathing apparatus (SCBA) Vapor tight zipper
- Extra long to increase garment opening and aid donning and doffing
- Storm flap covers zipper which can be secured by the wearer with rugged hook and loop material to prevent intrusion at zipper
- Attached internal Ansell® Barrier® gloves composed of five layer laminate film for a broad range of chemical protection
- Butyl B 161 gloves provide mechanical and physical durability to help protect inner Barrier® glove
- Gloves are attached with vapor tight ring and clamp system and are replaceable



SKU	Length	Size Group
251-TK554T-MD	22 1/2 in	Medium
251-TK554T-LG	22 1/2 in	Large
251-TK554T-2X	22 1/2 in	2X-Large

Tyvek® Lab Coats No Pockets Knee Length

Length: 16 in

SKU	Size Group
251-TY211S-M	Medium
251-TY211S-L	Large
251-TY211S-XL	X-Large
251-TY211S-2XL	2X-Large





Tyvek® Lab Coats Two Pockets

Features:

- Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont
- Tyvek® provides an ideal balance of protection, durability and comfort of any limited use fabric technology
- Tyvek® fabric offers an inherent barrier to particles down to 1 micron in size
- Protection is built into the fabric itself, and there are no films or laminates to abrade or wear away
- Tyvek® fabric's durability advantage over microporous film and SMS fabrics delivers consistently better barrier, even after wear and abrasion
- Labcoat offers front snap closures for easy donning and doffing
- Provides enhanced frontal protection
- Mandarin collar designed to fit tightly around hooded PAPR



Closure Type: Serged

SKU	Length	Size Group
251-TY212S-SM	16 in	Small

ProShield® NexGen® Lab Coats

Color: White

Resistance: Serged

SKU	Size Group	Length	Quantity
251-NG122S-3XL	3X-Large	16 in	25 per case
251-NG125S-3XL	3X-Large	16 in	25 per case



Proshield®

Features:

- Applications include: general maintenance and hospital visitation
- Designed for workers in a range of industries for nonhazardous dry particle and light liquid splash applications
- Garments are available in a variety of coverall styles in a choice of both white and denim blue
- ProShield® garments have been optimized for comfort, softness and breathability
- Comfort fit design based on extensive wearer input to provide our most comfortable garment
- Enables a greater range of movement while stretching and bending
- Provides a more tailored fit, offers reinforcement in high stress areas for fewer blowouts
- Utilizes a longer zipper for easier donning and doffing and an elastic waist to better position the garment
- Elastic opening for tighter fit at wrist and ankle

Style: Elastic Waist; Serged Seams; Comfort Fit Design; Elastic Wrists and Ankles; Taped Seams

Resistance: Serged

Length: 16 in

Quantity: 25 per case

SKU	Size Group
251-P1127SWH-L	Large
251-P1127SWH-XL	X-Large
251-P1127SWH-2X	2X-Large
251-P1127SWH-3X	3X-Large

Tempro® Coveralls

Style: Serged Seams; Elastic Wrists and Ankles; Standard Fit Hood

Resistance: Serged

Quantity: 25 per case

SKU	Size Group	Length
251-TM127S-XL	X-Large	16 in
251-TM127S-2XL	2X-Large	16 in
251-TM127S-3XL	3X-Large	16.38 in
251-TM127S-4XL	4X-Large	16.38 in



Tychem® QC Coveralls

Style: Serged Seams; Elastic Wrists and Ankles; Standard Fit Hood

Quantity: 12 per case

SKU	Size Group
251-QC127S-XL	X-Large
251-QC127S-2XL	2X-Large
251-QC127S-3XL	3X-Large
251-QC127S-4XL	4X-Large



Tychem® SL Coveralls

Features:

- DuPont™ Tychem® SL delivers effective protection against a range of chemical environments
 - Tychem® SL fabric provides at least 30 minutes of protection against >124 chemical challenges
 - Tychem® SL, utilizes Saranex® 23-P film laminated to Tyvek® fabric to provide a rugged and durable fabric that resists abrasion
 - Typical applications: chemical mixing, hazardous remediation, emergency medical response, paint spraying, and nuclear environments
 - Tychem® SL fabric provides at least 30 minutes of protection against more than 124 chemical challenges
 - Tightly sewn seam is covered with garment fabric to reinforce seam and reduce potential for particle penetration
 - Storm flap covers zipper which can be sealed by the wearer with adhesive strip to prevent intrusion at zipper
 - Elastic opening for tighter fit at wrist
 - Integrated socks composed of garment material
- Style:** Elastic Wrists; Bound Seams; Standard Fit Hood; Storm Flap with Adhesive Closure; Attached Socks

Resistance: Bound

Quantity: 12 per case

SKU	Size Group
251-SL122B-L	Large; LG
251-SL122B-XL	X-Large
251-SL122B-2XL	2X-Large
251-SL122B-3XL	3X-Large





Tyvek® Coveralls

Resistance: Serged
Quantity: 25 per case

SKU	Size Group
251-TY120S-M	Medium
251-TY122S-M	Medium
251-TY127S-M	Medium
251-TY125S-M	Medium; MD
251-TY120S-L	Large
251-TY122S-L	Large
251-TY127S-L	Large
251-TY125S-L	Large; LG
251-TY120S-XL	X-Large
251-TY122S-XL	X-Large
251-TY125S-XL	X-Large
251-TY127S-XL	X-Large
251-TY120S-2XL	2X-Large
251-TY122S-2XL	2X-Large
251-TY127S-2XL	2X-Large
251-TY125S-2XL	2X-Large; 2X
251-TY120S-3XL	3X-Large
251-TY122S-3XL	3X-Large
251-TY127S-3XL	3X-Large
251-TY125S-3XL	3X-Large; 3X
251-TY120S-4XL	4X-Large
251-TY122S-4XL	4X-Large
251-TY127S-4XL	4X-Large
251-TY125S-4XL	4X-Large; 4X
251-TY120S-5XL	5X-Large
251-TY122S-5XL	5X-Large



ProShield® NexGen® Elastic-Cuff Hooded Coveralls

Features:

- Applications include: automotive refinishing, waste cleanup and remediation
- ProShield® NexGen® garments are made with a microporous film that is laminated to a spunbonded polypropylene substrate
- ProShield® NexGen® garments are suitable for protection against non-hazardous particles, light liquid splash and aerosols in many industrial applications
- Attached respirator-fit hood with elastic around face opening, designed to cover neck and chin and fit around respirator face mask
- Storm flap of garment material covers zipper
- Elastic opening for tighter fit at wrist and ankle

Resistance: Serged

Length: 16 in

Quantity: 25 per case

SKU	#	Size Group
251-NG127S-NP-L	1	Large
251-NG127S-NP-XL	1	X-Large
251-NG127S-NP-2X	2	2X-Large
251-NG127S-NP-3X	1	3X-Large



ProShield® NexGen® Coveralls



Features:

- Applications include: automotive refinishing, waste cleanup and remediation
- ProShield® NexGen® garments are made with a microporous film that is laminated to a spunbonded polypropylene substrate
- ProShield® NexGen® garments are suitable for protection against non-hazardous particles, light liquid splash and aerosols in many industrial applications
- Laydown collar
- Open ankles

Style: Collar; Serged Seams; Open Wrists and Ankles

Resistance: Serged

Length: 16 in

Quantity: 25 per case

SKU	#	Size Group
Front Zipper Closure		
251-NG120S-L	1	Large
251-NG120S-3XL	1	3X-Large
251-NG120S-4XL	1	4X-Large
251-NG120S-XL	2	X-Large
251-NG120S-2XL	2	2X-Large

Tychem® F Coveralls with attached Hood

Features:

- DuPont™ Tychem® SL delivers effective protection against a range of chemical environments
 - Tychem® SL, utilizes Saranex® 23-P film laminated to Tyvek® fabric to provide a rugged and durable fabric that resists abrasion
 - Tychem® SL fabric provides at least 30 minutes of protection against more than 124 chemical challenges
 - Typical applications include chemical mixing, hazardous remediation, emergency medical response, paint spraying, and nuclear environments
 - Tightly sewn seam is covered with garment fabric to reinforce seam and reduce potential for particle penetration
 - A sewn seam is covered with a strip of compatible chemical-resistant material through heatsealing
 - Attached hood with elastic around face opening
 - Storm flap covers zipper which can be sealed by the wearer with adhesive strip to prevent intrusion at zipper
 - Elastic opening for tighter fit at wrist and ankle
- Style:** Bound Seams; Elastic Wrists and Ankles; Standard Fit Hood; Storm Flap with Adhesive Closure

SKU	Height	Length	Width
251-TF145T-XL	16 in	16 in	10 in





Tychem® SL Coveralls with attached Hood

Features:

- DuPont™ Tychem® SL delivers effective protection against a range of chemical environments
- Tychem® SL, utilizes Saranex® 23-P film laminated to Tyvek® fabric to provide a rugged and durable fabric that resists abrasion
- Tychem® SL fabric provides at least 30 minutes of protection against more than 124 chemical challenges
- Typical applications include chemical mixing, hazardous remediation, emergency medical response, paint spraying, and nuclear environments
- Tightly sewn seam is covered with garment fabric to reinforce seam and reduce potential for particle penetration
- A sewn seam is covered with a strip of compatible chemical-resistant material through heatsealing
- Attached hood with elastic around face opening
- Storm flap covers zipper which can be sealed by the wearer with adhesive strip to prevent intrusion at zipper
- Elastic opening for tighter fit at wrist and ankle

Style: Bound Seams; Elastic Wrists and Ankles; Standard Fit Hood; Storm Flap with Adhesive Closure

SKU	Size Group	Height	Length	Width
251-SL127B-2XL	2X-Large	16 in	16 in	10 in



Tyvek® Isoclean With Attached Hood

Features:

- Serged seams have multiple interlocking threads sewn around raw edges of garment to create a strong, stress-resistant seam
- Elastic openings for tighter fit at wrist and ankle
- Front zipper closure for easy donning and doffing

SKU	Size Group	Quantity
251-IC180S-2XL	2XL	25 per box



Tychem® TK Encapsulated Level A Suit Front Entry

Features:

- Tychem® TK exhibits excellent chemical barrier properties and offers an extremely durable fabric that is puncture- and tear-resistant
 - Tychem® TK fabric shows at least 30 minutes of barrier protection to 322 challenge chemicals with no observed breakthrough
 - Tychem® TK is specifically developed for protection against toxic, corrosive gases, liquids and solid chemicals
 - This high-performance chemical barrier fabric is suited for industrial, HazMat, and domestic preparedness applications
 - Encapsulated Level A garment design is our highest level of protection from liquid splash and vapor/gas exposures for both the wearer and respiratory equipment
 - Double taped seams provide strong chemical resistance against heavy liquid splashes
 - A sewn seam is covered, both inside and outside of garment with compatible chemical-resistant material by heat-sealing
 - Expanded faceshield provides wide 220 degree viewing angle
 - EX faceshield is three-layer laminate composed of 40 mil PVC/5 mil Teflon® /20 mil PVC
 - Front entry design allows wearer to partially don garment (maintain standby position) without assistance
 - Expanded back to accommodate self-contained air breathing apparatus (SCBA) Vapor tight zipper
 - Extra long to increase garment opening and aid donning and doffing
 - Storm flap covers zipper which can be secured by the wearer with rugged hook and loop material to prevent intrusion at zipper
 - Attached internal Ansell® Barrier® gloves composed of five layer laminate film for a broad range of chemical protection
 - Butyl B 161 gloves provide mechanical and physical durability to help protect inner Barrier® glove
 - Gloves are attached with vapor tight ring and clamp system and are replaceable
- Style:** Attached Internal Barrier® Gloves; Attached Outer Butyl Gloves; Attached Sock Boots; Double Storm Flaps with Hook & Loop Closure; Double Taped Seams; Encap. Level A Front Entry; Expanded Back; Extra Wide 3-layer faceshield; Gas Tight PVC Zipper; Internal Adjustment Belt; Knee Wear pads; Outer Boot Flaps with Elastic; Two Auer® Exhaust valves



SKU	Size Group	Height	Length	Width
251-TK554T-XL	X-Large	10 1/2 in	22 1/2 in	22 1/2 in



KleenGuard® A20 Breathable Particle Protection Coveralls

Features:

- Lightweight and breathable - strong and abrasion-resistant for extended wear
- Patented Microforce™ fabric offers barrier protection against dry particulates and light liquid sprays

Style: Zipper Front

Color: White



SKU	Size Group	Quantity
No Elastic		
138-49007	4X-Large	20 per case
138-49007	4X-Large	20 per case

SKU	Size Group	Quantity
Elastic Back, Wrist, & Ankles		
138-49104	X-Large	24 per case
138-49105	2X-Large	24 per case
Elastic Back, Wrist, Ankles, & Hood		
138-49113	Large	24 per case
138-49114	X-Large	24 per case
138-49115	2X-Large	24 per case
138-49116	3X-Large	20 per case
Elastic Back, Wrist, Ankles, Hood, & Boots		
138-49124	X-Large	24 per case
138-49124	X-Large	24 per case
138-49125	2X-Large	24 per case
138-49125	2X-Large	24 per case
No Elastic		
138-49004	X-Large	24 per case
138-49005	2X-Large	24 per case



KleenGuard® A30 Breathable Splash & Particle Protection Coveralls

Style: Zipper Front w/1" Flap

Color: White

Features:

- Made of heavier fabric for more durability
- Patented Microforce™ barrier fabric provides superior particle holdout while allowing breathability
- Ideal for automotive and assembly operation



SKU	Size Group	Quantity
Elastic Back, Wrists & Ankles		
138-46104	X-Large	25 per case

Features:

- Patented REFLEX* Design is 7 ½ times less likely to rep out than ANSI minimums – provides 12% more chest room and 6% longer body length
- Breathable, patented Microforce™ barrier SMS fabric
- Seamless front to provide more protection in the primary exposure areas



SKU	Size Group
Elastic Back, Wrist, Ankles, Hood; Zipper Front w/Storm Flap	
138-46115	2X-Large
138-46115	2X-Large

KleenGuard® A40 Liquid & Particle Protection Apparel

Features:

- Better liquid and particulate barrier than TYVEK®
- Low in lint
- Made with breathable material for comfort

Style: Elastic Wrists & Ankles; Zipper Front; Zipper Front w/Storm Flap



SKU	Size Group	Height	Length	Width
138-44335	2X-Large	17 1/8 in	16 in	12 in



KleenGuard® A40 Liquid & Particle Protection Coveralls



Features:

- Better liquid and particulate barrier than TYVEK®
- Made with breathable material for comfort
- Low in lint

Color: White

SKU	#	Size Group	Quantity
Elastic Wrists & Ankles; Zipper Front; Zipper Front w/Storm Flap			
138-44323	1	Large	
138-44324	1	X-Large	25 per case
138-44325	1	2X-Large	25 per case
Elastic Wrists & Ankles; Zipper Front w/1" Flap			
138-44314	1	X-Large	25 per case
138-44315	2	2X-Large	25 per case
No Elastic; Zipper Front			
138-44303	1	Large	25 per case
138-44304	1	X-Large	25 per case
138-44305	1	2X-Large	25 per case
138-44306	1	3X-Large	25 per case

KleenGuard® A60 Bloodborne Pathogen & Chemical Splash Protection Coveralls

Features:

- Three-layer fabric construction features a middle layer of microporous film that allows heat and sweat vapor to escape while protecting against dry, particulates and liquid

Style: Elastic Back, Wrist & Ankles; Zipper Front w/ Storm Flap



SKU	Size Group
138-45005	2X-Large
138-45006	3X-Large
138-45007	4X-Large

KleenGuard® A65 Flame Resistant Coveralls



Features:

- Material treated with a flame-resistant finish
- Comfortable, breathable and durable fabric resists tearing
- Ideal for areas where exposure to sparks is possible

Style: Zipper Front

Resistance: Flame Resistant; Tearing

Quantity: 25 per case

Material: Spunlace nonwoven fabric treated with flame-resistant finish

SKU	Size Group
138-45314	X-Large
138-45315	2X-Large
138-45316	3X-Large

KleenGuard® A70 Chemical Spray Protection Coveralls

Features:

- Offers only taped and bound seams, not lesser quality serged seams as our competitors do
- With our patented REFLEX* design you'll have a seamless chest area, a primary splash zone

Style: Elastic Wrists, Ankles & Hood; Zipper Front w/Storm Flap



SKU	Size Group	Height	Length	Width
138-09814	X-Large	12 7/8 in	16 in	12 in
138-09815	2X-Large	14 5/8 in	16 in	12 in



PosiWear BA Coveralls

Features:

- Attached hood and elastic wrists and ankles keep dirt and debris out
- ANSI Sized for a wide range of motion
- Extremely low linting
- Elastic waistband for improved fit
- Proprietary technology provides protection against dry particulates and liquid sprays without sacrificing breathability

Style: Attached Hood; Elastic Wrist & Ankles; Zipper Front
Applications: Painting; Manufacturing; Pressure Washing



SKU	Size Group	Material
813-3606/2XL	2XL	Polypropylene/Film Laminate
813-3606/2XL	2XL	Polypropylene/Film Laminate

3M**Shroud with Polyethylene Coating****Features:**

- For use with 3M L-900 Series headgear
- Shroud is not intended for welding applications or where high heat or sparks are expected
- Shroud drapes over the worker for safety purposes

Color: White

SKU	Size Group
142-L-123-2	One Size Fits All

**Bib Aprons****Features:**

- Adjustable shoulder strap
- Adjustable waist
- Withstands a broad range of chemicals

SKU	Material	Color
101-500	Leather	Lava Brown
101-AG-100	Vinyl	Green
101-CA-500	Cotton Sateen	Visual Green
101-Q-5	Leather	Golden Brown
101-Q-6	Leather	Golden Brown

**Hycar Aprons****Features:**

- Apron conceals a large portion of the body
- Cloth backing for a softer, more comfortable feel
- Sturdy hycar bib apron is abrasion-resistant for extra protection

Color: Visual Green**Style:** Standard**Resistance:** Abrasion

SKU	Material
101-AR-100	Hycar

**Split Leg Bib Aprons****Features:**

- Adjustable shoulder straps
- Adjustable waist and leg straps

Color: Visual Green**Resistance:** Flame Retardant

SKU	Width	Length
101-CA-300-S	13 in	15 in

**Ansell****CPP Shop Aprons****Features:**

- High-quality and heavy-duty
- Made of pre-shrunk denim
- Features coolness, comfort and launderability



SKU	Width	Length	Material
012-57-004-28X36	0 in; 28 in	0 in; 36 in	Denim

CPP Vinyl Aprons**Features:**

- Heavy-duty protection provides confidence on toughest jobs
- Raw and premium sewn edge styles offer flexibility
- Stomach patch helps prevent early wear
- Ideal for beef/pork/poultry/fish processing, chemical processing, industrial/janitorial maintenance, and more

Resistance: Abrasion; Chemical; Grease; Oil; Puncture

SKU	Width	Length	Material	Quantity
012-56-100-35X45	33 in	44 in	Vinyl	12 per case

Disposable Polyethylene Aprons**Features:**

- Economical protection for light-duty and medium-duty applications
- High-quality virgin material combines flexibility and resistance to chemicals, fats and oils
- Easy to clean and conveniently packaged
- Poly barrier gown
- Component materials comply with FDA regulations for food contact

Color: White

SKU	#	Width	Length	Material
012-54-290	1	28 in	45 in	Polyethylene
012-56-210-28x55	2	28 in	55 in	Polyethylene



Vinyl Aprons

Features:

- Heavy-duty protection
- Constructed of the highest-quality virgin vinyl
- Superior resistance to chemicals, fats, oils, greases, punctures and abrasions

Color: Blue



SKU	Width	Length	Material
012-56-009-33X44	33 in	44 in	Vinyl
012-56-009-33X44	33 in	44 in	Vinyl



Tyvek® Aprons

Features:

- Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up
- Protection is built into the fabric itself, there are no films or laminates to abrade or wear away
- Tyvek® fabric offers an inherent barrier to particles down to 1 micron in size
- Tyvek® fabric's durability advantage over microporous film and SMS fabrics delivers consistently better barrier, even after wear and abrasion
- Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont
- Tyvek® provides an ideal balance of protection, durability and comfort of any limited use fabric technology
- Protection is built into the fabric itself, and there are no films or laminates to abrade or wear away
- Provides enhanced frontal protection
- Bound seams around neck
- Ties at waist
- One size fits most

Style: Bib Style Apron; Bound Neck &Ties; Bound Seams; One Size Fits All

SKU	Width	Length	Height
251-TY273BWH	10 in	16 in	6 3/4 in



KleenGuard® A70 Chemical Spray Protection Smocks

Features:

- Film-coated, soft, and quiet material
- Effective for environmental cleanup, hazardous waste remediation, tank cleaning, petrochemical/oil refining or handling of acid/caustic materials

Style: Back Opening; Elastic Wrist; Tie Front



SKU	Length	Material	Quantity
138-09830	52 in	Polypropylene	25 per case



3-Piece Rainsuits

Features:

- Drawstring hood has four snaps and chin strap
- Jacket has a vented cape back, five-snap front closure with storm flap, two front pockets with flaps and a corduroy collar
- Overalls have adjustable elastic suspenders with triangular D-ring buckles and studs, single snap fly

Thickness: 0.35 mm

Includes: Jacket w/Detachable Hood; Overalls



SKU	Size Group
101-9000-L	Large
101-9000-XL	X-Large
101-9000-2XL	2X-Large
101-9000-3XL	3X-Large
101-9000-4XL	4X-Large
101-9000-5XL	5X-Large

Polyester Raincoats

Features:

- Has two outside pockets
- Vented cape back, snap front closure with storm flap, detachable hood and corduroy collar

Thickness: 0.35 mm

Length: 48 in



SKU	Size Group
101-9010-XL	X-Large
101-9010-2XL	2X-Large



E-A-R Muffs™

Color: Maroon

SKU	Noise Reduction Rate (NRR)	Quantity
247-330-3002	25 dB	24 per case



SKU	Noise Reduction Rate (NRR)	Quantity
247-330-3031	21 dB	24 per case



SKU	Noise Reduction Rate (NRR)	Quantity
247-330-3001	20 dB	24 per case



3M

Optime 101 Earmuffs

Features:

- Pivoting earcups for optimum fit
- H7A Model, high protection design
- Padded steel headband with four point suspension for extra comfort

Color: Dark Green



SKU	Noise Reduction Rate (NRR)
247-H7P3E	24 dB
247-H7B	26 dB
247-H7A	27 dB

Optime 105 Earmuffs

Features:

- Twin cup design minimizes resonance, thus achieving maximum high and low frequency attenuation
- Pivoting earcups for optimum fit



SKU	Noise Reduction Rate (NRR)	Height	Length	Width	Quantity
247-H10P3E	27 dB				10 per case
247-H10B	29 dB				10 per case
247-H10A	30 dB	7.975 in	4.313 in	5 1/2 in	10 per case
247-H10AHV	30 dB	0.85 in	2 7/8 in	0.975 in	10 per case

Optime 95 Earmuffs

Features:

- Slim design for high comfort and continuous wear
- Great for wearing with welding hoods

SKU	Noise Reduction Rate (NRR)
247-H6B/V	21 dB



Optime 98 Earmuffs

Color: Yellow

Quantity: 10 per case

SKU	Noise Reduction Rate (NRR)
247-H9P3E	23 dB
247-H9A	25 dB



HOWARD LEIGHT

by Honeywell

Impact® Earmuffs

Features:

- Impact enhances user awareness of their environment through advanced sound amplification technology
- Impact allows wearers to hear important communication – other co-workers, alarms and warning signals – at a safely amplified level
- Positioned microphones provide more natural, directional hearing
- Through an advanced response technology, Impact reverts to passive earmuff mode when noise reaches 82 dB or above
- Impact is ideal for hearing-impaired workers and can help prevent isolation on the job

Color: Yellow



SKU	Noise Reduction Rate (NRR)
154-1010376	23 dB

Impact® Sport Earmuffs

Features:

- Non-deforming outer headband withstands rough treatment in the toughest workplaces
- Allows wearers to hear important communications, including other shooters and environmental sounds
- Amplifies ambient sound to safe 82 dB – response technology revert to passive hearing protector when noise reaches 82 dB
- Directionally placed stereo microphones amplify and enhance sound for more natural hearing
- Low-profile design with cut-out allows for full clearance of firearm stock, eliminating interference while shooting

Color: Khaki

Includes: (2) AA Batteries; Connection Cable



SKU	Noise Reduction Rate (NRR)
154-R-01526	22 dB



by Honeywell

Leightning® Earmuffs

Features:

- Patented Air Flow Control™ technology, delivering optimal attenuation across all frequencies without increasing earcup size or weight
- Snap-in ear cushions make replacement quick and easy
- Telescopic height adjustment remains fixed during use



Features:

- Slimline beckband design
- Can be worn with welding shields, hard hats and other PPE

SKU	Noise Reduction Rate (NRR)	Color
154-1011994	25 dB	Gray

Features:

- Padded foam headband delivers long-wearing comfort with minimal pressure on the head
- Robust steel headband withstands demanding use, especially in tough environments



SKU	Noise Reduction Rate (NRR)	Color
154-1010924	30 dB	Black

QM24+® Earmuffs

Features:

- The dielectric QM24+® is an ultra-light-weight, three-position earmuff designed for extended wear at a valued price
- QM24+ features an adjustable crown strap for a secure fit over-the-head, behind-the-head and below-the-chin
- Soft foam cushions are easy to clean with soap and water, and can be replaced for extended use



Maximum Attenuation @ Frequency: 40.3 dB @ 8,000 Hz

Mounting: Overhead

Color: Red

SKU	Noise Reduction Rate (NRR)
154-QM24PLUS	25 dB

Thunder® Earmuffs

Features:

- Dielectric construction suitable for all workplaces, especially electrical environments
- Uniform headband pressure for all head sizes, providing better comfort for long-term wear
- Inner-ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates
- Non-deforming outer headband withstands rough treatment in the toughest workplaces
- Quick-Click height adjustment remains fixed during wear
- Patented Air Flow Control™ technology, delivering optimal attenuation across all frequencies without increasing earcup size or weight

Color: Black



SKU	Noise Reduction Rate (NRR)
154-1010970	30 dB

Viking® Earmuffs

Features:

- Multiple-position headband allows wearer to select position over the head, behind the head or under the chin
- Alternative to cap-mounted earmuffs – wear with hard hats, face shields, respirators and other PPE
- Patented Air Flow Control™ technology, delivering optimal attenuation across all frequencies without increasing earcup size or weight
- Inner-ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates
- Non-deforming outer headband withstands rough treatment in the toughest workplaces



SKU	Noise Reduction Rate (NRR)	Color
154-1010926	27 dB	Blue
154-1010927	29 dB	Black



M1 Earmuffs

Features:

- Black-chrome, spring steel headband resists fatigue and is more durable
- Exclusive iridescent color and curvy shape for great looks
- Six different adjustment points provide a custom and comfortable fit for most head sizes
- SoftCoat® covering on cups and yoke helps muffle sound transmission

Color: Exclusive Iridescent Color



SKU	Noise Reduction Rate (NRR)
507-6100	29 dB

MSA

The Safety Company

Sound Control® SH Ear Muffs**Features:**

- Spring design offers low pressure and a high level of comfort
- Three distinct wearing positions for ease of use
- Excellent grip makes it easy to adjust the cups, even when wearing gloves
- Provides maximum space for the ears inside the cup
- Soft ear cup material for extended wear
- Easy ear cup height adjustment

Color: Green**Used With:** MSA Full Brim Hats

SKU	Noise Reduction Rate (NRR)
454-10034487	25 dB

Sound Control™ Cap Earmuffs**Features:**

- Designed for easy attachment to slotted MSA caps and help reduce the effects of excessive noise
- Hard cap (not included)

Color: Gray**Includes:** Brackets

SKU	Noise Reduction Rate (NRR)
454-10061272	27 dB

3M**3M™ E-A-R™ Classic™****Features:**


- 3M™ E-A-R™ Classic Soft™ earplugs are made of proprietary thermal-reactive foam
- Proprietary thermal-reactive foam
- The plugs start out firm for easy fitting then soften from body heat for a comfortable fit
- Poly bag keeps each pair of uncorded earplugs clean before use
- Noise Reduction Rating (NRR) 31 dB

Body Material: Polyurethane**Color:** Yellow**Packing Type:** Poly Bag

SKU	Noise Reduction Rate (NRR)	Size Group	Quantity
247-311-6000	31 dB	Regular	2,000 pair per case

Caboflex® Model 600 Hearing Protectors**Features:**

- Band helps prevent loss and is ideal for intermittent use
- Conically-shaped plugs provide a comfortable fit
- Dermatologically safe plugs are non-irritating
- No hinged band

Color: Yellow**Packing Type:** Poly Bag

SKU	Noise Reduction Rate (NRR)	Quantity
247-320-2001	20 dB	10 per box

E-A-Rcaps Model 2000 Semi-Insert Banded**Features:**

- Under the chin, non-invasive, comfortable hearing protection, yellow foam replaceable pods
- Soft foam replacement caps for use only with E-A-Rcaps banded hearing protector
- Replacement Pods for E-A-R Caps Model 2000 Hearing Protector (#350-2100 and #321-2101)

Brand: E-A-Rcaps**Body Material:** Polyurethane

SKU
247-321-2103

E-A-Rsoft™ FX™ Earplugs**Features:**

- Patented shape to more effectively fit in the ear canal
- Soft comfortable foam

Color: Yellow**Packing Type:** Poly Bag


SKU	Noise Reduction Rate (NRR)	Quantity	Type
247-312-1260	33 dB	200 pair per box	Corded
247-312-1261	33 dB	200 pair per box	Uncorded

E-A-Rsoft™ Grippers™ Earplugs**Features:**

- Patented grip-ring design softly hold plug in place
- Easy-grip handle for easy insertion and removal

Color: Yellow

SKU	Noise Reduction Rate (NRR)
247-312-6001	31 dB



3M

E-A-Rsoft™ SuperFit™ Earplugs**Features:**

- EARsoft with SuperFit fitting ring
- Recognized by most metal-sensing systems, these earplugs feature an implanted stainless steel ball bearing in the plug and metal particles in the cord
- Regular size fits most ear canals
- Specially developed for food processing and other industries where it is critical to keep earplugs from contaminating products and processes

Body Material: Polyurethane**Color:** Red; Yellow**Packing Type:** Poly Bag

SKU	Noise Reduction Rate (NRR)	Size Group	Quantity	Type
247-311-1254	33 dB	Regular	200 pair per box	Corded
247-312-1256	33 dB	Regular	200 pair per box	Uncorded

E-A-Rsoft™ SuperFit™ Metal Detectable Corded Earplugs**Features:**

- Specially developed for food processing and other industries where it is critical to keep earplugs from contaminating products and processes
- Recognized by most metal-sensing systems, these earplugs feature an implanted stainless steel ball bearing in the plug and metal particles in the cord
- Regular size fits most ear canals
- EARsoft with SuperFit fitting ring
- Soft polyurethane earplug

Body Material: Polyurethane**Color:** Red; Yellow

SKU	Size Group
247-311-4106	Regular

E-A-Rsoft™ Yellow Neon Blasts™ Foam Earplugs**Features:**

- Dermatologically safe foam is non-irritating to the skin
- Exciting designs and brilliant colors
- Self-adjusting foam provides low pressure with excellent attenuation

Color: Yellow**Packing Type:** Poly Bag


SKU	Noise Reduction Rate (NRR)	Size Group	Quantity	Type
247-311-1252	33 dB	Regular	200 pair per box	Corded
247-312-1252	33 dB	Regular	200 pair per box	Uncorded

E-A-Rsoft™ Yellow Neons™ Foam Earplugs**Features:**

- Dermatologically safe foam is non-irritating to the skin
- Self-adjusting foam provides low pressure with excellent attenuation
- *The NRR may overestimate the hearing protection provided during typical use
- 3M is Leading the Advancement of Hearing Conservation™
- 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided
- Large size fits people with larger earcanals
- Noise Reduction Rating (NRR)* 33 dB. CSA Class AL
- Poly bag keeps earplugs clean before use
- Soft foam earplugs are easy to roll down and insert, then expand within the earcanal to help reduce noise exposure
- Test compatible with 3M™ E-A-Rfit™ Validation System
- These uncorded foam earplugs offer a soft, low-pressure solution for comfortable wear

Color: Yellow

SKU	Noise Reduction Rate (NRR)	Size Group	Quantity	Type
247-311-1250	33 dB	Regular	200 pair per box	Corded
247-312-1250	33 dB	Regular	200 pair per box	Uncorded
247-312-1251	33 dB	Large	200 pair per box	Uncorded
247-391-1010	33 dB	Regular	500 per bottle	Uncorded

E-A-R™ Classic™ Foam Earplugs**Features:**

- Flame-retardant
- Foam is non-irritating
- Moisture resistant
- Shape prevents shifting and keeps effectiveness of noise seal constant
- Slow recovery PVC foam provides comfort with low pressure

Noise Reduction Rate (NRR): 29 dB**Color:** Yellow

SKU	#	Packing Type	Quantity	Type
247-310-1001	1	Pillow Pack	200 pair per box	Uncorded
247-311-1101	1	Poly Bag	200 pair per box	Corded
247-311-4101	1	Poly Bag	200 pair per box	Corded
247-312-1201	2	Poly Bag	200 pair per box	Uncorded
247-311-1081	2	Econopak	500 pair per box	Corded
247-312-1082	2	Econopak	1,000 pair per box	Uncorded

3M

E-A-R™ Classic™ Plus Foam Earplugs

Features:

- Flame-retardant
- Foam is non-irritating
- Moisture resistant
- Offers the highest NRR available
- Shape prevents shifting and keeps effectiveness of noise seal constant
- Slow recovery PVC foam provides comfort with low pressure

Color: Yellow

Packing Type: Poly Bag



SKU	Noise Reduction Rate (NRR)	Quantity	Type
247-310-1101	29 dB	200 pair per box	Uncorded
247-311-1105	33 dB	200 pair per box	Corded

E-A-R™ Classic™ Refill Bottles

Features:

- Moisture resistant dermatological safe foam is not irritating
- Slow recovery PVC foam provides comfort with low pressure

Body Material: Foam

Color: Yellow



SKU	Noise Reduction Rate (NRR)	Quantity
247-391-1001	29 dB	500 per bottle


E-A-R™ Classic™ SuperFit 30™ Foam Earplugs

Features:

- Moisture resistant dermatological safe foam is not irritating
- Patented fitting ring assures excellent protection
- Slow recovery PVC foam provides comfort with low pressure


Color: Red; Yellow

Packing Type: Poly Bag



SKU	Noise Reduction Rate (NRR)	Quantity
247-311-1126	30 dB	200 pair per box

E-A-R™ Classic™ SuperFit 33™ Foam Earplugs



Features:

- Moisture resistant dermatological safe foam is not irritating
- Patented fitting ring assures excellent protection
- Slow recovery PVC foam provides comfort with low pressure

Color: Red; Yellow

SKU	#	Noise Reduction Rate (NRR)	Packing Type	Quantity
247-310-1008	1	33 dB	Pillow Pack	200 pair per box
247-311-1125	2	33 dB	Poly Bag	200 pair per box

E-A-R™ Classic™ Value Pak™ Earplugs

Features:

- Moisture resistant dermatologically safe foam is not irritating
- Slow recovery PVC foam provides comfort with low pressure
- The E-A-R® Yellow color is your assurance of proven protection

Color: Yellow

Packing Type: Bulk



SKU	Noise Reduction Rate (NRR)	Quantity
247-390-1000	29 dB	200 pair per box

E-A-R™ E-Z-Fit™ Foam Earplugs

Features:

- Dermatologically safe foam is non-irritating to the skin
- Self-adjusting foam provides low pressure seal
- Soft smooth design foam for ultimate comfort for small ear canals
- Soft, smooth, self-adjusting foam provides a comfortable fit in a smaller size ear canal
- low pressure comfort with excellent attenuation

Color: Yellow

Packing Type: Poly Bag



SKU	Noise Reduction Rate (NRR)	Size Group	Quantity	Type
247-312-1208	28 dB	Small	200 pair per box	Uncorded
247-312-1222	28 dB	Small	200 pair per box	Corded



E-A-R™ Express® Pod Plugs

Features:

- Design eliminates fear of hand-to-ear contamination
- Designed for excellent attenuation on the job
- Less foam provides exceptional comfort, less pressure and less sound distortion
- Reusable or disposable
- Slow recovery foam insert easily, seats and stays in place
- Soft flexible grips for easy insertion and removal
- Breakaway cord



SKU	Noise Reduction Rate (NRR)	Color	Packing Type	Quantity
247-311-1114	25 dB	Blue	Pillow Pack	100 pair per box
247-311-1115	25 dB	Assorted	Poly Bag	100 pair per box
247-321-2100	25 dB	Blue	Pillow Pack	100 pair per box
247-321-2200	25 dB	Assorted	Pillow Pack	100 pair per box

E-A-R™ One Touch™ Earplug Dispensers

Features:

- The new ONE TOUCH features the most reliable delivery system in the world
- The patented "No Waste Funnel" system allows users to reuse both the base and dispensing unit

Color: Yellow

Packing Type: Clear Bottle



SKU	Noise Reduction Rate (NRR)	Size Group	Quantity
247-391-1004	33 dB	Regular	500 per bottle

E-A-R™ Push-Ins Foam Earplugs

Features:

- No roll down Earplugs
- Plus, since the the unique foam actually softens and becomes more pliable with body temperature, the seal and comfort increases the longer the plugs are worn
- The patented E-A-Rform foam tip is shaped and sized to mold comfortably to fit virtually every sized canal

Color: Yellow

Packing Type: Poly Bag




SKU	Noise Reduction Rate (NRR)	Quantity
247-318-1000	28 dB	100 pair per box
247-318-1001	28 dB	100 pair per box
247-318-1002	28 dB	200 pair per box
247-318-1003	28 dB	200 pair per box
247-318-1005	28 dB	500 pair per box
247-318-1005	28 dB	500 pair per box

E-A-R™ Push-Ins SofTouch Earplugs

Features:

- No roll convenience
- Easy fitting, narrow to wide design

SKU	Noise Reduction Rate (NRR)
247-318-4001	31 dB




E-A-R™ Push-Ins w/Grip Ring Foam Earplugs

Features:

- Shaped for comfort, gripped for fit
- Easy fit with no roll down required
- Foam softens with body heat
- Grip Ring design to gently hug ear canal

SKU	#	Noise Reduction Rate (NRR)	Quantity
247-318-1008	1	30 dB	200 pair per box
247-318-1009	2	30 dB	200 pair per box



E-A-R™ TaperFit 2 Foam Earplugs

Features:

- Dermatologically safe foam is non-irritating to the skin
- Worn under-the-chin or behind-the-head, will not interfere with hard hat or glasses
- Soft smooth design foam for ultimate comfort

Color: Yellow


Packing Type: Poly Bag

SKU	Noise Reduction Rate (NRR)	Size Group	Quantity
247-312-1219	32 dB	Regular	200 pair per box
247-312-1221	32 dB	Large	200 pair per box
247-312-1224	32 dB	Large	200 pair per box
247-312-1223	33 dB	Regular	200 pair per box



3M

E-A-R™ Ultrafit® Earplugs



Features:

- No rolling or touching plug portion during insertion
- Colorful patented grips make insertion easier
- No rolling or touching plug portion during insertion
- Patented flange design gives a comfortable fit for a reusable earplug

SKU	#	Noise Reduction Rate (NRR)	Quantity
247-340-4017	1	25 dB	200 pair per box

Features:

- Conforms to oval shape of ear
- Patented flange design gives most comfortable fit of any reusable earplug
- Washable, promotes worker hygiene
- Breakaway cord

SKU	#	Noise Reduction Rate (NRR)	Color	Quantity
247-340-4002*	1	25 dB	Yellow	50 pair per box
247-340-4004	2	25 dB	Yellow	100 pair per box

Features:

- Conforms to oval shape of ear
- Patented flange design gives most comfortable fit of any reusable earplug
- Washable, promotes worker hygiene

SKU	#	Noise Reduction Rate (NRR)	Color	Quantity
247-340-4001*	1	25 dB	Yellow	50 pair per box
247-340-4003	1	25 dB	Yellow	100 pair per box
247-340-4007	1	25 dB	Blue	100 pair per box
247-340-4014	1	25 dB	Yellow	200 pair per box

*Includes: Carrying Case


E-A-R™ Ultrafit® Plus Earplugs

Features:

- Colorful patented grips make insertion easier
- No rolling or touching plug portion during insertion
- Patented flange design gives most comfortable fit of any reusable earplug
- Washable, promotes worker hygiene
- No rolling or touching plug portion during insertion

Noise Reduction Rate (NRR): 26 dB

Body Material: PVC



SKU	Quantity
247-340-6004	100 pair per box
247-340-8002	200 pair per box

Foam Earplugs

Features:

- Smooth, dirt resistant surface for hygiene
- Tapered shape to fit the ear canal comfortably
- Comfortable for a wide range of ear sizes
- Hypo-allergenic material
- Can be combined with ear muffs for additional protection

Color: Bright Orange



SKU	Noise Reduction Rate (NRR)	Quantity
142-1100	29 dB	200 pair per box

Features:


- Soft braided cloth cord provides worker comfort, helps prevent loss and reduces sound vibrations from the cord
- Cord drapes comfortably without twisting or binding

SKU	Noise Reduction Rate (NRR)	Quantity
142-1110	29 dB	100 pair per box

Next™ Skull Screws™ Earplugs

Features:

- No-roll convenience
- Look of metal, soft feel of foam
- Twist-to-seal design



SKU	Noise Reduction Rate (NRR)	Quantity	Type
247-P1300	30 dB	120 pair per box	Uncorded
247-P1301	30 dB	120 pair per box	Corded

No-Touch™ Foam Plugs

Features:

- Better hygiene - eliminates foam contact with fingers
- Soft purple foam fused with LiveWire stem for easy insertion and ultimate comfort
- Tapered shape for easy insertion and canal hugging seal

Color: Purple

Packing Type: Poly Bag



SKU	Noise Reduction Rate (NRR)	Quantity	Type
247-P2000	29 dB	100 pair per box	Uncorded
247-P2001	29 dB	100 pair per box	Corded

3M

Tri-Flange™ Earplugs**Features:**

- Flexible flanges conform to the ear canal for custom fit
- Stem provides for quick and clean insertion



SKU	Noise Reduction Rate (NRR)
247-P3000	26 dB
247-P3001	26 dB

HOWARD LEIGHT

by Honeywell

AirSoft® Reusable Earplugs**Features:**


- Advanced air pocket design features internal noise-blocking fins
- Four-flange profile creates better seal in the ear canal
- Less pressure in the ear canal eliminates that “plugged up” feeling
- Rounded flanges, tapered shape fits better in the ear canal
- Firm stem facilitates easy insertion and removal

**Body Material:** TPE**Color:** Blue**Noise Reduction Rate (NRR):** 27 dB

SKU	Maximum Attenuation @ Frequency
50 pair per box	
154-AS-30R	44.2 dB @ 8 kHz
154-AS-30W	44.2 dB @ 8 kHz
100 pair per box	
154-DPAS-1	38.1 dB @ 8,000 Hz
154-DPAS-30R	44.2 dB @ 8 kHz
154-DPAS-30W	44.2 dB @ 8 kHz

Fusion® Multiple-Use Earplugs**Features:**

- FlexiFirm® stem is easy to grasp, ensuring easy insertion into the ear canal
- SoftFlange™ creates comfortable seal in the ear canal for superior comfort and protection
- Unique detachable nylon cord system adapts to virtually any application

Body Material: Molded**Quantity:** 100 pair per box

SKU	Noise Reduction Rate (NRR)	Size Group	Color	Packing Type
154-FUS30-HP	27 dB	Regular	Blue/Yellow	HearPack®
154-FUS30S-HP	27 dB	Small	Green	Flip-Top Box

Laser Lite® Disposable Earplugs**Features:**

- Vibrant colors make protection visible
- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up

Maximum Attenuation @ Frequency: 45.8 dB @ 8,000 Hz**Body Material:** Foam**Color:** Magenta/Yellow

SKU	Noise Reduction Rate (NRR)	Packing Type	Quantity
154-LL-30	32 dB	Poly Bag	100 pair per box
154-LL-1	32 dB	Poly Bag	200 pair per box
154-LL-LS4	32 dB	Bag	200 pair per box
154-LL-1-D	32 dB	Dispenser Box	500 pair per box

Laser Trak® Detectable Earplugs**Features:**

- Non-ferrous metal grommet and bright colors – easily detected by visual and automated inspection
- Self-adjusting polyurethane foam expands to fit virtually any wearer
- Contoured T-shape for easy insertion and wear

Maximum Attenuation @ Frequency: 52 dB @ 8,000 Hz**Body Material:** Foam**Color:** Orange/Blue**Packing Type:** Poly Bag

SKU	Noise Reduction Rate (NRR)	Quantity
154-LT-30	32 dB	100 pair per box

Matrix™ Single-Use Earplugs**Features:**

- Patented no-roll design makes insertion fast and easy
- Smooth outer skin and reduced diameter provide long-term comfort
- Delivers instant protection upon proper insertion – no need to wait for foam to expand
- Uniform attenuation profile blocks out noise while voice frequencies can be heard more naturally

Maximum Attenuation @ Frequency: 44 dB @ 8 kHz**Body Material:** TPE Foam**Color:** Orange**Packing Type:** Poly Bag

MATRIX™

SKU	Noise Reduction Rate (NRR)	Quantity
154-MTX-1-OR	29 dB	200 pair per box



by Honeywell

Max Lite® Disposable Earplugs

Features:

- Low pressure polyurethane foam expands gently for comfortable long-term wear
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up

Maximum Attenuation @ Frequency: 45.2 dB @ 8,000 Hz

Body Material: Foam

Color: Green

Packing Type: Bag; Poly Bag



SKU	Noise Reduction Rate (NRR)	Quantity
154-LPF-30	30 dB	100 pair per box
154-LPF-1	30 dB	200 pair per box
154-LPF-1-D	30 dB	200 pair per box
154-LPF-LS4	30 dB	200 pair per box

Max® Disposable Earplugs

Features:

- Bell shape delivers maximum in-ear comfort
- Contoured design easier to insert, resists tendency to back out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up

Maximum Attenuation @ Frequency: 46.2 dB @ 8,000 Hz

Body Material: Foam

Noise Reduction Rate (NRR): 33 dB



SKU	Color	Packing Type	Quantity
154-MAX-30	Coral	Poly Bag	100 pair per box
154-MAX-30-USA	Red/White/Blue	Poly Bag	100 pair per box
154-MAX-1	Coral	Poly Bag	200 pair per box
154-MAX-1-USA	Red/White/Blue	Poly Bag	200 pair per box
154-MAX-LS4	Coral	Bag	200 pair per box
154-MAX-1-D	Coral	Dispenser Box	500 pair per box

Multi Max® Disposable Earplugs

Features:

- Two-sizes-in-one earplug improves individual fit while simplifying inventory
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- Self-adjusting polyurethane foam expands to fit virtually every wearer

Maximum Attenuation @ Frequency:

52.1 dB @ 8,000 Hz

Body Material: Foam

Color: Coral/Yellow

Packing Type: Poly Bag



SKU	Noise Reduction Rate (NRR)	Quantity
154-MM-1	31 dB	200 pair per box

Pilot™ Multiple-Use Earplug

Features:

- Can be used for up to several working days/shifts without impacting overall performance
- Combines the performance of Quiet with the superior comfort of Max in a hybrid, push-in earplug
- Delivers long-wearing comfort and total control over your fit
- Inserts easily into your ear with a simple fingertip twist of the Navigation Stem for a quick, snug and comfortable fit
- Mid-range attenuation provides ideal, consistent protection in more noise environments and for more workers
- Soft, pearl-skinner Howard Leight polyurethane foam is resilient and easy to clean

Attenuation: Medium

Body Material: Polyurethane Foam

Color: Turquoise / Yellow

Packing Type: Poly Bag




SKU	Noise Reduction Rate (NRR)	Quantity
154-PLT-30	26 dB	100 pair per box

QB1HYG® Banded Earplugs

Features:

- Designed for people who are exposed to intermittent noise, QB1HYG offers superior protection with its inner-aural fit
- Smooth, ergonomic pods fit inside the ear canal for maximum protection, while the patented band design prevents ear pods from touching dirty or contaminated surfaces when set down

Color: Orange/Red



SKU	Noise Reduction Rate (NRR)	Quantity
154-QB1HYG	27 dB	10 per box




by Honeywell

QB2HYG® Banded Earplugs

Features:

- Designed for people who are exposed to intermittent noise, QB2HYG offers solid protection with its supra-aural fit
- Smooth, ergonomic pods fit inside the opening of the ear canal for noise protection, while the patented band design prevents ear pods from touching dirty or contaminated surfaces when set down

Color: Orange



SKU	Noise Reduction Rate (NRR)	Quantity
154-QB2HYG	25 dB	50 per box

QB3HYG® Banded Earplugs

Features:


- Designed for people who are exposed to intermittent noise, QB3HYG offers good protection with its semi-aural fit
- Smooth, ergonomic pods fit outside the opening of the ear canal for noise protection, while the patented band design prevents ear pods from touching dirty or contaminated surfaces when set down

Color: Orange/Yellow



SKU	Noise Reduction Rate (NRR)	Quantity
154-QB3HYG	23 dB	10 per box

Quiet® Reusable Earplugs



Features:

- Patented "no-roll" design is easy to handle and fit
- Contoured shape comfortably matches contours of the ear canal
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use
- Built-in insertion stem makes insertion quick and easy

Maximum Attenuation @ Frequency: 47.2 dB @ 8,000 Hz

Body Material: Foam

Color: Orange

Packing Type: Poly Bag

SKU	#	Noise Reduction Rate (NRR)	Quantity
154-QD1	1	26 dB	100 pair per box
154-QD30	2	26 dB	100 pair per box

SmartFit® Detectable Earplugs

Features:

- Conforming Material Technology™ adapts to the shape of the surrounding ear canal when in your ear, and returns the earplug to its original shape when removed
- Delivers superior comfort and a truly individual fit
- Simplifies inventory control - a single product can fit almost every wearer
- Blue color provides high visibility in detection
- Metal ring on stem detectable by automated equipment

Maximum Attenuation @ Frequency: 42.1 dB @ 8 kHz

Body Material: TPE Molded

Color: Blue

Packing Type: Poly Bag



SKU	Noise Reduction Rate (NRR)	Quantity
154-SDT-30	25 dB	100 pair per box

SmartFit® Reusable Earplugs

Features:

- Conforming Material Technology™ adapts to the shape of the surrounding ear canal when in your ear, and returns the earplug to its original shape when removed
- Delivers superior comfort and a truly individual fit
- Simplifies inventory control - a single product can fit almost every wearer

Body Material: TPE Molded

Color: Orange



SKU	Noise Reduction Rate (NRR)	Quantity
154-SMF-30	25 dB	100 pair per box
154-SMF-30W-P*	25 dB	100 pair per box

- * Process Industry style




CAMO PLUGS® Foam Earplugs

Features:

- Extra-soft, low-pressure foam for comfort and fit
- Non-irritating smooth surface
- Shaped to fit even very small ear canals
- Tapered shape for easy insertion and removal

Body Material: Foam

Color: Camo



SKU	Noise Reduction Rate (NRR)	Quantity
507-6608	33 dB	200 pair per box

SAFETY & SECURITY



Goin' Green® Foam Earplugs

Features:

- Officially Licensed Earplugs of NASCAR®
- They have a bright green swirled color for winning compliance
- They're made from extra soft, low pressure foam that provides a very comfortable fit

Color: Green



SKU	Noise Reduction Rate (NRR)	Quantity
507-6622	33 dB	100 pair per box
507-6620	33 dB	200 pair per box

Jazz Band® Earplugs

Features:

- New design reduces band pressure by 50%
- Breakaway neck cord allows Jazz Band® to hang around the neck when not in use
- Soft foam pads gently cap the ear canal
- Does not interfere with safety glasses
- Worn under the chin

Color: Blue

Includes: Spare Pods



SKU	Noise Reduction Rate (NRR)	Quantity
507-6506	25 dB	10 pair per box

JETZ™ Reusable Earplugs

Features:

- Extra-soft material and triple flange design seals gently and snugly without pressure
- The unique cord attachment with locking loop, helps keep the optional braided cloth cord securely in place
- High visibility unique green swirls plus bright green cord make compliance checks quick and easy
- Plugs can be washed and reused
- 100% PVC-Free®

Color: Bright Green



SKU	Noise Reduction Rate (NRR)
507-6455	27 dB

Meteors™ Earplugs

Features:

- Soft, slow recovery foam and contoured shape molds easily to the ear canal for all day comfort

Body Material: Foam

Color: Green



SKU	Noise Reduction Rate (NRR)	Type	Quantity
507-6970	33 dB	Corded	100 pair per box
507-6870	33 dB	Uncorded	200 pair per box

PlugStation® Earplug Dispensers

Features:

- Chute delivers plugs into right the palm of the hand
- Each dispenser is sealed and disposable, plus completely recyclable
- Put ear plugs right where they are needed
- Easily mounts on virtually any wall
- High visibility dispenser

Body Material: Foam

Includes: Mounting Bracket & Hardware



SKU	Brand	Noise Reduction Rate (NRR)	Color	Quantity
507-6644	SparkPlugs®	33 dB	Assorted	250 per dispenser
507-6844	Pura-Fit®	33 dB	Bright Green	250 per dispenser
507-6645	SparkPlugs®	33 dB	Assorted	500 per dispenser
507-6647	Goin' Green®	33 dB	Bright Green	500 per dispenser
507-6845	Pura-Fit®	33 dB	Bright Green	500 per dispenser
507-6875	Meteors®	33 dB	Bright Green	500 per dispenser

Pura-Fit® Foam Earplugs

Features:

- Long length for easy fitting and removal
- Bright color for easy compliance checks
- Tapered design to fit the ear canal
- Non-irritating, smooth surface for added comfort

Body Material: Foam

Color: Bright Green



SKU	Noise Reduction Rate (NRR)	Quantity
507-6900	33 dB	100 pair per box
507-6800	33 dB	200 pair per box



Rockets® Reusable Earplugs



Features:

- Easy grip handle
- Air bubble in the tip provides cushioned comfort
- Easy insertion in any size ear canal

Features:

- Pocket-Pak® carrying case for plug storage, slips easily into pocket
- Washable and reusable. Bright blue detectable model is ideal for food processing use.

SKU	#	Noise Reduction Rate (NRR)	Body Material	Color	Quantity
507-6415	1	27 dB	TPE	Blue	50 pair per box

Features:

- Washable and reusable

SKU	#	Noise Reduction Rate (NRR)	Body Material	Color	Quantity
507-6404	1	27 dB	TPE	Purple	50 pair per box

Features:

- Pocket-Pak® carrying case for plug storage, slips easily into pocket
- Washable and reusable

SKU	#	Noise Reduction Rate (NRR)	Color	Quantity
507-6400	1	27 dB	Purple	50 pair per box
507-6405	1	27 dB	Purple	50 pair per box
507-6420	2	27 dB	Purple	50 pair per box

Softies® Foam Earplugs

Features:

- Extra-soft lightweight foam that seals the ear canal without pressure
- Tapered for a snug fit while gently conforming to the ear canal
- Radiant color for easy compliance checks

Color: Orange



SKU	Noise Reduction Rate (NRR)	Quantity
507-6650	33 dB	100 pair per box
507-6600	33 dB	200 pair per box

SparkPlugs® Foam Earplugs

Features:

- Officially Licensed Earplugs of NA-SCAR®
- Extra soft foam and tapered design fit snugly and comfortable in the ear
- Bright, fun colors provide easy compliance checks

Features:

- Metal detectable for food processing applications

Color: Assorted




SKU	Noise Reduction Rate (NRR)	Quantity
507-6615	33 dB	100 pair per box
507-6654	33 dB	100 pair per box
507-6604	33 dB	200 pair per box



by Honeywell

DeciDamp2™ PVC Foam Earplugs



Features:

- Expands to fit ear canal

Body Material: Foam

Color: White

Packing Type: Cellophane Pouch

Quantity: 200 pair per box

SKU	Noise Reduction Rate (NRR)
068-280005	29 dB



by Honeywell

Leight® Source 500 Earplug Dispensers

Features:

- Mount on wall for easy access
- Crank handle to dispense earplugs
- Ideal for large factories and process industries
- Holds 500 pairs of Howard Leight earplugs: Max®, Max Lite®, Laser Lite®, MultiMax®, Matrix™ and Quiet®

Body Material: Anodized Aluminum

Color: Blue



SKU	Wt.
154-LS-500	9 lb

Replacement Pods

Features:

- Not intended for use without the Quiet Bands

Body Material: Foam

Color: Orange

Packing Type: Poly Bag



SKU
154-QB200HYG
154-QB300HYG



Economy Belts

Features:

- Detachable suspenders

Fastening Method: Velcro Closures

Color: Black



SKU	Size Group	Length
037-7176-02	Medium	32 in - 38 in
037-7176-03	Large	38 in - 47 in
037-7176-04	X-Large	47 in - 56 in



ProFlex® 1650 Economy Elastic Back Supports

Features:

- Single layer 5" elastic cinch strap for positive tension
- Adjustable 1-½ inch knit elastic suspenders
- Knit elastic body material [7-1/2" width]
- Machine washable

Closure Type: Adjustable Two Stage

Color: Black



SKU	Size Group
150-11093	Medium
150-11094	Large



Deluxe Soft Knee Pads

Features:

- An extra wide foam pad makes this knee pad the most comfortable in the industry
- Designed with a tough water-resistant cover and no kneecaps
- It is perfect for jobs where protecting the work surface is a primary concern

Fastening Method: Elastic/Velcro® straps

SKU
037-6998



Flexknees

Features:

- Designed with lightweight pads capped by large abrasion-resistant rubber caps for long-lasting wear
- Excellent or non-slip, hard surface work environments
- Grueling deep knee work requires tough protection
- The wraparound cap design allows maximum flexibility while maintaining a secure fit

Cap Material: Rubber

Fastening Method: Velcro Closures

Resistance: Abrasion; Skid/Slip

Closure Type: Hook and Loop

SKU
037-7103



ALLEGRO[®] INDUSTRIES

Maxknees

Features:

- It is designed with a hard poly cap that resists abrasion and works with an extra long pad for optimum comfort
- Perfect for kneeling on rough abrasive surfaces: Excellent for any application that demands maximum performance

Cap Material: ABS Plastic

Fastening Method: Elastic Strap; Velcro Closures

Resistance: Abrasion

Closure Type: Hook and Loop



SKU
037-7102

Value Plus Knee Pads

Features:

- Comes with two fully adjustable straps for a custom fit
- The cap is stitched on for greater strength and won't allow articles underneath to cause discomfort
- The most cost effective knee pad in dirty, dusty environments
- Tough polyester fabric exterior protects a high-density lightweight foam core, and the long pad provides extra comfort

Cap Material: Poly

Closure Type: Hook and Loop



SKU	Width	Length	Material
037-6999	7 in	9 in	Foam

ALTA[®]

Proline™ Knee Pads

Features:

- w/Swivel Cap
- Cap Material:** Plastic
Color: Navy



SKU	Material	Fastening Method
039-50900	Nylon	Velcro Closure
039-50903	Nylon	Buckle

Superflex™ Knee Caps

Features:

- Skid-resistant
- Soft rubber black cap for traction

Cap Material: Rubber

Fastening Method: Buckle

Color: Black



SKU	Material
039-50413	Nylon

CLC

Professional Gel Kneepads

Features:

- Special CLC "Comfort Zone" gel center provides maximum cushioning for all day wearability
- Crafted from 1680D Ballistic nylon and 3/4" foam for increased comfort
- Breathable Neoprene lower straps secure below the knee for comfort all day long
- Elastic upper straps with "buckle-style" fasteners for rapid fit
- Large, low profile cap designed to prevent "roll-over" onto hard surface



SKU	Size Group
201-G340	One Size

Professional Tread-Pattern Kneepads

Features:

- Thick 1/2" high density, closed cell foam for all day comfort
- Breathable neoprene lower straps secure below the knee for added comfort
- One size fits all
- Large caps are over-sized for more protective coverage
- Upper elastic strap with slide buckle fasteners for rapid fit
- Hard tread-pattern cap adds durability

Fastening Method: Slide Buckle

Color: Black



SKU	Size Group	Material
201-345	One Size Fits All	Elastic; Neoprene



Professional Ultra-Flex® Gel Kneepads

Features:

- Special CLC "Comfort Zone" gel center provides maximum cushioning for all day wearability
- Super Accordion, Ultra-Flex construction for comfort and protection
- Maximum memory foam layer under gel center for greater comfort
- Soft, flexible outer shell protects and grips most surfaces without scratching or scuffing
- Durable rubber straps for added stability



SKU	Size Group
201-G361	One Size



ProFlex® Gel Knee Pads

Features:

- Cut-resistant, abrasion-resistant, and non-marring 420D nylon & Hypalon® rubber composite pad
- Slip-resistant durable nylon-rubber surface
- 12mm NBR Gel padding and 20mm EVA padding
- 1680D ballistic nylon outer shell for puncture resistance
- Adjustable, breathable neoprene stretch strap
- Hook and loop closure

Color: Black

Closure Type: Hook and Loop



SKU	Size Group	Width	Length	Height
150-18350	One Size	6 in	10 in	15 3/4 in

OccuNomix
International LLC

Deluxe Non-Marring Knee Pads

Features:

- This deluxe model offers excellent protection with the added benefit of a non-marring material that won't mark up surfaces
- In addition, its rubber-like surface and gripping ridges help prevent against sliding and slipping
- EVA foam padding for comfort and cushioning
- Non-marring molded rubber cap with gripping ridges

Cap Material: Rubber

Fastening Method: Adjustable Velcro; Hook and Loop



SKU	Width	Length	Height
561-127	2.45 in	3.6 in	2.6 in

Plastic Cap Knee Pads

Features:

- Protect your knees against injuries often sustained as a result of constant kneeling
- These lightweight pads have hard caps made of abrasion resistant plastic
- The soft foam padding and adjustable straps ensure hours of comfort

Cap Material: Plastic

Fastening Method: Adjustable Velcro; Hook and Loop



SKU	Width	Length	Height
561-125	2.1 in	7.8 in	0.7 in

3M

Virtua™ Safety Eyewear

Features:

- Contoured flexible temples for comfortable fit
- Lightweight - Less than 1 oz
- Sleek - Styling with both men and women

Temple Color: Clear

Lens Coating/Shade: Uncoated

Frame Material: Polycarbonate

Lens Material: Polycarbonate



SKU	Lens Tint	Quantity
247-11228-00000-100	Clear	100 pair per case



Anti-Fog Safety Glasses

Features:

- Sleek design makes this a comfortable fit for almost anyone
- Exclusive duramass scratch-resistant coating
- Near total seal of eye orbit assures the highest level of protection
- Gel temple sleeves, and soft gel nose piece for a wider range of comfort and fit

Lens Coating/Shade: Anti-Fog

SKU	Lens Tint
135-CK210AF	Clear



BearKat® Magnifier Protective Eyewear

Lens Material: Polycarbonate
Resistance: 99.9% UV

Features:

- Single wraparound lens with built in magnifier

SKU	Lens Tint	Diopter Strength
135-BKH15	Clear	1.5
135-BKH20	Clear	2

Features:

- Treated with our exclusive Duramass® scratch-resistant coating
- Single wraparound lens design
- Flexible temple design
- Non-slip rubber head grips

SKU	Lens Tint
135-BK112AF	Gray



BearKat® Protective Eyewear

Features:

- Treated with our exclusive Duramass® scratch-resistant coating
- Single wraparound lens design
- Flexible temple design
- Non-slip rubber head grips

Lens Material: Polycarbonate
Resistance: 99.9% UV

SKU	Lens Tint
135-BK110	Clear
135-BK110AF	Clear
135-BK112	Gray
135-BK119	Indoor/Outdoor Clear-Mirror



Blackjack® Protective Eyewear

Features:

- Metal alloy temples
- Lens blocks out 99.9% of UV rays
- Wrap around design
- Exclusive Duramass® scratch-resistant lens coating
- Non-slip rubber head grips

Frame Color: Chrome

Frame Material: Metal

Lens Material: Polycarbonate

Temple Length: 150 mm

Style: Foldable Temples



SKU	Lens Tint	Quantity
135-S2110	Clear	12 per pack
135-S2110AF	Clear	12 per pack
135-S21150	Green 5.0	12 per pack

Checklite Safety Glasses



Features:

- Universal nose bridge comfortably fits large user audience

Style: Flexible Bayonet Temples

SKU	#	Lens Tint
135-CL010	1	Clear
135-CL110	1	Clear
135-CL110AF	2	Clear
135-CL112	1	Gray
135-CL119	2	Indoor/Outdoor Clear-Mirror

Checkmate® Safety Glasses



Features:

- Universal nose bridge comfortably fits large user audience
- Near total seal of eye orbit, assures the highest level of protection

Style: Flexible Bayonet Temples

Resistance: Ultraviolet

SKU	#	Frame Color	Lens Tint	Lens Coating/Shade
135-CK100	1	Clear	Clear	Uncoated
135-CK110	2	Clear	Clear	Anti-Scratch
135-CK110AF	1	Clear	Clear	Anti-Fog
135-CK112	2	Black	Gray	Anti-Scratch



CK2 Series Safety Glasses

Features:

- Sleek design makes this a comfortable fit for almost anyone
- Exclusive duramass scratch-resistant coating
- Near total seal of eye orbit assures the highest level of protection
- Gel temple sleeves, and soft gel nose piece for a wider range of comfort and fit



SKU	Lens Tint
135-CK210	Clear

Klondike® Protective Eyewear

Features:

- Gel nose piece for long-wearing comfort
- Adjustable temples ensure comfortable fit for male and female wearers
- Strong lightweight polycarbonate lens with 11-degree base curve filters out 99.9% of U.V. radiation



SKU	Frame Color	Lens Tint
135-KD110	Black	Clear
135-KD110AF	Black	Clear
135-KD112	Black	Gray
135-KD113	Black	Light Blue
135-KD119	Black	Indoor/Outdoor Clear-Mirror

* Lens Coating/Shade: Anti-Fog

Law OTG® Protective Eyewear

Features:

- Durable nylon frame with 5 position ratcheting temple design for optimum fit
- Non slip TPR temples for comfort and grip
- Over the glass designed to fit over prescription eyewear

Lens Coating/Shade: Anti-Fog

Frame Material: Nylon

Lens Material: Polycarbonate

Resistance: 99.9% UV



SKU	Frame Color	Lens Tint	Quantity
135-OG110AF	Silver	Clear	1 pair per box

Rubicon Protective Eyewear

Features:

- Aspheric lens design
- Spring hinge metal temples
- Gel nosepiece
- Nylon temple sleeve

Lens Material: Polycarbonate

Includes: Breakaway Cord; Carrying Case



SKU	Lens Tint	Lens Coating/Shade
135-T4110AF	Clear	Anti-Fog
135-T4112AF	Gray	Anti-Fog
135-T411G	Emerald	Scratch Resistant
135-T411R	Fire	Scratch Resistant

Storm® Protective Eyewear

Features:

- Treated with our exclusive Duramass® scratch-resistant coating

Lens Coating/Shade: Filter 5.0

Frame Material: Nylon

Lens Material: Polycarbonate

Temple Length: 150 mm

Style: Foldable Temples

Quantity: 12 per pack



SKU	Frame Color	Lens Tint
135-ST110	Black	Clear
135-ST112	Black	Gray
135-ST1150	Black	Green

Stratos® Spectacles

Features:

- Treated with our exclusive Duramass® scratch-resistant coating

Lens Coating/Shade: Scratch Resistant

Frame Material: Nylon

Lens Material: Polycarbonate

Style: Adjustable Temples



SKU	Frame Color	Lens Tint
135-SS110	Black	Clear



Swagger® Safety Glasses



Features:

- Breakaway cord included, Meets or Exceeds ANSI Z87+ Standards
- Excellent orbital seal
- Exclusive Duramass® scratch-resistant hard coating
- Soft material co-injected onto temples
- Strong polycarbonate lens blocks 99.9% of harmful ultraviolet rays
- TPR nose grips
- Wider temples for better side protection

Brand: Swagger®

Frame Material: Polycarbonate

Lens Material: Polycarbonate

Style: TPR

Includes: Breakaway Cord

SKU	#	Temple Color	Lens Tint	Color	Quantity
135-SR112	1	Black	Gray	Black	12 per pack
135-SR128B	2	White	Blue Diamond Mirror	White	12 per pack

Tomahawk® Protective Eyewear



Features:

- Treated with our exclusive Duramass® scratch-resistant coating

Frame Material: Nylon

Lens Material: Polycarbonate

Style: Adjustable Temples

SKU	Frame Color	Lens Tint	Temple Length	Quantity
135-TK110	Black	Clear	140 mm	12 per pack

Yukon® Protective Eyewear

Features:

- Treated with our exclusive Duramass® scratch-resistant coating

Frame Material: Polycarbonate

Lens Material: Polycarbonate

Temple Length: 140 mm

Style: Foldable Temples; Uncoated



SKU	Frame Color	Lens Tint	Quantity
135-9800	Clear	Clear	12 per box



HD 500 Series Safety Glasses

Features:

- Sleek wrap-around metal frame design, with a sporty and stylish look
- Spring hinge design to provide a comfortable fit
- Provides comfort, protection and style in a stylish metal frame
- Dual 10 base wrap around lens design for optimum field of vision
- Adjustable saddle nose pads for improved comfort and fit
- Attractive lightweight and durable silver matte frame
- Complete wrap-around protection

Lens Coating/Shade: Hard Coat

Lens Material: Polycarbonate

Style: Wrap-Around



SKU	Frame Color	Lens Tint	Quantity
883-HD502	Silver Matte Metal	Gray	10 per box
883-HD503	Silver Matte Metal	Silver Mirror	10 per box

HD 700 Series Safety Glasses

Features:

- Breakthrough styling features premium, gunmetal finish, 8-base frame and spring-hinged temples for maximum comfort
- Sunglass style safety frame has Harley-Davidson® signature logo cold-forged into each temple
- Classic Bar and Shield logo is "laser-engraved" on the lens

Lens Coating/Shade: Hard Coat

Lens Material: Polycarbonate

Style: Dual Lens



SKU	Frame Color	Lens Tint	Quantity
883-HD700	Gunmetal Matte	Brown Mirror	10 per box
883-HD702	Gunmetal Matte	Gray	10 per box

JACKSON®

V10 ELEMENT* Safety Eyewear

Features:

- Lightweight popular styling with an economical price
- Universal nose bridge for comfort
- Completely dielectric
- Base curve 9.5

Lens Coating/Shade: Uncoated

Lens Material: Polycarbonate



SKU	Temple Color	Lens Tint
138-25627	Clear	Clear
138-25631	Black	Smoke
138-25638	Black	Indoor/Outdoor

JACKSON

SAFETY Brand

V10 UNISPEC* II Safety Eyewear**Features:**

- Low cost wrap-around protection with 1-piece polycarbonate lens
- Fits over most prescription eyewear
- Side shields provide added protection
- Base Curve 4

Lens Coating/Shade: Uncoated**Lens Material:** Polycarbonate**Style:** Wrap-Around**Usage:** General Protection

SKU	Frame Color	Lens Tint
138-25646	Clear	Clear

V20 VISIO* Safety Eyewear**Features:**

- One-piece polycarbonate lens with three-point adjustable temples for a comfortable fit
- Unique duo-tone frame
- Base Curve 8

Frame Material: Plastic**Lens Material:** Polycarbonate**Style:** Foldable Temples**Usage:** Impact

SKU	Frame Color	Lens Tint
138-14470	Clear/Silver	Clear
138-14472	Smoke/Silver	Smoke
138-14476	Black	Indoor/Outdoor

V30 NEMESIS* Safety Eyewear**Features:**

- Sporty, flexible, lightweight design
- Soft-touch temples for added comfort
- Single-len wraparound protection
- Base Curve 8

Lens Material: Polycarbonate**Resistance:** Scratch; 99.9% UV**Includes:** Neck Cord

SKU	Frame Color	Lens Tint
138-14481	Black	Blue-Mirror
138-19639	Blue	Light Blue
138-19642	Black	Blue Shield
138-19644	Camouflage	Copper
138-22475	Black	Smoke
138-22608	Camouflage	Clear
138-22609	Camouflage	Smoke
138-22610	Camouflage	Amber
138-22611	Red	Smoke
138-25659	Black	Amber
138-25671	Black	IR/UV 5.0
138-25679	Black	Clear FogGard® Plus
138-25685	Black	Indoor/Outdoor
138-25692	Black	IR/UV 3.0

* Lens Coating/Shade: Anti-Fog

V30 NEMESIS* VL Safety Eyewear**Features:**

- Frameless lightweight
- No-brow design increases upward and peripheral vision
- Slip-stop temples reduce slipping
- Compact profile accommodates smaller faces
- Base Curve 8

Lens Material: Polycarbonate**Resistance:** Scratch**Includes:** Neck Cord

SKU	Frame Color	Lens Tint	Height	Length	Width
138-20472	Camouflage	Bronze			
138-20473	Gunmetal	IR 5.0			
138-25704	Gunmetal	Smoke			
138-29111*	Gunmetal	Clear	1 3/4 in	6 in	2 in
138-29111*	Gunmetal	Clear	1 3/4 in	6 in	2 in
138-29112	Gunmetal	Indoor/Outdoor			

* Lens Coating/Shade: Anti-Fog

V40 HELLRAISER* Safety Eyewear**Features:**

- Streamlined, sunglass styling with lightweight and flexible design
- Flex point temples for comfort and stability
- Base Curve 8

Lens Material: Polycarbonate**Resistance:** Scratch

SKU	Frame Color	Lens Tint
138-20539	Black	Clear
138-20541	Black	Amber
138-20542	Black	Light Blue
138-20543	Black	Blue Mirror
138-20545	Black	IR/UV 5.0
138-25714	Black	Smoke
138-25716	Black	Indoor/Outdoor
138-28615	Black*	Clear
138-28615	Black*	Clear

* Lens Coating/Shade: Anti-Fog

V50 OTG* Safety Eyewear**Features:**

- Streamlined, stylish and comfortable, this over-the-glass safety eyewear fits over most prescription eyewear
- Integral side shields provide additional protection
- Base Curve 4

Lens Coating/Shade: Anti-Fog**Lens Material:** Polycarbonate**Style:** Over-The-Glass**Resistance:** Scratch

SKU	Frame Color	Lens Tint
138-20746	Black	Clear
138-20747	Black	Smoke-Mirror
138-21917	Black	IR 5.0

JACKSON

SAFETY Brand

V60 NEMESIS* RX Safety Eyewear**Features:**

- "Cheaters" style with diopters for vision assistance
- Larger lens for wraparound impact protection
- Enhanced nose piece design to channel away sweat
- Base Curve 8

Lens Material: Polycarbonate**Resistance:** Scratch**Includes:** Neck Cord

SKU	Frame Color	Lens Tint	Diopter Strength
138-22516	Black	Smoke	
138-22518	Black	Smoke	2
138-28618	Black	Clear	1
138-28621	Black	Clear	1.5
138-28624	Black	Clear	2
138-28627	Black	Clear	2.5
138-28630	Black	Clear	3

V30 NEMESIS* Safety Eyewear**Features:**

- Lens provides 99.9% UV protection
- Soft-tough temples for ultimate comfort in extended-use situations
- Superior polarized lens technology reduces eye stress and fatigue caused by excessive glare from surfaces that commonly reflect bright sunlight
- Wraparound lens with an 8 base curve for greater protection around the eye

Series: V30**Lens Coating/Shade:** Polarized**Frame Material:** Nylon**Lens Material:** Polycarbonate

SKU	Frame Color	Temple Color	Lens Tint	Quantity
138-28635	Brown	Brown	Brown	12 per box
138-28637	Gunmetal	Gunmetal	Smoke	12 per box

**V20 VISIO Safety Eyewear****Features:**

- One-piece polycarbonate lens with three-point adjustable temples for a comfortable fit
- Unique duo-tone frame
- Base Curve 8

Lens Coating/Shade: Anti-Fog**Frame Material:** Plastic**Lens Material:** Polycarbonate**Style:** Foldable Temples

SKU	Frame Color	Lens Tint
138-14471	Clear/Silver	Clear

V30 NEMESIS* Safety Eyewear**Features:**

- Sporty, flexible, lightweight design
- Soft-touch temples for added comfort
- Single-lens wraparound protection
- Base Curve 8

Lens Material: Polycarbonate**Resistance:** Scratch; 99.9% UV**Includes:** Neck Cord

SKU	Frame Color	Lens Tint
138-25676	Black	Clear
138-25688	Black	Smoke-Mirror

V30 NEMESIS* VL Safety Glasses**Features:**

- Frameless lightweight
- No-brow design increases upward and peripheral vision
- Slip-stop temples reduce slipping
- Compact profile accommodates smaller faces
- Base Curve 8
- Every pair includes a neck cord

Lens Material: Polycarbonate**Resistance:** Scratch**Includes:** Neck Cord

SKU	Frame Color	Lens Tint
138-20470	Gunmetal	Clear

V40 HELLRAISER* Safety Eyewear**Features:**

- Streamlined, sunglass styling with lightweight and flexible design
- Flex point temples for comfort and stability
- Base Curve 8

Lens Material: Polycarbonate**Resistance:** Scratch

SKU	Frame Color	Lens Tint
138-20544	Black	IR/UV 3.0

V50 CALICO Safety Eyewear**Features:**

- Lightweight wrap-around design for added comfort & protection
- EN166 N anti-fog coating provides assured protection from lens fogging
- Impact-resistant polycarbonate lens
- Interchangeable head strap provides tight fit
- Interchangeable temples can be removed
- Cushioned brow bar for additional comfort and ventilation
- 99.9% UV Protection

Lens Coating/Shade: Anti-Fog**Lens Material:** Polycarbonate**Resistance:** Impact

SKU	Frame Color	Lens Tint
417-25672	Black	Clear

MSA

The Safety Company

Arctic™ Protective Eyewear**Features:**

- Built-in side impact protection
- Stylish cat's eye look
- Tuff-Stuff™ anti-scratch lens coating

Lens Coating/Shade: Anti-Fog**Lens Material:** Polycarbonate**Resistance:** Anti-Fog; Scratch

SKU	Temple Color	Lens Tint	Quantity
454-10038845	Blue	Clear	12 per box
454-697514	Clear	Clear	12 per box
454-697515	Gray	Gray	12 per box

NORTH

by Honeywell

A400 Series Eyewear**Features:**

- Wrap around design

Lens Coating/Shade: Hard Coat**Lens Material:** Polycarbonate**Style:** Dual Lens**Usage:** General Protection

SKU	Frame Color	Lens Tint	Quantity
812-A400	Clear	Clear	10 per box

A700 Series Eyewear**Features:**

- Flexible temples with soft padded temple tips
- Molded nose bridge for comfortable fit

Lens Coating/Shade: Hard Coat**Lens Material:** Polycarbonate**Style:** Dual Lens

SKU	Frame Color	Lens Tint	Quantity
812-A700	Clear	Clear	10 per box

A800 Series Eyewear**Features:**

- Soft padded inserts run down the length of the temple
- Soft nosepiece for added comfort

Lens Coating/Shade: Hard Coat**Lens Material:** Polycarbonate**Style:** Wrap-Around

SKU	Frame Color	Lens Tint	Quantity
812-A800	Clear	Clear	10 per box

Millennia™ Sport Protective Eyewear**Features:**

- Ultra-lightweight frame-integrated lens with superior optics
- Comfortable curved temples and universal nose bridge
- High-impact, abrasion-resistant lens
- Adjustable breakaway flexicord retainer for added security and convenience in the workplace

Lens Coating/Shade: Hard Coat**Lens Material:** Polycarbonate**Style:** Wrap-Around

SKU	Frame Color	Lens Tint	Quantity
812-11150750	Black	Clear	10 per box

**Smith & Wesson****38 SPECIAL* Safety Eyewear****Features:**

- Legendary frame design
- Ergonomically designed temples with rubber inserts temple tips for a soft, snug and secure fit
- Base Curve 8

Lens Material: Polycarbonate

SKU	Frame Color	Lens Tint
624-19859	Black	Smoke

Elite* Safety Glasses**Features:**

- Lightweight "retro-style" design provides the latest fashion statement
- Wide temple design provides structural integrity and stability

- Dual lenses with an 8-base curve the provides wrap-around protection

Lens Coating/Shade: Anti-Fog**Lens Material:** Polycarbonate**Resistance:** Scratch**Includes:** Microfiber Bag

SKU	Frame Color	Lens Tint
138-21302	Black	Clear
138-21303	Black	Smoke
138-21305	Black	Amber
138-21306	Black	Indoor/Outdoor
138-21307	Black	Blue Mirror

Equalizer* Safety Glasses**Features:**

- Stylized frame features a cutting edge design that is ideal for work and play

- Sport grip temples eliminates slippage
- Dual lenses with an 8-base curve the provides wrap-around protection

Lens Material: Polycarbonate**Resistance:** Scratch**Includes:** Microfiber Bag

SKU	Frame Color	Lens Tint
138-21294	Gunmetal	Clear
138-21296	Gunmetal	Clear
138-21298	Gunmetal	Indoor/Outdoor
138-21299	Red	Amber
138-21301	Blue	Blue Mirror
624-21297	Gunmetal	Smoke



Smith & Wesson®

Magnum 3G Safety Glasses

Features:

- Ergonomically dimensioned 3 point fit for the ultimate in comfort
- Built-in hinge stops help to eliminate scratches
- Self-adjusting ergonomic rubber nose pad with rubber fingers
- Available in reduced sizes for small faces - Magnum Mini



SKU	Frame Color	Lens Tint
138-19799	Black	Clear
138-19822	Black	Clear
138-19823	Black	Smoke

V60 30-06* RX Safety Eyewear

Features:

- Stylish, ergonomic frame
- Soft, comfortable, self-adjusting, rubber nose pad
- "Cheater" style with diopter for vision assistance
- Base Curve 7

Frame Material: Nylon**Lens Material:** Polycarbonate

SKU	Frame Color	Lens Tint	Diopter Strength
138-19878	Black	Clear	1.5
138-19879	Black	Clear	2
138-19891	Black	Clear	2.5

by Honeywell

Astro Over-The-Glass® Safety Spectacles

Features:

- Contemporary, lightweight unilens offers panoramic vision
- Easy and economical lens replacement system
- Wide variety of lens tints available include: traditional, SCT®, and infradura® welding shades
- Custom imprinting available
- Wide variety of lens tints available include: traditional, SCT, and infradura welding shades

Lens Coating/Shade: Anti-Fog**Lens Material:** Polycarbonate**Style:** Adjustable Temples

SKU	Frame Color	Lens Tint
763-S2500C	Black	Clear

Astrospec 3000® Eyewear

**Features:**

- Contemporary, lightweight unilens offers panoramic vision
- Easy and economical lens replacement system
- Wide variety of lens tints available include: traditional, SCT®, and infradura® welding shades
- Easy and economical lens replacement system

Lens Coating/Shade: Anti-Scratch; Hard Coat**Lens Material:** Polycarbonate

SKU	#	Frame Color
763-S135C	1	Black

Features:

- Custom imprinting available

SKU	#	Frame Color	Lens Tint	Style
763-S1112	2	Black	IR 5.0	Adjustable Temples
763-S1169	2	Red/White/Blue	Clear	Adjustable Temples
763-S135	1	Black	Clear	Adjustable Temples
763-S1359	1	Black	Clear	Adjustable Temples

Astrospec OTG® 3001 Eyewear

Features:

- Contemporary, lightweight unilens offers panoramic vision
- Easy and economical lens replacement system
- Wide variety of lens tints available include: traditional, SCT®, and infradura® welding shades
- Custom imprinting available

Lens Coating/Shade: Anti-Scratch; Hard Coat**Lens Material:** Polycarbonate**Style:** Adjustable Temples

SKU	Frame Color	Lens Tint
763-S2500	Black	Clear
763-S2504	Black	Gray
763-S2509	Black	IR 5.0

Bandido® Eyewear

Features:

- Economical, frameless version of the uvex bandit

Lens Coating/Shade: Anti-Scratch; Hard Coat**Lens Material:** Polycarbonate**Style:** Frameless

SKU	Frame Color	Lens Tint
763-S1730	Black	Clear

Bandit™ Eyewear

Features:

- Contemporary, sporty wrap around styling
- Easy and economical lens replacement system
- Wide variety of lens tints available include: traditional, SCT®, and infradura® welding shades
- Custom imprinting available

Lens Coating/Shade: Anti-Scratch; Hard Coat**Lens Material:** Polycarbonate**Style:** Adjustable Temples & Wrap Around

SKU	Frame Color	Lens Tint
763-S1600	Black	Clear
763-S1603	Black	Espresso

UVE[®]

by Honeywell

Falcon™ Eyewear

Features:

- New frameless design with patented dual 9 base unilens
- Weightless comfort and superior coverage providing complete and unobstructed vision

Lens Coating/Shade: Anti-Fog

Frame Material: Nylon

Lens Material: Polycarbonate

SKU	Frame Color	Lens Tint
763-S4500X	Black	Clear



Flashback® Eyewear

Features:

- Classic dual lens look in a single lens design
- Adjustable duoflex® temple length and lens inclination

Lens Coating/Shade: Ultra-dura®

Lens Material: Polycarbonate

Style: Adjustable Temples

SKU	Frame Color	Lens Tint
763-S4000	Black	Clear



Fury® Goggles

Features:

- Sleek, frameless design with wrap around 9-base unilens
- Ideal for dust and small particulates
- Soft, flame resistant, replaceable face foam and headband
- Not for chemical Splashes

Lens Coating/Shade: Anti-Fog

Lens Material: Polycarbonate

Resistance: Dust

Ventilation: Indirect

SKU	Frame Color	Lens Tint
763-S1890X	Black	Clear



Genesis XC® Eyewear

Features:

- Xtra Comfort, Xtra Coverage
- Dual 9-base "wrap" lens provides uncompromised vision and protection
- Soft flexible fingers minimize conform to any nasal profile
- Soft elastomer browguard for point-of-contact comfort
- Easy and economical lens replacement system
- Adjustable temple length and lens inclination
- Available with your choice of soft dual shot or spatulite temple tips
- Lenses available in Ultradura® hard coat or Uvextreme® AF anti-fog coating

Lens Material: Polycarbonate

Style: Two Shot Temple



MADE IN THE U.S.A.

SKU	Frame Color	Lens Tint	Lens Coating/Shade
763-S3300	Black	Clear	Ultra-dura®
763-S3300X	Black	Clear	Uvextreme®

Genesis® Eyewear

Features:

- Dual 9-base "wrap-around" lens provides uncompromised peripheral vision and protection
- Soft flexible fingers adjust and conform to any nasal profile and minimize slippage
- Soft elastomer brow guard diffuses and deflects impact

Lens Material: Polycarbonate

Style: Wrap-Around



SKU	Frame Color	Lens Tint	Lens Coating/Shade
763-s3200	Black	Clear	Ultra-dura®
763-s3200	Black	Clear	Ultra-dura®
763-S3200X	Black	Clear	Uvextreme®
763-S3201	Black	Espresso	Ultra-dura®
763-S3208	Black	Shade 5.0 Infra-dura®	Ultra-dura®
763-S3212X	Black	Dark Gray	Uvextreme®
763-S3240	Blue-Vapor	Clear	Ultra-dura®
763-S3240X	Blue-Vapor	Clear	Uvextreme®



SKU	Frame Color	Lens Tint	Lens Coating/Shade
763-S3209	Black	SCT-Low IR	Ultra-dura®

Horizon Welding Flip Glasses

Features:

- Classic flip-up style offers versatility for workers

Lens Coating/Shade: Infradura®; Ultra-dura®



SKU	Frame Color
763-S213	Black

Millennia™ Eyewear

Features:

- Lightweight frame with superior side and brow protection
- High impact dual 9-base wrap-around unilens
- Comfortable universal nose bridge

Lens Coating/Shade: Ultra-dura® Hard Coat

Lens Material: Polycarbonate

Style: Shield



SKU	Frame Color	Lens Tint
763-11150350	Black	Clear



by Honeywell

Protégé™ Eyewear

Features:

- Proprietary Floating Lens™ design offers increased flexibility for better fit
- Secure wrap-around brow expands to fit a wide range of users
- Soft temple tip pads
- Soft, clear nose pads prevent slipping

Frame Material: Nylon

Lens Material: Polycarbonate



SKU	Frame Color	Lens Tint	Lens Coating/Shade
763-S4200	Metallic Black	Clear	Hard Coat
763-S4200X	Metallic Black	Clear	Uvextra™ AF
763-S4201	Metallic Black	Gray	Ultra-dura®
763-S4201X	Metallic Black	Gray	Uvextra™ AF
763-S4202	Metallic Black	SCT-Reflect 50	Ultra-dura®
763-S4210	Sandstone	Clear	Hard Coat
763-S4210X	Sandstone	Clear	Uvextra™ AF
763-S4211	Sandstone	Gray	Hard Coat

Seismic™ Sealed Eyewear

Features:

- Can be worn with temples or adjustable headband (both included) and with or without cushioned frame
- Premier comfort and seal with high quality face cushioning and flexible nasal pads

Lens Coating/Shade: Uvextra, Anti-Fog

Lens Material: Polycarbonate

Style: Sealed

Ventilation: Indirect



SKU	Frame Color	Lens Tint
763-S0600x	Black	Clear

Skyper X2® Eyewear

Features:

- Sporty wrap-around unilens
- Adjustable lens inclination

Lens Coating/Shade: Anti-Scratch; Hard Coat

Lens Material: Polycarbonate

Style: Adjustable Temples & Wrap Around



SKU	Frame Color	Lens Tint
763-S2810	Black	Clear

Skyper® Eyewear

Features:

- Wrap-around protective spectacle offering exceptional comfort, protection and fit

Lens Material: Polycarbonate

Style: Wrap-Around



SKU	Frame Color	Lens Tint	Lens Coating/Shade
763-S1900X	Black	Clear	Anti-Fog
763-S1908	Black	IR 5.0	Anti-Scratch; Hard Coat

Tomcat™ Eyewear

Features:

- Adjustable saddle nose pads for improved fit and comfort

Lens Coating/Shade: Anti-Scratch; Hard Coat

Frame Material: Metal

Lens Material: Polycarbonate

Style: Wrap-Around



SKU	Frame Color	Lens Tint
763-S2450	Gray-Gun Metal	Clear
763-S2451	Gray-Gun Metal	Gray
763-S2453	Gray-Gun Metal	Silver-Mirror
763-S2454	Gray-Gun Metal	SCT-Reflect 50

Ultra-spec® 2000 Eyewear

Features:

- Coated 100% polycarbonate wrap around unilens design
- Imprinting options available
- Clear lens available with solid sideshields and spatula temples

Lens Coating/Shade: Anti-Fog

Lens Material: Polycarbonate

Style: Adjustable Temples & Wrap Around



SKU	Frame Color	Lens Tint
763-S0250X	Clear	Clear

Ultra-spec® 2001 OTG Eyewear

Features:

- Lightweight over-the-glass unilens design fits over Rx eyewear

• Adjustable duoflex® temples

• Imprinting option available

Lens Coating/Shade: Anti-Fog

Style: Adjustable Temples



SKU	Frame Color	Lens Tint
763-S0112C	Clear	Clear

Uvex Ultra-spec® Safety Eyewear

Features:

- Lightweight over-the-glass unilens design fits over Rx eyewear

• Adjustable duoflex® temples

• Imprinting option available

• Adjustable duoflex temples

Lens Coating/Shade: Anti-Scratch; Hard Coat

Style: Adjustable Temples



SKU	Frame Color	Lens Tint
763-S0112	Clear	Clear



Eyewear Cleaning Wipes

Features:

- Easy to use, great clean results

Usage: Computer Screens; Eyewear

SKU	Width	Height	Quantity
037-0350	5 in	8 in	100 per box



Anchor Brand Lens Cleaning Towelettes

Features:

- Pre-moistened with C-Clear Anti-Fog, Anti-Static formula for use on plastic, polycarbonate and glass lenses
- Strategic placement of towelette dispensers throughout a facility will promote proper lens cleaning habits and extend the life of prescription and non-prescription eyewear
- Also good for use on goggles, face shields, CRT screens and microscopes
- Safe and effective with all lens coatings including Anti-Reflective Coating
- Contains no silicone

Length per Sheet: 8 in

Width Per Sheet: 5 in

Packing Type: Dispenser

SKU
101-70-AB



Bausch & Lomb

Pre-Moistened Cleaning Tissues

Features:

- Keep glass or plastic lenses spotless with antifog, antistatic cleaner
- Comes in dispenser box that can be attached to wall or placed on countertop
- Tissues come in individual packets
- Includes 100 tissues in dispenser box

Length per Sheet: 5 in

Width Per Sheet: 8 in

Usage: Clean Glass or Plastic Lenses

SKU	Quantity
076-8574GM	100 per box



Crews Disposable Lens Cleaning Stations

Features:

- Disposable
- For cleaning plastic, polycarbonate, or glass lenses and goggles

SKU	Wt.
135-LCS1	3 lb



Spec Saver® Towelettes

Features:

- Anti-static, anti-fog cleaning

SKU	Quantity	Wt.
135-LCT	100 per box	10 lb



by Honeywell

Eyewear Packs

Features:

- S491 astropak fits most safety spectacles
- Protects lenses from scratches and abrasion
- Belt loops
- Made of durable nylon
- Protects lenses from scratches and abrasion

Closure Type: Zipper

Color: Black

Material: Nylon

Usage: Fits most safety eyewear



SKU
763-S491

Fog Eliminator Cloths

Features:

- Streak and film free
- Alcohol and silicone free
- Non-flammable and non-toxic

SKU	Quantity
763-S477	100 per box



Genesis® Replacement Lenses

Features:

- Ideal for most indoor work applications
- Offer 99.9% ultra-violet protection

Lens Tint: Clear

Lens Coating/Shade: Uvextreme® Anti-Fog



SKU
763-S6900X



by Honeywell

Safety Neck Cords



Features:

- Provide convenient access to safety eyewear
- Encourage greater compliance

Color: Black

Frame Style: Universal

SKU
763-S501

Uvex by Honeywell Disposable Lens Cleaning Stations

Features:

- Specifically formulated for anti-fog and scratch resistant hardcoats
- Does not contain silicone



SKU
763-S467

Uvex Clear® Lens Cleaning Products



Features:

- Specifically formulated for anti-fog and scratch resistant hardcoats
- Uvex clear does not contain silicon

Applications: Anti-Fog Lenses; Scratch-Resistant Hardcoat Lenses

Includes: (1) 16 oz Uvex Clear Cleaning Solution; 3.5 in x 4.5 in mirror; 4 boxes of 500 tissues

SKU	#
763-S461	1

SKU	#	Type	Capacity Vol.	Quantity
763-S462	2	Tissues		500 per box
763-S463	2	Solution	16 oz	1
763-s464	3	Solution	1 gal	1
763-S468	2	Towelette		100 per box



Flex Sideshields

Features:

- Molded to a bendable softness
- Absorbs the energy of impact
- Temple folds correctly
- No parts or tools required
- Weaves through temple

Lens Tint: Clear



SKU
112-99705



Protective Goggles

Features:

- All lens provide 99.9% UV Protection

Frame Color: Clear

Lens Tint: Clear

Lens Material: Polycarbonate

Strap Material: Rubber

Resistance: Chemical Splash

Ventilation: Indirect Vent



SKU	Quantity
135-2230R	36 per pack



V100 WA Series IRUV Cutting Goggles

Features:

- Ratchet headgear for a comfortable fit
- Also available in a deep frame to fit over most prescription eyeglasses

Frame Style: Shallow

Lens Material: Polycarbonate

Style: Fixed Front

Strap Type: Adjust-O-Lok Headgear

Strap Material: Plastic

Suspension: Ratchet

Resistance: IR/UV

Ventilation: Ventless

Applications: Cutting



SKU	Frame Color	Lens Tint	Window Width x Length
138-15988	Red	IR/UV 5.0	4 1/4 in x 2 in

SAFETY & SECURITY

JACKSON™

SAFETY Brand

**V100 WR Series IRUV
Cutting Goggles****Features:**

- Rigid frame with an adjustable elastic strap
- Also available in a deep frame to fit over most prescription eyeglasses

Frame Style: Shallow**Lens Material:** Polycarbonate**Strap Type:** Adjustable**Strap Material:** Elastic**Resistance:** IR/UV**Ventilation:** Ventless**Applications:** Cutting

SKU	Frame Color	Lens Tint	Window Width x Length
138-15986	Red	IR 5.0	4 1/4 in x 2 in

**V100 WS Series IRUV
Cutting Goggles****Features:**

- Flexible frame goggles

Frame Style: Flexible**Lens Material:** Polycarbonate**Strap Type:** Adjustable**Strap Material:** Elastic**Resistance:** IR/UV**Ventilation:** Ventless**Applications:** Cutting

SKU	Frame Color	Lens Tint	Window Width x Length	Style
138-15991	Red	IR/UV 5.0	4 1/4 in x 2 in	Fixed Front
138-15992	Red	IR/UV 5.0	4 1/4 in x 2 in	Lift Front

V80 MONOGOGGLE* XTR* Goggles**Features:**

- This stylish goggle protects against splashes, while providing increased visibility due to its cylindrical lens
- A soft, pliable frame conforms to the face for comfort and is easy to clean
- Can be worn over most prescription eyeglasses
- Can be worn over most prescription eyeglasses

Lens Coating/Shade: Anti-Fog**Lens Material:** Polycarbonate**Strap Type:** Adjustable**Strap Material:** Elastic**Ventilation:** Indirect

SKU	Frame Color	Lens Tint
138-18624	Blue	Clear

V80 REVOLUTION* Goggles**Features:**

- CROSS VENT* Technology keeps air flowing in and moisture out
- Accommodates large Rx insert (sold separately)
- Expanded visual field
- Can be worn over most prescription eyeglasses
- Cross Vent* Technology keeps air flowing in and moisture out
- Can be worn over most prescription eyeglasses

Lens Coating/Shade: VISICLEAR* Anti-Fog/Anti-Scratch**Lens Material:** Polycarbonate**Strap Type:** Adjustable**Strap Material:** Elastic**Resistance:** Scratch; 99.9% UV**Ventilation:** Indirect Vent

SKU	Frame Color	Lens Tint
138-18483	Black	Clear

V80 WILDCAT* Goggles**Features:**

- Extreme heat resistance - will not melt, drip or ignite at 350°F for five minutes
- Adjustable side vents to help increase airflow
- Lightweight and comfortable with a pivot headband that allows for optimal placement

Lens Coating/Shade: Anti-Fog**Lens Material:** Polycarbonate**Strap Type:** Adjustable**Strap Material:** Elastic

SKU	Frame Color	Lens Tint
138-20525	Black	Clear
138-20526	Black	Smoke
138-20528	Black	IR/UV 3.0
138-20529	Black	IR/UV 5.0

V90 SHIELD* Goggles**Features:**

- Features the Monogoggle* XTR* with polycarbonate shield for full face protection
- Shield detaches from the goggle
- Curved face shield conforms to shape of face offering added protection
- Can be used over most prescription eyeglasses

Lens Coating/Shade: Anti-Fog**Lens Material:** Polycarbonate**Strap Type:** Adjustable**Strap Material:** Elastic**Ventilation:** Indirect Vent

SKU	Frame Color	Lens Tint
138-18629	Blue	Clear
138-18631	Black	IR 3.0
138-18633	Black	IR/UV 5.0

UVE^X

by Honeywell

Classic™ Goggles

Features:

- Fits over most Rx spectacles
- Lens Coating/Shade:** Uvextreme®
- Frame Material:** PVC
- Lens Material:** Polycarbonate
- Strap Material:** Neoprene
- Ventilation:** Indirect



SKU	Frame Color	Lens Tint
763-S360	Clear	Clear

Flex Seal™ Goggles

Features:

- Lightweight, silicone body conforms to assure the highest level of comfort and eye protection
- Cured silicone body stays soft and supple in extreme temperatures
- Pivoting clips permit the wearer to position the goggle on a hard hat or position the headband above the ears
- Fits over most prescription eyewear

- Lens Coating/Shade:** Uvextreme®
- Lens Material:** Polycarbonate
- Strap Material:** Neoprene
- Ventilation:** Indirect



SKU	Frame Color	Lens Tint
763-S3400X	Navy	Clear

Futura™ Goggles

Features:

- Wrap-around sports style provides excellent panoramic vision
- Frosted brow guard reduces glare
- 2 models: welding and dust/mist/impact/chemical splash
- Fits over most Rx spectacles

- Lens Coating/Shade:** Uvextreme®
- Frame Material:** PVC
- Lens Material:** Polycarbonate
- Style:** Wrap-Around
- Strap Material:** Neoprene
- Ventilation:** Indirect Vent



SKU	Frame Color	Lens Tint
763-S345C	Clear	Clear

Stealth® Goggles

Features:

- Futuristic, low profile design for chemical splash and impact
- Toric lens provides superior optics and peripheral vision
- Rx insert available
- Unsurpassed comfort
- Easiest lens replacement system available
- Quick adjust headband

- Lens Coating/Shade:** Uvextreme®
- Lens Material:** Polycarbonate
- Strap Material:** Neoprene
- Ventilation:** Indirect Vent
- Usage:** Chemicals; Impact



SKU	Frame Color	Lens Tint
763-S3960C	Gray	Clear
763-S3960CI	Gray	Clear
763-S3960CI	Gray	Clear
763-S39610C	Teal/Gray	Clear
763-S3961C	Gray	Gray

Stealth® OTG Goggles

Features:

- Low profile, wrap-around design fits comfortably over most prescription eyewear
- Pivoting headband clip and wide adjustable slide headband provides a range of adjustability and all day comfort
- Available with Durastreme dual coating technology
- Easy lens replacement system

- Lens Coating/Shade:** Dura-Streme™
- Lens Material:** Polycarbonate
- Strap Material:** Fabric
- Ventilation:** Indirect Vent



SKU	Frame Color	Lens Tint
763-S3970DF	Navy	Clear

Eyewear Packs

Features:

- Made of durable nylon
- Protects lenses from scratches and abrasion
- Belt loops

- Closure Type:** Zipper
- Color:** Black

Material: Nylon

Usage: Fits most safety goggles



SKU
763-S493

Stealth® Replacement Lenses

Lens Coating/Shade: Uvextreme®

SKU	Features	Lens Tint
763-S700C	• Clear Lens, Uvextreme Anti-fog Coating	Clear
763-S701C	• Minimizes outdoor sunlight and glare • Offer 99.9% ultra-violet protection	Gray





Delta No-Tangle™ Harnesses

Features:

- Delta No-Tangle™ design for added comfort and easy donning
- Parachute buckles on lower shoulder straps for quick and easy adjustment
- Adjustable non-slip chest strap with easy to use pass-thru buckle
- Coated hardware for corrosion resistance
- Patented Stand-Up D-ring and built in iSafe™ technology for inspection and inventory purposes
- Spring loaded stand-up back D-ring ensures fast, easy, and safe connections

Strap Material: Polyester

Style: Vest

Color: Yellow/Navvy



SKU	Size Group	Connection Type	Fastening Method
098-1101654	Medium	Back D-Ring; (2) Waist D-Rings	Tongue Buckles
098-1101655	Large	Back D-Ring; (2) Waist D-Rings	Tongue Buckles
098-1102000	Universal	Back D-Ring	Tongue Buckle Legs
098-1101656	X-Large	Back D-Ring; (2) Waist D-Rings	Tongue Buckles

Derrick ExoFit™ Harnesses

Features:

- Built-in shoulder, back and leg comfort padding
- 18" back D-ring extension
- Body belt/hip pad with back D-ring
- Seat sling with positioning D-rings
- Integrated derrick belt connection (shown with 1000570 derrick belt - must order separately)
- Quick connect chest strap
- Tongue buckle leg straps
- Soft, lightweight webbing
- Protected labels, equipped with i-Safe™

Strap Material: Polyester

Applications: Gas; Oil

Style: Derrick Full Body Harness

Brand: DBI Sala®

Color: Blue/Gray

Includes: Includes one harness.

Material: Polyester

Strap Type: Tongue Buckle



SKU	Size Group	Connection Type	Fastening Method	Load Cap.
098-1100302	Large	Dorsal D-ring	Quick Connect Buckles/ Tongue Buckles	420 lb
098-1100303	X-Large	Dorsal D-ring	Quick Connect Buckles; Tongue Buckle	420 lb

ExoFit NEX™ Construction Harnesses

Features:

- Spring loaded torso buckles for quick and easy adjustment
- Soft yet extremely durable anti-absorbent webbing
- Strategically placed padding, and protective elements that prolong the service life of the harness
- With comfort hip pad and belt

Features:

- Integrated suspension trauma straps

Fastening Method: Duo-Lok™ Quick Connect Buckles

Strap Material: Polyester

Color: Blue/Gray



SKU	Size Group	Connection Type
098-1113124	Medium	Back & Side D-Rings
098-1113127	Large	Back & Side D-Rings
098-1113130	X-Large	Back & Side D-Rings

ExoFit™ Harnesses

Features:

- Incorporates a breathable Aero-Spacer™ Dri-Lex® lining that immediately draws moisture away from the body keeping the worker dry and comfortable all day long
- Ergonomic design incorporates built-in shoulder, hip and leg padding
- Lycra® edging moves with you preventing uncomfortable rubbing or chafing enhancing comfort and mobility
- The industry's first and only one-handed quick connect buckles
- Wrap around no-tangle design
- Adjustable non-slip chest strap with intuitive quick connect buckle
- Torso buckles adjust easily, yet hold the straps firmly in place and complete the 5-point adjustment system
- Soft, lightweight polyester webbing is strong without feeling stiff or coarse
- Coated hardware for corrosion resistance

Fastening Method: Quick Connect Buckles

Strap Material: Polyester

Style: Vest

Color: Blue/Gray



SKU	Size Group	Connection Type
098-1107976	Medium	Back D-Ring
098-1107977	Large	Back D-Ring
098-1107981	X-Large	Back D-Ring; Loops for Belt



by Honeywell

Contractor Harnesses

Features:

- Lightweight for greater comfort
- Non-stretch webbing Unique combination back D-ring pad/shoulder pads that minimize discomfort/stress around the neck and shoulders when using a tool belt
- Self-contained label pack positioned for easy access Two (2) pull-free lanyard rings Rated to 400 lbs. (181.4 kg) capacity
- Soft lumbar back pad for additional support and comfort

Waist belt (removable) to accommodate tool pouches

Fastening Method: Tongue Buckle Legs; Mating Buckle Chest; Friction Buckle Shoulders

Strap Material: Polyester

Applications: Fall Arrest

Color: Green

Material: Polyester



SKU	Size Group	Connection Type
493-650CN-BDP/UGN	Universal	Back D-Ring; Side D-Rings

DuraFlex® Stretchable Harnesses

Features:

- Synthetic elastomer webbing stretches with the worker for maximum comfort
- Lanyard ring allows user to attach the lanyard when not in use
- Readily visible from a distance to enhance compliance on the jobsite
- Solid color leg straps help the wearer orient the harness for ease of donning
- Back strap prevents user from falling out of the harness
- Fall indicator/warning flag deploys in the event of a fall to indicate that the harness should be removed from service
- Loops to accommodate a waist belt and two lanyards
- Sub-pelvic strap

Fastening Method: Tongue Buckle Legs; Mating Buckle Chest; Friction Buckle Shoulders

Strap Material: Nylon

Color: Green



SKU	Size Group	Connection Type
493-E650-4/UGN	Universal	Back D-Ring

Revolution™ Harnesses

Features:

- PivotLink™ connection
- Integrated accessory system
- Cam buckles
- ErgoArmor™ back shield
- Web finials
- Self-contained label pack

Fastening Method: Quick-Connect Buckle Legs; Quick-Connect Buckle Chest

Color: Black



SKU	Size Group	Connection Type
493-RDT-QC/UBKU	Universal	Stand-Up D-ring

Titan Full-Body Harnesses

Features:

- Lightweight, durable polyester webbing for all day comfort and dependability
- Fully adjustable designs
- Sliding back D-ring
- Sub-pelvic strap
- Trilingual labeling and instructions

Size Group: Universal

Connection Type: Back D-Ring

Strap Material: Polyester



SKU	Fastening Method
493-T4000/UAK	Mating Buckles Chest, Legs & Shoulders
493-T4500/UAK	Tongue Buckle Legs; Mating Buckles Chest & Shoulders



The Safety Company

EVOTECH™ Full Body Harnesses

Features:

- Covered label pack protects labels from the environment
- Patent-pending leg strap design
- High-reflective piping increases visibility in low-lit environments
- Dual color webbing promotes easy identification
- Padding on shoulders keeps users cooler
- Web finials prevent fraying on web

Fastening Method: Qwik-Connect Chest Straps

Style: Full Body Harness

Color: Orange



SKU	Size Group	Connection Type
454-10105942	Standard	D-Ring Back/Hip

Workman® Construction Harnesses

Features:

- Abrasion-resistant, strong, durable webbing
- Web retainer collars to keep excess webbing neat
- Integral backpad for added comfort during work positioning and a removable, tongue-buckle tool belt
- Shoulder pads

Fastening Method: Tongue Buckle Legs; Qwik-Fit™ Chest Strap

Color: Yellow

Material: Polyester



SKU	Size Group	Connection Type
454-10077571	Standard	D-Ring Back; D-Ring Hips



The Safety Company

Workman® Harnesses

Features:

- Abrasion-resistant, strong, durable webbing
- Web retainer collars to keep excess webbing neat

Color: Yellow

Material: Polyester

SKU	#	Size Group	Connection Type
454-10072479	1	Standard	D-Ring Back
454-10072487	1	Standard	D-Ring Back
454-10072491	1	Standard	D-Ring Back; D-Ring Hips
454-10072488	2	X-Large	D-Ring Back
454-10072492	1	X-Large	D-Ring Back; D-Ring Hips



PRO™ Construction Harnesses

Features:

- Pro™ Construction harness has an ergonomically designed chassis for better fit and function, back D-ring, tongue buckle leg straps, integrated hip and shoulder pads, tongue buckle body belt with side D-rings, integral lanyard keeper, built in impact indicators, spring loaded torso buckles, polyester web, universal size

Fastening Method: Tongue Buckle

Strap Material: Polyester

Style: Vest

SKU	Size Group	Connection Type
098-1191209	Medium/Large	Back and side Belt D-rings



Squids® Tool Lanyards

Features:

- Adjustable barrel lock for tool attachment
- Aluminum carabiner
- Cord stretches for full range of motion
- Stretchable cord surrounded by tubular nylon webbing with silver Mylar reflective thread
- Tethers tools to worker to help prevent injury and lost productivity from dropped tools
- Stretchcord surrounded by tubular nylon webbing
- Lock stitching at both ends for extra security
- Maximum safe working capacity

Color: Black

SKU	Load Cap.	Height	Length
150-19002	5 lb; 10 lb	11 1/4 in	4 in; 35 in (closed); 42 in (closed)



by Honeywell

MightyLite™ Self-Retracting Lifeline

Features:

- Corrosion-resistant stainless steel and aluminum components extend service life
- No annual factory recertification required, lowers cost of ownership and increases productivity
- Ideal for hard to mount locations
- Carabiner and tagline included
- Rated to 400-lbs. (181.4 kg) capacity when using a SofStop shock absorber (928LS/18INYL)

Color: Red

Includes: Carabiner and Tagline

Strap Material: Stainless Steel

SKU	Load Cap.	Length	Wt.	Width
493-RL20SS/20FT	400 lb	20 ft	12 lb	6.38 in



Safelight™ Shock Absorbing Lanyards

Features:

- Low profile combination shock absorber and lanyard
- Reduces fall forces and brings worker to a smooth stop
- Double locking snap hooks



SKU	Wt.
247-209712	1.92 lb



D-Ring Extension Harness Accessories

Features:

- Abrasion resistant polyester webbing
- Allows tie-off point to be over shoulder and in front of user versus behind for fast access
- Built-in wear indicator
- Dorsal D-ring extender with D-ring at one end, snap hook at other
- Equipped with i-Safe™
- High strength D-ring tie-off point
- User friendly self locking snap hook

Strap Width: 1 in

Connection Type: Snap Hook

Hook Type: D-Ring

Material: Polyester

Applications: Construction; Utility; General

Color: Yellow

Used With: Full Body Harnesses

No. of Legs: 1

SKU	Length	Height	Width	Load Cap.	Wt.
098-1231117	6 1/4 in; 1.5 ft	11 1/4 in	8 3/4 in	420 lb	1.35 lb





EZ-Line™ Retractable Horizontal Lifelines

Features:

- Built in storage handle is used to tension and retract line when job is complete
- Includes carrying handle and two carabiners for connection to 5,000 lb anchors
- Protection of up to 2 workers, built in tension and impact indicators, and energy absorber to limit forces to 2,500 lb
- This patented horizontal lifeline retracts into one compact, lightweight housing for easy portability and setup

Connection Type: Carabiner

Hook Opening: 3/4 in

Material: Galvanized Wire



SKU	Length	Cable Dia	Load Cap.	Wt.
098-7605060	60 ft	1/4 in	5,000 lb	25 lb

EZ-Stop™ II Shock Absorbing Lanyards

Features:

- Durable, yet lightweight materials
- Energy absorbing design limits fall arrest forces
- Equipped with i-Safe™
- Features include double-leg 100% tie-off lanyard, 3/4" snap hook on pack end and 2 1/2" steel rebar hooks on leg ends
- Impact indicator
- Polyester web stands up to rough use
- Soft pack energy absorber

Connection Type: Snap Hook

Hook Opening: 3/4 in

Hook Type: Rebar Hook

Material: Polyester

Applications: Construction; Utility; General

Color: Blue/Yellow

Used With: Full Body Harnesses

No. of Legs: 2

Style: Shock Absorbing Lanyard



SKU	Length	Strap Width	Load Cap.	Wt.
098-1240467	4 ft	1 3/4 in	310 lb	7.9 lb

Nano-Lok™ Self-Retracting Life Line

Features:

- 100% Tie-Off Configuration provides continuous fall protection & added mobility when moving from one location to another High-strength housing provides maximum durability
- Attaches directly to back of most harnesses
- Automatic quick-activating arrestor stops falling worker within inches and reduces average arresting forces to 900 lbs. or less
- Compact, lightweight design
- Design provides snug fit to worker's back—eliminates nuisance "flopping"
- Equipped with i-Safe™
- Installs to web, leaves dorsal D-ring open for other equipment or rescue

Connection Type: Harness Connector

Hook Type: Aluminum Rebar Hook

Material: Dyneema

Applications: Construction; General

Color: Blue

Includes: Harness connector

Used With: Full Body Harnesses

No. of Legs: 2

Style: Self Retracting Lifeline



SKU	Length	Strap Width	Load Cap.	Wt.
098-3101277	6 ft	25/32 in	420 lb	5.57 lb

Sealed Self-Retracting Lifelines

Features:

- Stainless steel and cast aluminum housing for corrosion resistance
- Environmentally sealed design for safety, even in harsh environments
- Reserve lifeline retention system for added safety
- Self-locking swivel snap hook with impact indicator
- Swiveling anchorage loop to prevent twisting of lifeline

Connection Type: Swivel Snaps

Hook Opening: 3/4 in



SKU	Length	Cable Dia	Load Cap.	Cable Material	Wt.
098-3403600	25 1/2 in	3/16 in	900 lb	Galvanized Steel	6 lb
098-3403601	130 ft	3/16 in	900 lb	Stainless Steel	60 lb

ShockWave2™ 100% Shock Absorbing Lanyards

Features:

- ShockWave2™ 100% Tie-Off Shock Absorbing Lanyard expands and contracts, with self locking snap hooks at center and flat steel hooks at leg ends

Connection Type: Self-Locking Snaps

Hook Opening: 2 1/4 in

Material: Polyester

Color: Yellow

No. of Legs: 2



SKU	Length	Dia.	Load Cap.
098-1244412	6 ft	1 in	3,600 lb



ShockWave2™ Shock Absorbing Lanyards

Dia.: 1 in
Material: Polyester
Color: Yellow



Features:

- Impact indicator allows user to visually inspect unit for a fall
- Easy to use self locking snap hooks at center and at the leg ends
- ShockWave2™ Shock Absorbing Lanyard expands and contracts

No. of Legs: 2

Large Flat Steel; Smaller Double Locking Snap

SKU	Length	Width	Height	Load Cap.	Hook Opening
098-1244409	6 1/4 in	8 3/4 in	11 1/4 in	3,600 lb	2 1/4 in

Features:

- ShockWave2™ Shock Absorbing Lanyard expands and contracts, with self locking snap hooks at both ends

No. of Legs: 1

Self-Locking Snaps

SKU	Length	Width	Height	Load Cap.	Hook Opening
098-1244306	6 1/4 in	8 3/4 in	11 1/4 in	3,600 lb	3/4 in

Talon® Tie-Back Self Retracting Lifelines

Features:

- Also available in single leg version
- Includes easy to use 5,000 lb gate Wrapbax™ hooks, impact indicator on web and i-Safe™ technology for easy tracking of inspections and inventory
- Limits arresting forces to 900 lb
- Provides two foot web legs to provide 100% Wrapbax™ protection and allowing connection around structure up to 3.5 ft in diameter
- Soft cover shock absorber for comfort

Connection Type: Tie-Back Hook

Hook Opening: 2 1/4 in

Material: Nylon Web



SKU	Length	Width	Height	Load Cap.
098-3102100	11 1/2 in	9 in	3 1/2 in	5,000 lb

Talon® Tie-Off Self Retracting Lifelines

Features:

- 100% 2-leg tie-off protection and limit arresting forces to 900 lb
- Also available with small or large steel hooks
- Impact indicator on web and i-Safe™ technology for easy tracking of inspections and inventory
- Includes aluminum rebar style hooks (2-1/4" opening) with ANSI compliant 3,600 lb gate
- This lightweight, compact SRL mounts directly to the back of most any full body harness

Connection Type: Rebar Hook

Hook Opening: 2 1/4 in

Material: Nylon Web

No. of Legs: 2



SKU	Dia.	Length	Width	Height	Load Cap.	Wt.
098-3102000	1 in	11 1/2 in	9 in	3 1/2 in	3,600 lb	5.4 lb

KLEIN TOOLS

Adjustable Length Nylon Webbing Lanyards

Features:

- Abrasion resistant
- 11/16" throat opening on snap hook
- Permanently attached Klein-Lok® snap hook at each end
- Resin-impregnated orange webbing

Hook Opening: 11/16 in

Applications: Fall Arrest; Positioning; Retrieval; Suspension



SKU	Length	Length	Width	Height
409-87433	1 in	6 1/2 in - 10 in	5 in	2 in

Howe Wire Tools

Features:

- 1" wide strap made of tough nylon webbing
- Forged steel swivel hook with large opening
- Other end has device to hold the load at any distance

Material: Nylon (Polyamide)



SKU	Length	Width	Height	Load Cap.
409-1702-20N	9.6 in	5.4 in	2.6 in	500 lb



by Honeywell

BackBiter™ Tie-Back Lanyards

Features:

- Designed for tie-back use
- The webbing and snap hooks of regular lanyards are not designed to withstand the rigors of tying back
- The innovative Miller BackBiter Tie-Back Lanyard with a 5K Snap Hook was designed from top to bottom for tie-back use

Color: Green

No. of Legs: 1



SKU	Load Cap.	Wt.
493-913B/6FTGN	310 lb	2.8 lb



by Honeywell

Falcon™ Self-Retracting Lifelines

Features:

- Corrosion-resistant stainless steel and aluminum internal components extend service life and reduce replacement costs
- New and improved load indicator on the snap hook identifies when the unit needs to be removed from service
- No annual factory recertification required
- Unique side payout design reduces wear on the entry guide bushing and cable for smooth operation with less drag

Features:

- Smooth, quiet operation
- Engineered spring retraction tension
- Smooth, quiet operation; Engineered spring retraction tension

Connection Type: Carabiner

Connection Type: Stainless Steel Swivel

Material: Polyester

SKU	#	Hook Type
493-MP16P/16FT	1	Aluminum Snap Hook
493-MP20G/20FT	1	Swivel Snap
493-MP20P-Z7/20FT	1	ANSI Snap
493-MP20P/20FT	1	Aluminum Snap Hook
493-MP30G-Z7/30FT	2	ANSI Snap
493-MP30G/30FT	1	Swivel Snap



Manyard® II Shock-Absorbing Lanyards

Features:

- Stretches 4 to 6 ft. to reduce tripping hazard
- Special woven shock-absorbing inner core with heavy-duty tubular outer jacket serves as a back-up web lanyard
- Unique warning flag provides visual proof that a lanyard has been involved in a fall and should be removed from service
- Heavy-duty tubular outer jacket serves as a back-up lanyard
- Integral bright red core makes visual inspection easier and more reliable

Connection Type: Locking Snap Hook

Hook Opening: 3/4 in

Hook Type: Locking Snap

No. of Legs: 1



SKU	Load Cap.
493-216M/6FTGN	310 lb

Manyard® Shock-Absorbing Lanyards

Features:

- Unique warning flag provides visual proof that a lanyard has been involved in a fall and should be removed from service

Hook Opening: 3/4 in

Applications: Fall Arrest

Load Cap.: 310 lb



SKU	Hook Type	Wt.
493-216WLS/6FTYL	(2) Locking Snaps	2 lb
493-219WRS/6FTYL	(1) Locking Snap (3/4 in); (1) Locking Rebar (2 1/2 in)	2.03 lb

MightyLite Self-Retracting Lifelines

Features:

- Durable and dependable, corrosion-resistant stainless steel and aluminum housing
- No annual factory recertification required (except in Canada) - lowers cost of ownership and increases productivity
- Ideal for hard-to-mount locations
- Corrosion-resistant stainless steel and aluminum components extend service life
- Rated to 400 lbs. (181.4kg) capacity when using a SofStop shock absorber (928LS/181NYL)
- Tagline included

Connection Type: Carabiner

Hook Opening: 3/4 in

Hook Type: Swivel Connector/Locking Snap

Cable Material: Galvanized Wire



SKU	Cable Dia	Wt.
493-RL50G/50FT	3/16 in	21.1 lb

Retractable Webbing Lanyards

Features:

- Complete with top-swivel shackle and carabiner

Hook Opening: 3/4 in

Hook Type: (1) Locking Snap

Material: Polyester

Applications: Fall Arrest



SKU	Wt.
493-8327/10FTYL	2.14 lb

Scorpion™ Personal Fall Limiters

Features:

- Carabiner and swivel shackle on top of unit
- Dual operation options: Attach directly to back D-ring as a personal fall limiter
- Extremely affordable alternative to shock-absorbing lanyards or use as traditional self-retracting life line
- Plastic housing
- PTFE webbing protection
- Or use as traditional self-retracting life line



SKU
493-PFL-4-Z7/9FT
493-PFL-4/9FT

Titan Shock-Absorbing Lanyards

Features:

- Lightweight, durable polyester webbing
- Two-legged models available for continuous tie-off
- Built-in core shock-absorber

Material: Polyester



SKU	Hook Type	No. of Legs
493-T5111/6FTAF	(2) Locking Snaps	1
493-T5122/6FTAF	(1) Locking Snap; (1) Locking Rebar	2



by Honeywell

TurboLite™ Personal Fall Limiters

Features:

- Built-in swivel prevents lifeline from twisting
- Engineered webbing for greater abrasion resistance and long service life
- Extremely compact and lightweight
- High-strength, impact-resistant nylon housing for maximum durability
- Rated for up to a 400 lb. (181.4kg)
- The cost-effective and competitive pricing of the new Miller TurboLite™ Personal Fall Limiters will make shock-absorbing lanyards obsolete on the jobsite
- Unit attaches directly to the harness back D-ring for greater mobility and versatility
- With the compact and lightweight TurboLite PFL, workers will no longer need to “switch-out” equipment to maintain a safe fall distance

Connection Type: Steel Twist-Lock Carabiner



SKU	#	Length	Hook Opening	Hook Type	Wt.
493-MFL-1-Z7/6FT	1	10.4 in; 6 ft	3/4 in	ANSI Locking Snap	2.9 lb
493-MFL-1/6FT	1	10.4 in; 6 ft	3/4 in	Locking Snap	3 lb
493-MFL-2-Z7/6FT	2	10.4 in; 6 ft	2 1/2 in	ANSI Locking Rebar	4.1 lb



The Safety Company

Sure-Stop™

Shock-Absorbing Lanyards

Features:

- Sure-Stop Shock-Absorbing Lanyards use a tear-tape design to keep fall arrest forces below 900 pounds

Connection Type: 36C Snaphooks

No. of Legs: 1

Style: Adjustable



SKU
454-10088259

Workman® Personal Fall Limiters

Features:

- A durable, engineered thermoplastic housing to increase service life
- Rugged, impact-absorbing protective bumpers for added durability
- A constant lock-up rate to prevent the erratic, “jerky” lock-up (like a seat belt) found on some types of retractables

Connection Type: 1 in. Steel Carabiner

Hook Type: LC Snaphook



SKU	Length	Width	Load Cap.	Wt.
454-10093350	144 in; 12 ft	4 in	400 lb	3 1/2 lb

Workman® Shock-Absorbing Lanyards

Features:

- Tear-tape design to keep fall arrest forces below 900 lbs
- Adjustable configurations

Connection Type: C

Color: Yellow

No. of Legs: 1



SKU
454-10113158

Workman® Twin-Leg Shock-Absorbing Lanyards

Features:

- Tear-tape design to keep fall arrest forces below 900 lbs
- Adjustable configurations

Connection Type: C

Color: Yellow

No. of Legs: 2



SKU
454-10113162



PRO™ Shock Absorbing Lanyards

Features:

- All PRO™ Shock Absorbing lanyards feature durable polyester webbing and an energy absorbing design that limits fall arrest forces to 900 lbs. or less
- Introducing the all new, fully functional Protecta PRO™ lanyards, now featuring 3,600 lb. gated hooks meeting ANSI Z359 (USA only)!

Connection Type: Rebar Hook

Hook Opening: 2 1/4 in

Hook Type: Rebar Hook

Material: Polyester

Color: Red

No. of Legs: 2



SKU	Length	Strap Width	Load Cap.
098-1340180	6 ft	1 in	900 lb



Rebel™ Self Retracting Lifelines

Hook Opening: 3/4 in

Features:

- It increases worker productivity and reduces worker fatigue for ultimate worker satisfaction
- The Rebel™ incorporates rugged aluminum or thermo-plastic housing and stainless steel working components that can withstand rough use
- The retractable technology deployed in the Rebel™ SRL's ensures falls are stopped within a few inches, making Rebel™ SRL's safer than traditional lanyards
- With a smooth case and rounded corners, the Rebel™ provides added comfort and ease-of-use

Connection Type: Self-Locking Snap

Cable Material: Galvanized Steel

Color: Red

SKU	#	Length	Cable Dia	Load Cap.	Hook Type
098-3590500	1	25 in	5 mm	900 lb	Snap Hook
098-3590550	2	50 ft	5 mm	900 lb	Snap Hook



Features:

- Lightweight and compact aluminum housing construction
- Unique super strength thin webbing for total security and added length in a compact SRL
- Unique speed sensing brake reduces clearance requirements and limits fall arrest forces to 900 lbs. or less

Connection Type: Carabiner

SKU	#	Length	Strap Width	Load Cap.	Hook Type
098-AD111A	1	2 1/2 in	1 in	5,000 lb	Snap Hook

Features:

- Rebel CT, 15 ft cable self retracting lifeline, swiveling anchorage loop and swiveling snap hook

Connection Type: Carabiner

SKU	#	Length	Cable Dia	Load Cap.	Hook Type
098-AD115B	1	2 1/2 in	3/16 in	900 lb	Swivel Snap



Fall Protection Kits

Features:

- Enable a worker to maintain inventory and maintenance of the equipment

Size Group: Universal



SKU	Includes	Wt.
247-30500	10910 Harness; 209512 Lanyard; 4513 Tool Bag	8 lb
247-30502	10810 Harness; 208512 Lanyard; 4512 Tool Bag	4.22 lb



SecuraSpan™ HLL Stanchions

Features:

- Extremely Lightweight and Portable - Provides fast and easy handling, installation and storage for maximum worker productivity
- Fits flanges 6" to 12" wide, 2-1/4" thick
- Optional bases for 18", 24" and 36" widths
- Spans can be up to 60 ft and with the optional "bypass" brackets, the system can be configured to run indefinitely for ultimate jobsite flexibility
- The SecuraSpan™ I-Beam Stanchion and Bases are lightweight and extremely easy to install engineered fall protection systems, ideal for steel construction applications
- All adjustments made from top of beam

Packing Type: Boxed



SKU	Includes	Wt.
098-7400047	Stanchion only	35.45 lb
098-7400460	(2) Stanchions; 60 ft. Cable Assembly	99 1/2 lb



by Honeywell

Twin Turbo™ Fall Protection Systems

Features:

- Replacement for double-legged shock-absorbing lanyards
- Webbing payout smoothly extends/retracts without interruption
- Permits TurboLite PFLs to swivel in multiple directions for greater mobility, the swivel action prevents webbing from twisting and binding inside of the unit
- Innovative design that easily connects to the back D-ring of any fall protection harness Increases worker productivity and versatility with freedom of movement less restrictive than other units on the market
- Easy to use and assemble/disassemble; Adapts to most Miller TurboLite PFL models; Meets all applicable OSHA, ANSI, and CSA standards

Height: 5 in**Width:** 9.9 in**Line Length:** 6 ft**Length:** 12 3/4 in

SKU	Fastening Method	Wt.
Includes: (2) TurboLite PFLs		
493-MFLB-3-Z7/6FT	Twin D-Ring Connector; Locking ANSI Snap Hooks	5 1/2 lb
493-MFLB-3-Z7/6FT	Twin D-Ring Connector; Locking ANSI Snap Hooks	5 1/2 lb
493-MFLB-3/6FT	Twin D-Ring Connector; Locking Snap Hooks	5.3 lb
493-MFLB-3/6FT	Twin D-Ring Connector; Locking Snap Hooks	5.3 lb
493-MFLB-4-Z7/6FT	Twin D-Ring Connector; Locking ANSI Rebar Hooks	7.3 lb
Includes: (2) TurboLite PFLs w/o Carabiners		
493-MFLB-12/6FT	Twin D-Ring Connector; Aluminum Locking Rebar Hooks	6.7 lb
493-MFLB-12/6FT	Twin D-Ring Connector; Aluminum Locking Rebar Hooks	6.7 lb
Includes: Twin Turbo D-ring Connector and two (2) MFL-4/6FT TurboLite™ Personal Fall Limiters		
493-MFLB-4/6FT	Twin Turbo D-ring Connector	6.7 lb

Twin Turbo™ T-BAK Self-Retracting Lifelines

Features:

- Heavy-duty web lifeline smoothly extends/retracts without interruption for greater mobility and convenience
 - Tie-back ANYWHERE on the Lifeline: Provides more tie-off anchorage locations with a greater variety of beam-size options. Simplifies user training for improved safety
 - Miller 5K® Locking Snap Hook Designed Specifically for Tie-Back Use
 - 5,000 lbs. (22 kN) gate load capacity from any angle' Regular snap hooks easily fail if load forces are concentrated on the face or side of a hook – NOT with the Miller 5K Snap Hook
 - XTREME Performance Webbing
 - Engineered with high-tech strength and abrasion-resistant webbing
 - Available exclusively with Miller® brand products
 - White side stripe stitching indicates that it is specially-designed for tie-back use
 - User-Rated for 400-lbs. (181.4 kg) Capacity
- Includes:** Turbo T-BAK with a Locking Strap Hook with 3/4in Gate Opening
- Fastening Method:** Turbo D-ring Connector
- Style:** Personal Fall Limiter



SKU
493-MFLTB-1/7.5FT

Includes: Twin Turbo D-Ring with Two MFLT-1/7.5ft Turbo T-BAK Units

Fastening Method: Twin Turbo D-ring Connector

Line Length: 7 1/2 ft

Style: Fall Protection System

SKU	Height	Length	Width	Packing Type	Wt.
493-MFLT-4/7.5FT	2.67 in	28.18 in	3.57 in	Carton	6.1 lb



Compliance in a Can Roofers Kits

Features:

- Compliance-In-A-Can™ kits feature designs that incorporate improved fit, updated colors, and durable yet lightweight construction
- Plus, each and every Protecta® PRO™ lanyard now features 3,600 lb. gated hooks
- Protecta® PRO™ gear provides greater comfort and added safety – which translates to reduced worker fatigue and increased productivity

Includes: 1341001 Protecta Pro™ Full Body Harness; 1341001 Pro™ Shock Absorbing Lanyard 6 ft

Packing Type: Bucket



SKU	Wt.
098-2199805	471 lb



Saflok® Carabiners

Features:

- Self-closing/Self-locking gate for increased safety and security

Hook Type: Self-Closing

Material: Steel



SKU	Height	Length	Width	Load Cap.	Opening Size
098-2000112	11 1/4 in	6 1/4 in	8 3/4 in	3,600 lb	11/16 in
098-2000114	11 1/4 in	6 1/4 in	8 3/4 in	3,600 lb	2 3/16 in



by Honeywell

Descent Device

Features:

- Allows slow or fast control of descent and deceleration by slight outward pressure on free end of line
- Designed for applications where smooth, controlled descent from elevated position is required
- Must be ordered with Model 8195 polyester-braided rope (specify length)
- User-controlled operation

Material: Aluminum



SKU	Load Cap.	Wt.
493-8113/	300 lb	1.65 lb

Manual Rope Grabs

Features:

- 1 D-ring

Applications: Fall Arrest

Material: Stainless Steel

Usage: Impact



SKU	Opening Size
493-8174/U	5/8 in - 3/4 in

Miller Grip Friction Bolt Anchor

Features:

- Portable/reusable anchorage connectors designed for use in concrete applications or with a Friction Bolt (specific models)
- A safe anchor point is established when the Miller Grip anchor is inserted into a properly-sized, cured concrete hole
- The reusable Miller Grip anchor can be removed and simply re-installed in a new location
- Multi-use Grips can be used for anchoring scaffolding, material handling and removal of concrete debris after demolition

Color: Steel/Green

SKU	Load Cap.
493-494/	400 lb

Relief Step™ Safety Device

Features:

- Alleviates the effects of orthostatic intolerance, also known as suspension trauma
- Easy to deploy and use - Attaches to any brand full-body harness
- When used, the Relief Step Safety Device provides support and enhances blood circulation until rescue – permitting the ability to move and flex leg muscles




SKU
493-9099X/12

ShadowLite™ Beam Anchors

Features:

- Fits flange sizes 3" to 14"

Material: Aluminum; Bronze



SKU	Load Cap.
493-8816-14/	400 lb

Twist Lock Carabiners

Features:

- Twist-lock system ensures secure closure
- Spring-loaded keeper simplifies use
- Rust-resistant zinc-dichromate plating

Applications: Fall Arrest

Material: Steel

Usage: Impact



SKU	Opening Size	Wt.
493-17D-1	1 in	0.48 lb



The Safety Company

Ergonomic Tool Holders

Features:

- Vibration-absorbing design
- Attach to broom handles and mops for better grip
- Eases awkward hand positioning

Used With: Chisels; etc.; Wrenches



SKU	Wt.
454-507005	1.4 lb

Hand-Off™ Chisel Grips

Features:

- Keeps hands away from the point of contact: permits faster, safer, more accurate work
- Vibration-absorbing handle



SKU	Height	Length	Width	Wt.
454-10040018	1 1/2 in	8 3/4 in	2 1/4 in	2.13 lb



Lad-Saf® System Sleeves

Features:

- This new sleeve is a significant component to target the Wind Energy sector as many of the Towers coming in from Europe have 8mm systems pre-installed

Includes: Carabiner



SKU	Cable/ Wire Size	Height	Length	Width
098-6116540	3/8 in; 8 mm	5 1/4 in	7 3/4 in	1 1/2 in



by Honeywell

Universal II GlideLoc Fall Arrester

Features:

- Can be removed from the rail anywhere along the system enabling transfer onto platforms
- Locks into the rail in the event of a fall

Material: Aluminum; Stainless Steel



SKU	Wt.
493-25805	3.4 lb




Salalift® II & Tripod Rescue System

Features:

- Complete with quick mount bracket for Salalift® II winch attachment
- Rated working load is 350 lbs. for work support and 310 lbs. for fall arrest
- Salalift® II winch is designed for raising, lowering, work support or personnel rescue
- Durable corrosion resistant construction
- Overload clutch reduces chance of injury to entangled worker
- Winch features 60' of galvanized 1/4" steel cable
- i-Safe™ technology for inspection and inventory
- 9 foot tripod also available
- Winch available in longer lengths and stainless steel line

Cable Material: Galvanized Steel

Includes: 60 ft. Winch; 7 ft. Tripod; Bag



SKU	Cable Dia	Wt.
098-8300030	1/4 in	83 lb



by Honeywell

DuraHoist™ Confined Space Systems

Features:

- Lightweight, high-strength aluminum construction for easy handling and long service life
- Miller® DuraHoist™ Confined Space Systems provide safe, lightweight and portable solutions for a variety of confined space applications, including confined space entry, rescue, positioning and personnel/material handling
- Modular design adapts to many applications, lowering cost of ownership and providing effective safety solutions
- Provides three independent swivel tie-off points for fall arrest anchorage, three-stage/four-position telescoping design and horizontal lifeline capabilities

SKU	Width
493-DH-AP-1/	10 in



Battery Operated Carbon Monoxide Alarms Model 9CO5-LP

Features:

- Battery operated design (3AA included) provides protection during power outages
- Green LED operating indicator
- Red LED pulse and sound alarm when dangerous levels of CO are detected
- Battery Lockout System deters covering battery compartment without installation of batteries
- Slide-out door cover gives immediate access to batteries
- Includes a quick-reference guide for what to do in case of alarm
- Low battery indicator


Gas Type: Carbon Monoxide

Batt. Size: AA

Sensor Type: Electrochemical

Includes: (3) AA Batteries

Display Type: LED



SKU	Depth	Height	Width
408-21008872	1 1/2 in	2 3/4 in	4 1/2 in



Battery Operated Smoke Alarms

Features:

- Test Button – Tests unit's electronic circuitry, horn, and battery function
- Low Battery Indicator – Smoke alarm will chirp in the event of a low battery
- Red LED – Flashes every 30-40 seconds to indicate that the smoke alarm is receiving power
- Dust cover

Dia.: 3 7/8 in

Batt. Size: 9V

Sensor Type: Ionization

Sound Level: 85 dB



SKU
408-0914E

Combination Carbon Monoxide & Smoke Alarms

Features:

- Talking Alarm – Announces the hazard type detected thereby helping to speed up the correct reaction to the hazard detected
- Test/Reset Button – Tests alarm circuitry and triggers the voice announcement
- LEDs – Two LEDs are provided
- Low Battery Warning – The unit warns of a low battery condition
- Battery Safeguard – Ensures the unit cannot be accidentally mounted without batteries installed

Batt. Size: (3) AA

Sensor Type: Ionization; Fuel Cell

Sound Level: 85 dB



SKU	Temp. Range	Dia.	Depth	Height	Width
408-900-0102-02	40 °F - 100 °F	5 in	1 1/2 in	6 1/4 in	8 in



The Safety Company

Altair® 4X Multigas Detectors

Features:

- Less calibration gas required
- Response and clear times less than 15 seconds
- End-of-sensor-life warning allows for planned sensor replacement reducing down time
- MotionAlert™ feature activates when no movement is detected for 30 seconds, indicating "Man down"
- InstantAlert™ feature is a manually activated alarm to alert others of hazardous situations
- Bump check mode provides clear indication of bump check status and provides long-term record storage

Gas Type: Oxygen; Carbon Monoxide; Hydrogen Sulfide; LEL; Charcoal

Sound Level: 95 dB



SKU	Height	Length	Run Time
454-10107602	4.4 in	3 in	24 h

Altair® Single-Gas Detectors

Features:

- Rated to IP67 protection levels for dust/water ingress
- Triple -alarm system featuring two bright flashing LEDs, a piercing audible alarm, and a vibrating alarm
- Dust and water protection rated IP67
- Patented electrochemical sensors and MSA-built button sensors
- Stainless steel and solid electrolyte construction virtually eliminate sensor leakage
- Automatically records the last 25 alarm/test events and can communicate data by connecting to MSA Link via built-in IR communication port
- No-miss triple alarm system includes bright flashing LEDs, piercing audible alarm, and an internal vibrating alarm
- Rubberized armor housing and one-button operation for maximum durability and simplicity



SKU	Gas Type
454-10092521	Hydrogen Sulfide
454-10092523	Oxygen



Smoke Test™ Brand Smoke Detector Testers

Features:

- Simulates smoke to provide a true, functional test for smoke detectors
- Aerosol spray extends user reach up to 6', allows testing to be done while standing safely on the floor
- Convenient package makes testing easy, increasing the likelihood that detectors will be tested on a regular basis
- No harmful residue, plastic safe, non-staining
- Contains no Class I Ozone Depleting Chemicals



SKU	Container Size	Color	Quantity
125-02105	6 oz	Clear	12 per case



Innovative Fire Solutions

SENTRY Dry Chemical Hand Portable Extinguishers

Features:

- Economically priced
- Simple operation and maintenance
- Manufactured of durable, high quality materials
- Choice of dry chemical agents to satisfy specific protection requirements

Extinguishing Material: FORAY®

Operating Pressure: 195 psi

Mounting Position: Vehicle Bracket; Wall Hook



SKU	Capacity Wt.	Operating Temp.	Operating Distance
850-434735	5 lb	-54 °C; -65 °F - 120 °F; 49 °C	14 ft
850-436500	10 lb	-54 °C; -65 °F - 120 °F; 49 °C	20 ft
850-434747	20 lb	-40 °C; -40 °F - 120 °F; 49 °C	22 ft



Automobile Fire Extinguishers

Features:

- Regular dry chemical
- Fitted with a "one touch" pressure check device to ensure reliable performance
- Manufactured from lightweight aluminum and a tough nylon valve assembly

Fire Type: Class B and C Fires

Body Material: Aluminum



SKU	Capacity Wt.	Extinguishing Material	UL-Rating
408-21006287	2 lb	Sodium Bicarbonate	5-B:C

Fire Control Fire Extinguishers

Features:

- Easy to pull safety pin
- Easy to read gauge
- Powder coated cylinder for corrosion protection
- Rust and impact resistant nylon handle
- Clear instruction label using graphics to show step required to operate

Extinguishing Material: Sodium Bicarbonate

Fire Type: Class B and C Fires

Includes: Mounting Bracket

Body Material: Aluminum

Operating Time: 8 s - 12 s

Operating Distance: 6 ft - 8 ft



SKU	Capacity Wt.	UL-Rating	Operating Pressure	Dia.
408-440161	2.9 lb	10-B:C	100 psi	3 1/4 in

Full Home Fire Extinguishers

Features:

- Clear instruction label using graphics to show steps required to operate extinguisher
- Easy-to-read gauge tells you fire extinguisher is charged and ready for use
- Easy-to-pull safety pin, rust and impact resistant nylon handle

Extinguishing Material: Monoammonium Phosphate

Fire Type: Class A, B and C Fires

Includes: Retention Strap Bracket

Body Material: Aluminum

Operating Time: 8 s - 12 s

Operating Distance: 6 ft - 8 ft



SKU	Capacity Wt.	UL-Rating	Operating Pressure	Dia.
408-466142	2 1/2 lb	1-A; 10-B:C	100 psi	3 1/4 in

Halotron® I Fire Extinguishers

Features:

- Leaves no residue
- Acceptable alternative to Halon 1211
- Agent will not cause thermal shock
- Class A capability
- High performance clean agent
- Metal valve, handle and lever

Extinguishing Material: Halotron

Fire Type: Class B and C Fires

Operating Pressure: 100 psi

Operating Time: 9 s

Body Material: Steel



SKU	Capacity Wt.	UL-Rating	Operating Distance	Dia.
Includes: Metal Strap Bracket				
408-466727	2 1/2 lb	2-B:C	6 - 10 ft	3 in
Includes: Wall Hanger				
408-466728	5 lb	5-B:C	9 - 15 ft	4 1/4 in

Kitchen Class-K Fire Extinguishers

Features:

- Brass valve
- Commercial kitchen use

Extinguishing Material: Wet Chemical

Includes: Wall Hanger

Mounting Position: Upright

Body Material: Stainless Steel

Operating Time: 55 s - 60 s

Operating Distance: 8 ft - 12 ft



SKU	UL-Rating	Operating Pressure	Dia.
408-25074	Class K	100 psi	7 in

Kitchen Fire Extinguishers

Features:

- The proprietary nozzle design (patent pending) allows a broad, dispersed discharge of agent that delivers a high volume, low velocity delivery of dry chemical
- Pressure gauge allows for immediate pressure status check
- Easy-to-pull safety pin
- Rust and impact resistant nylon handle

Extinguishing Material: Sodium Bicarbonate

Includes: Wall Hanger

Body Material: Aluminum

Operating Time: 8 s - 10 s

Operating Distance: 5 ft



SKU	Capacity Wt.	UL-Rating	Operating Pressure	Dia.
408-21008173	2 1/2 lb	711A	100 psi	3 1/4 in



Kitchen/Garage Fire Extinguishers

Features:

- Clear instruction label using graphics to show steps required to operate extinguisher
- Easy-to-read gauge tells you fire extinguisher is charged and ready for use
- Easy-to-pull safety pin, rust and impact resistant nylon handle

Extinguishing Material: Sodium Bicarbonate

Fire Type: Class B and C Fires

Includes: Retention Strap Bracket

Body Material: Aluminum

Operating Time: 8 s - 12 s

Operating Distance: 6 ft - 8 ft



SKU	Capacity Wt.	UL-Rating	Operating Pressure	Dia.
408-466141	2.9 lb	10-B:C	100 psi	3 1/4 in

Mariner Fire Extinguishers

Features:

- Suitable for use on boat fires
- Extinguishing Material:** Sodium Bicarbonate
Fire Type: Liquid & Energized Electrical
Operating Time: 8 s - 12 s



SKU	Capacity Wt.	UL-Rating	Operating Pressure
408-466179	2 lb	5-B:C	100 psi

Pro Series Fire Extinguishers

Features:

- Multipurpose rechargeable fire extinguisher
 - Heavy duty chrome plated brass valve assembly
 - Pressure gauge allows for immediate pressure status check
 - Powder coated cylinder for corrosion protection
- Extinguishing Material:** Monoammonium Phosphate
UL-Rating: 10-B:C; 2-A
Fire Type: Class A, B and C Fires
Operating Pressure: 100 psi
Includes: Wall Hanger
Body Material: Aluminum
Operating Time: 13 s - 15 s
Operating Distance: 10 ft - 15 ft



SKU	Capacity Wt.	Dia.
408-21005779	4 lb	4 1/2 in

ProLine™ Carbon Dioxide Fire Extinguishers - BC Type

Features:

- Clean agent
- CO2 gas dissipates quickly leaving no residue
- Agent will not contaminate food, valuable materials or electronics
- Seamless cylinder in strong and lightweight

Extinguishing Material: Carbon Dioxide Gas

Fire Type: Electrical Equipment; Flammable Liquids Gases & Solvents

Operating Pressure: 850 psi

Includes: Wall Hanger

Mounting Position: Upright

Body Material: Aluminum

Operating Distance: 3 ft - 8 ft



SKU	Capacity Wt.	Operating Time	Dia.	Wt.
UL-Rating: 10-B:C				
408-466181	10 lb	8 s - 10 s	6.87 in	28 lb
408-466182	15 lb	12 s - 14 s	6.87 in	37.4 lb
408-466182	15 lb	12 s - 14 s	6.87 in	37.4 lb
UL-Rating: 5-B:C				
408-466180	5 lb	7 s - 9 s	5 1/4 in	14 lb

ProLine™ Multi-Purpose Dry Chemical Fire Extinguishers - ABC Type

Features:

- Rechargeable
- Designed to meet most commercial and industrial specifications
- Tough impact resistant metal valve, handle and lever
- Powder coated cylinder for corrosion protection
- Easy to read gauge

Extinguishing Material: Monoammonium Phosphate

UL-Rating: 1-A; 10-A; 10-B:C; 3-A; 4-A; 40-B:C; 60-B:C; 80-B:C

Fire Type: Common Combustibles; Electrical Equipment; Flammable Liquids Gases & Solvents

Operating Pressure: 100 psi; 195 psi

Mounting Position: Upright; Any



SKU	Capacity Wt.	Operating Time	Operating Distance	Dia.
Includes: Vehicle Bracket				
408-466112-01	5 lb	15 s	18 ft	4 1/2 in
408-466227-01	2.6 lb	8 s - 12 s	15 ft	3.3 in
Includes: Wall Hanger				
408-466112	5 lb	15 s	18 ft	4 1/2 in
408-466204	10 lb	20 s	20 ft	5.12 in
408-466227	2.6 lb	8 s - 12 s	15 ft	3.3 in
408-466206	18 lb	19 s - 22 s	20 ft	7 in



ProLine™ Water Fire Extinguishers

- Features:**
- Wall Hanger
 - Supplied empty and requires 3rd party to fill and charge
- Extinguishing Material:** Water
Fire Type: Common Combustibles
Operating Time: 55 s
Dia.: 7 in
Includes: Wall Hanger
Mounting Position: Upright
Body Material: Stainless Steel
Operating Distance: 30 ft - 45 ft



SKU	Capacity Vol.	UL-Rating	Operating Pressure
408-466403	2 1/2 gal	2-A	100 psi

ProPlus™ Multi-Purpose Dry Chemical Fire Extinguishers - ABC Type

- Features:**
- Designed to meet most commercial and industrial specifications
 - Easy to read gauge
 - Powder coated cylinder for corrosion protection
 - Rechargeable
 - Tough impact resistant metal valve, handle and lever
- Extinguishing Material:** Monoammonium Phosphate
Fire Type: Common Combustibles; Electrical Equipment; Flammable Liquids Gases & Solvents
Operating Pressure: 195 psi
Includes: Wall Hanger
Mounting Position: Upright
Body Material: Steel



SKU	Capacity Wt.	UL-Rating	Operating Time	Operating Distance
408-468001	5 lb	3-A; 40-B:C	12 s - 14 s	12 ft - 18 ft
408-468002	10 lb	4-A; 90-B:C	20 s - 22 s	16 ft - 20 ft
408-468003	20 lb	120-B:C; 20-A	26 s - 28 s	16 ft - 20 ft

Residential Series Kitchen Fire Extinguishers

- Features:**
- Pressure gauge allows for immediate pressure status check
 - Easy-to-pull safety pin
 - Rust and impact resistant nylon handle
 - Powder coated cylinder for corrosion protection
- Extinguishing Material:** Sodium Bicarbonate
Includes: Wall Hanger
Body Material: Aluminum
Operating Time: 8 s - 12 s
Operating Distance: 6 ft - 8 ft



SKU	Capacity Wt.	UL-Rating	Operating Pressure	Dia.
408-21005753	2.9 lb	10-B:C	100 psi	3 1/4 in

Service Lite Multi-Purpose Dry Chemical Fire Extinguishers - ABC Type


- Features:**
- Single use
 - Low cost maintenance
 - No 6 year recharge or 12 year hydrostatic test required
- Extinguishing Material:** Monoammonium Phosphate
Fire Type: Common Combustibles; Electrical Equipment; Flammable Liquids Gases & Solvents
Operating Time: 15 s
Includes: Wall Hanger
Mounting Position: Upright
Body Material: Aluminum
Operating Distance: 18 ft
Dia.: 4 1/2 in



SKU	Capacity Wt.	UL-Rating	Operating Pressure
408-21006204	5 lb	3-A; 40-B:C	195 psi

Vehicle Brackets

Color: Black



- Features:**
- Designed specifically for Kidde ProLine fire extinguishers
 - Secure, multi-point, right-angle mounting plate
 - Contoured cradle with gate-clamp extinguisher band
 - Durable, attractive, gloss-finished metal

SKU	#	Material	For Model	Wt.
408-292474	1	Metal	466206	15 lb
408-366242	1	Metal	466204	3.96 lb

- Features:**
- Designed to hold fire extinguishers securely
 - Easily mounted
 - Heavy duty

SKU	#	Material	Used With	Wt.
408-270191	2	Steel	Kidde PRO5CDM	5 lb



by Honeywell

First Aid Kits

Features:

- Kits are ideal for manufacturing settings where a wide variety of first aid items are required
- All kits are waterproof



Includes: Adhesive Bandages; Adhesive Tape; Antibiotic Ointment Pouch; Antiseptic Wipes; Conforming Bandages; CPR Filtershield™; Elastic Bandage; Eye-Lert® Eyewash & Pad; First Aid Guide; First-Aid/Burn Cream w/Aloe; Forceps, Pointed, Plastic; Instant Cold Pack; Medical Gloves, Synthetic; Pain-A-Rest®, Non-Asprin; Poison Control Directory; Scissors, Angled, Red Handle; Sterile Gauze Pads; Sting Relief Wipes; Trauma Pad Sterile; Triangular Bandage, Non-Sterile

SKU	Length	Width	Height	Case Material	Wt.
068-019704-0003L	1 in	1 in	3 in	Plastic	2.29 lb

Includes: Adhesive Bandages; Adhesive Tape; Antibiotic Ointment Pouch; Antiseptic Wipes; Conforming Bandages; CPR Filtershield™; Eye-Lert® Eyewash & Pad; First Aid Guide; First-Aid/Burn Cream w/Aloe; Forceps, Pointed, Plastic; Instant Cold Pack; Medical Gloves, Synthetic; Pain-A-Rest®, Non-Asprin; Poison Control Directory; Scissors, Angled, Red Handle; Sterile Gauze Pads; Sting Relief Wipes; Trauma Pad Sterile; Triangular Bandage, Non-Sterile

SKU	Length	Width	Height	Case Material	Wt.
068-019702-0002L	1 1/4 in	7 in	3 in	Plastic	1 1/2 lb

Includes: Adhesive Bandages; Adhesive Tape; Antimicrobial Towelettes; Cold Pack; Conforming Bandages; Eye-Lert®; First Aid Burn Cream; Forceps; medical Gloves; Scissors; Sterile Gauze Pads; Sting Relief Wipes; Triangular Bandage

SKU	Length	Width	Height	Case Material	Wt.
068-019703-0002L	9 1/2 in	6 5/8 in	2 5/8 in	Metal	2 1/2 lb

First Aid Stations

Features:

- All stations contain CPR Barriers
- Ideal for large office or manufacturing settings, they offer a large supply of medicinals for relief from cold, pain and indigestion
- Provide the largest quantity and assortment of first aid and medical supplies for most minor injuries, aches and pains
- Tablet medicinals are non-drowsy and are packaged in tamper resistant single dose units

Includes: Adhesive Bandages; Adhesive Tape; Antibiotic Ointment; Cold Pack; Conforming Bandages; CPR Filtershield; Eye Pads; Forceps; Pain Relief Tablets; Scissors; Sterile Gauze Pads; Sting Relief Wipes; Trauma Pad; Triangular Bandage; Triangular Bandage.

Case Material: Metal



SKU	Length	Width	Height	Wt.
068-019720-0009L	15 in	1 1/2 in	4 3/4 in	8.4 lb



10 Person ANSI First Aid Kits

Features:

- Neat, orderly interior packaging makes content easy to locate and use
- Weatherproof

Includes: Adhesive Strips 1 x 3 in; Adhesive Tape Rolls 1/2 in; Antiseptic Wipes; First Aid/Burn Cream Packets; Forceps; Gauze Bandage 2 in; Large Wound Pads; Scissors; Triangular Bandage; Triple Antibiotic Ointment Packets, Exam Gloves; Wipe/s

Case Material: Weatherproof Plastic



SKU	Wt.
579-6060	1.58 lb

10 Person ANSI Plus First Aid Kits

Features:

- Neat, orderly interior packaging, makes content easy to locate and use

Includes: Adhesive Strips 1 x 3 in; Adhesive Tape 1/2 in; Antiseptic Wipes; Eye Pads (with strips); Forceps; Gauze Bandage 4 in; Gauze Pads 3 in; Instant Cold Pack; Large Wound Pad; Latex Gloves; Scissors; Triangular Bandage; Triple Antibiotic Ointment Packets, Eye Flush (1 oz.); Wipe/s

Case Material: Weatherproof Plastic



SKU	Wt.
579-6410	1 1/2 lb

10 Person Vehicle First Aid Kits

Features:

- Neat, orderly interior packaging, makes content easy to locate and use

Includes: Adhesive Strips 1 x 3 in; Adhesive Tape 1/2 in; Antiseptic Wipes; Exam Gloves; Eye Flush (1 oz.); Eye Pads (with strips); First Aid/Burn Cream Packs; Forceps; Gauze Bandage 4 in; Gauze Pads 3 in; Instant Cold Pack; Scissors; Triangular Bandage; Wipe/s

Case Material: Weatherproof Steel



SKU	Length	Width	Height	Wt.
579-6400	7 1/2 in	2 3/4 in	4 1/2 in	2 lb



100 Person Industrial First Aid Kits

Features:

- Door pouch
- Two shelves

Includes: Adhesive Strips 1 x 3 in; Adhesive Strips, 3/4 x 3 in;

Adhesive Tape 1/2 in; Antiseptic Towelettes;

Antiseptic Wipes;

Aspirin; Burn Spray, 4 oz.; Cotton Tip Applicators; Elastic Bandage, 4 in; Eye Flush (4 oz.); Eye Pads (with strips); Fabric Fingertip Bandages; Fabric Knuckle Bandages; Fabric X-Large Adhesive Strips; First Aid Antiseptic Spray, 4 oz.; First Aid/Burn Cream Packs; Forceps; Gauze Bandage 4 in; Gauze Pads 4 in; Instant Cold Pack (large); Large Wound Pads; Latex Gloves; Scissors; Sterile Eye Cup; Triangular Bandage; Triple Antibiotic Ointment Packets; Wipe/s

Case Material: Steel (non-gasketed)



SKU	Wt.
579-6135	10 lb

16 Unit Steel First Aid Kits

Features:

- This 16 unit kit has everything you need for dressing wounds
- OSHA compliant wall-mountable kit with carrying handle
- Color-coded boxes for quick find emergency use

Includes: Adhesive Strips 1 x 3 in; Adhesive Tape 1/2 in; Antiseptic Towelettes; Fabric Fingertip Bandages; Fabric Knuckle Bandages; Fabric X-Large Adhesive Strips; First Aid Guide (ANSI 2009 version); Gauze Pads 3 in; Hema-Flex® X-Lg. Bandage Compress w/Gloves; Nitrile Exam Gloves; Sterile Triangular Bandage; strips; Triple Antibiotic Ointment Packets; Wipe/s

Case Material: Weatherproof Steel



SKU	Wt.
579-5201	4.3 lb

24 Unit Steel First Aid Kits

Features:

- This 24 unit kit comes in a weatherproof steel case
- Easy carry handle

Includes: Adhesive Strips 1 x 3 in; Adhesive Tape 1/2 in; Antiseptic Towelettes; Cold Pack; Fabric Fingertip Bandages; Fabric Knuckle Bandages; Fabric X-Large Adhesive Strips; Gauze Pads 3 in; Hema-Flex® X-Lg. Bandage Compress w/Gloves; Hydrocortisone Cream Packs; Nitrile Exam Gloves; Sterile Triangular Bandage; Sting Relief Wipes; strips; Triple Antibiotic Ointment Packets; Wipe/s

Case Material: Weatherproof Steel



SKU	Length	Width	Height	Wt.
579-5301	9 1/2 in	2 3/4 in	9 1/2 in	4.3 lb

25 Person ANSI Plus First Aid Kits

Features:

- Neat, orderly interior packaging, makes content easy to locate and use

Includes: Adhesive Strips 1 x 3 in; Adhesive Tape 1/2 in; Antiseptic Wipes; Eye Flush (4 oz.); Eye Pads (with strips); First Aid/Burn Cream Packs; Forceps; Gauze Bandage 4 in; Gauze Pads 4 in; Instant Cold Pack; Large Wound Pads; Scissors; Triangular Bandage; Triple Antibiotic Ointment, Pain Relief Tablets; Wipe/s

Case Material: Weatherproof Plastic



SKU	Wt.
579-6430	1 3/4 lb

25 Person Industrial First Aid Kits

Features:

- Neat, orderly interior packaging, makes content easy to locate and use

Includes: Adhesive Strips 1 x 3 in; Antiseptic Wipes; Forceps; Gauze Bandage 4 in; Gauze Pads 4 in; Instant Cold Pack; Scissors; Triangular Bandage



SKU	Case Material
579-6084	Weatherproof Plastic
579-6086	Steel (non-gasketed)
579-6100	Weatherproof Steel

25 Person Vehicle First Aid Kits

Features:

- Neat, orderly interior packaging, makes content easy to locate and use

Includes: Adhesive Strips 1 x 3 in; Adhesive Tape 1/2 in; Antiseptic Wipes; Exam Gloves; Forceps; Gauze Pads 4 in; Instant Cold Pack; Large Wound Pads; Scissors; Triangular Bandage; Triple Antibiotic Ointment Packets, Eye Flush (1 oz.), Pain Relief Tablets; Wipe/s

Case Material: Weatherproof Steel



SKU	Length	Width	Height	Wt.
579-6420	9 1/2 in	6 1/2 in	2 3/4 in	3 lb



25-Person Weatherproof ANSI First Aid Kits

Features:

- Neat, orderly interior packaging makes content easy to locate and use
- Weatherproof seal

Includes: Adhesive Strips 1 x 3 in; Adhesive Tape 1/2 in; Alcohol Wipes; Antiseptic Wipes; Finger Tip Bandages; First Aid Guide; First Aid/Burn Cream Packs; Forceps; Gauze Bandage 4 in; Gauze Pads 3 in; Instant Cold Pack; Knuckle Bandages; Large Wound Pads; Nitrile Exam Gloves; Scissors; Sting Relief Wipes; Triangular Bandage; Triple Antibiotic Ointment

Usage: First aid, cuts, bruises, eye care, burns

Mounting: Wall Mount

Case Material: Weatherproof Plastic



SKU	Length	Width	Height	Wt.
579-6082	9 1/2 in	2 3/4 in	6 1/2 in	1 1/2 lb

3-Shelf Industrial First Aid Stations

Features:

Includes: 2 in. Gauze Bandage; 2 in. Gauze Pads; 3 in. Gauze Pads; 4 in. Gauze Bandage; 4 in. Gauze Pads; 8 x 10 in. Large Wound Pad; Adhesive Tape, Cloth 1 in; Adhesive Tape, Cloth 1/2 in; Antiseptic Towelettes; Antiseptic Wipes; Burn Spray, 4 oz.; Cotton Tip Applicators; Elastic Bandage, 4 in; Extra Strength Non-Asprin; Eye Flush (4 oz.); Eye Pads (with strips); First Aid Antiseptic Spray, 4 oz.; First Aid/Burn Cream Packs; Forceps; Heavy Woven 1 x 3 in Strips; Heavy Woven Fingertip Bandages; Heavy Woven Knuckle Bandages; Heavy Woven X-Large Strips; Instant Cold Pack; Latex Gloves; Scissors; Sterile Eye Cup; Triangular Bandage; Triple Antibiotic Ointment Packs; Wipe/s



SKU	Wt.
579-6155	16 lb

50 Person ANSI First Aid Kits

Features:

- Kit has 50 units that come with a weatherproof plastic case
- OSHA compliant box is wall-mountable

Includes: Adhesive Strips 1 x 3 in; Adhesive Tape Roll 2 1/2 in; Alcohol Antiseptic Wipes; Antiseptic Towelettes; Fabric Fingertip Bandages; Fabric Knuckle Bandages; First Aid/Burn Cream Packs; Forceps; Gauze Bandage 4 in; Gauze Pads 4 in; Large Wound Pads; Latex Gloves; Scissors; Sting Relief Wipes; Triangular Bandage; Triple Antibiotic Ointment Packs; Instant Cold Pack; Wipe/s

Case Material: Weatherproof Plastic



SKU	Wt.
579-6088	2.83 lb

50 Person Industrial First Aid Kits

Features:

- Neat, orderly interior packaging, makes content easy to locate and use
- Carrying handle
- Wall mountable

Includes: Adhesive Strips 1 x 3 in; Adhesive Tape 1/2 in; Antiseptic Wipes; Aspirin; Elastic Bandage; Eye Flush (4 oz.); Eye Pads (with strips); First Aid/Burn Cream Packs; Forceps; Gauze Bandage 4 in; Gauze Pads 4 in; Instant Cold Pack; Instructions; Large Wound Pads; Latex Gloves; Scissors; Sterile Eye Cup; Triangular Bandage

Case Material: Weatherproof Steel



SKU	Length	Width	Height
579-6450	9 1/2 in	13 1/2 in	2 3/4 in

Bloodborne Pathogens Kits

Features:

- Small industrial spill kit includes module for fluid clean up and module for protective (PPE) apparel

Includes: Antiseptic Towelettes; Biohazard Bag; Clear Bag; Control Gown, X-Large; Eye & Face Shield/Mask; Nitrile Exam Gloves; Paper Towels; Scoop & Spatula; Surface Disinfectant Towelettes

Case Material: Weatherproof Plastic



SKU	Wt.
579-3060	1 3/4 lb



25 Person First Aid Kits

Features:

- 25 unit standard wall mountable first aid kit
- Easy carry handle

Includes: (1) 5 x 9 in. ABD Pad; (1) Adhesive Tape 1 in x 2-1/2 yd; (1) Cold Pack; (1) Cotton 1/2 oz.; (1) Eye Wash 1/2 oz.; (1) Gauze Bandage 2 in.; (1) Pair of Gloves; (1) Scissors; (1) Triangular Bandage; (1) Tweezers; (2) Ammonia Inhalants; (2) Eye Pads; (20) Assorted Woven Strips; (4) Gauze Pads 3 x 3 in.; (5) Non-Adherent Pads 2 x 3 in.; (50) 3/4 x 3 in. Plastic Strips; (6) Antiseptic Wipes; (6) First Aid Cream Foil Packs; Metal Box



SKU
714-340025F



Handy Deluxe First Aid Kits

Features:

- Weatherproof bulk first aid kit provides a variety of commonly used items

- Securely housed in a rugged, steel case

Includes: (1) Adhesive Tape 1/2 in x 2-1/2 yd; (1) Scissors; (1) Tweezers; (2) 2 in. Gauze Rolls; (2) Ammonia Inhalants; (2) Eye Pads; (20) Assorted Woven Strips; (4) Antiseptic Wipes; (4) Hydrocortisone 1%, Packs; (4) Non-Adherent Pads 2 x 3 in.; (5) 1 x 3 in. Woven Strips; (5) 2 x 3 in. Woven Bandages; (5) Fingertip Woven Bandages; (5) Knuckle Woven Bandages; (50) 3/4 x 3 in. Plastic Strips; (6) Gauze Pads 3 x 3 in.; (6) Triple Biotic Cream Wipes; Plastic Box



SKU	Length	Width	Height
714-34650H	27 3/4 in	16 in	17 3/8 in

Medium Industrial 180 First Aid Cabinets

Features:

- 180 unit, three-shelf cabinet
- Easy carry handle

Includes: (1) 3 Cut Tape; (1) Burn Spray; (1) CoFlex 2 in x 5 yd; (1) Cold Pack; (1) Cotton 1/2 oz.; (1) Elastic Tape 1 in x 5 yd; (1) Eye Wash 4 oz.; (1) First Aid Booklet; (1) First Aid Spray; (1) Scissors; (1) Tweezers; (10) Ammonia Inhalants; (100) 1 x 3 in. Plastic Strips; (100) 3 in. Cotton Tips; (100) 3/4 x 3 in. Plastic Strips; (2) Bio-Hazard Bags; (2) Bloodstoppers; (2) Pair of Gloves; (2) Triangular Bandages; (20) Antiseptic Wipes; (20) Triple Antibiotic Wipes; (25) Gauze Pads 2 x 2 in.; (25) Gauze Pads 4 x 4 in.; (250) Aspirin; (4) Gauze Bandages 2 in.; (40) Fingertip Woven Bandages; (40) Knuckle Woven Bandages; (50) 1 x 3 in. Woven Strips; (50) Alcohol Wipes; (50) Non-Adherent Pads 2 x 3 in.; (6) Tongue Blades; Metal Box



SKU	Length	Width
714-34180LFP	15 1/4 in; 17 in	5.63 in; 15 in

Gauze Pads

Features:

- For wound cleansing and light bandaging
- Sterile--individually wrapped
- Absorbs fluids and blood
- Strong, absorbent, breathable

Material: Gauze



SKU	Width	Length
714-067644	4 in	4 in



Rubbing Alcohol

Features:

- To decrease germs in minor cuts and scrapes
- Apply a small amount of product to affected area one to three times daily

Active Compound: 70% Isopropyl



SKU	Capacity Vol.
579-12-600	16 oz



AquaGuard Gravity-Flow Eye Wash Refills

Features:

- Self-contained gravity flow eye wash units use gravity to deliver water through dual spray heads
- Top operate unit, fill unit with clean potable water and add bacteriostatic additive (supplied with unit)
- Water flow is activated by pulling down on bright yellow eye wash tray
- Integral full flow nozzles deliver soft spray of water, swing tray up to storage position to stop flow
- Waste water is directed into drain opening in tank basin, 3 ft. long drain hose in basin directs discharge into floor drain, storage tank or other receptor
- Furnished with epoxy coated steel bracket for mounting unit on wall, unit can also be placed on countertop or other flat surface



SKU	Capacity Vol.
333-G1540BA	8 oz

AquaGuard Gravity-Flow Eye Washes

Features:

- Self-contained gravity flow eye wash units use gravity to deliver water through dual spray heads
- Integral full flow nozzles deliver soft spray of water, swing tray up to storage position to stop flow
- Waste water is directed into drain opening in tank basin, 3 ft. long drain hose in basin directs discharge into floor drain, storage tank or other receptor
- Furnished with epoxy coated steel bracket for mounting unit on wall, unit can also be placed on countertop or other flat surface

Tank Material: Green Polyethylene



SKU	Capacity Vol.	Flow
333-G1540	16 gal	7 gal/min



Counter Mount Eyewash Drench Hose Units

Features:

- ANSI-compliant identification sign
- Swivel-type inlet
- Valve has replaceable stainless steel seat for exceptional durability
- Forged brass squeeze valve activated by stainless steel lever handle
- Two GS-Plus™ spray heads mounted side-by-side, each head has a “flip top” dust cover, internal flow control and filter to remove impurities from the water flow

Inlet Size: 3/8 in NPT(M)

Hose Material: PVC



SKU	Length	Width	Height	Hose Length	Working Pressure
333-G5022	12.3 in	11.6 in	3.8 in	8 ft	300 psi

Eye Wash & Shower Stations

Features:

- Eye wash is activated by flag handle, two GS-Plus™ spray-type outlet heads deliver a flood of water for rinsing eyes
- Shower Valve: 1” IPS chrome plated brass stay-open ball valve, furnished with stainless steel actuating arm and 29” stainless steel pull rod
- Spray Head Assembly: Two GS-Plus™ spray heads each has a “flip top” dust cover, internal flow control and filter to remove impurities from the water flow
- Eye Wash Valve: 1/2” IPS chrome plated brass stay-open ball valve
- Pipe and Fittings: Schedule 40 galvanized steel, furnished with orange polyethylene covers for vertical piping for high visibility and corrosion resistance

Height: 90 in

Shower Head Height: 85 in

Shower Head Dia: 10 in

Inlet Size: 1 1/4 in

Outlet Size: 1 1/4 in



SKU	Bowl Height	Bowl Dia	Bowl Material
333-G1902	36 in	11 1/2 in	Stainless Steel
333-G1902P	36 in	12 in	Safety Orange ABS

EyeSafe™ Faucet-Mounted Eye Washes

Features:

- Converts any faucet into an emergency eye wash station without interfering with normal faucet operation
- Adjustable aerated outlet heads
- Float off dust covers to protect outlet heads
- Forged brass diverter valve
- Pull knob to activate eye wash; water pressure holds eye wash in operation, leaving user's hands free
- Body has 55/64"-27 female thread
- Furnished with removable aerator on bottom



SKU	Length	Width	Height
333-G1100	5 1/2 in	2.6 in	2.4 in

Portable Eye Washes

Features:

- Drench Hose: single GS-Plus spray head with “flip top” dust cover, internal flow control and filter, valve is chrome plated brass squeeze valve with stainless steel lever handle
- Eye Wash Unit: two GS-Plus spray heads, each with a “flip top” dust cover, internal flow control and filter, valve is 1/2” IPS chrome plated brass stay-open ball valve with flag handle
- Self-contained eye wash and drench hose units are ideal where a continuous supply of potable water is not available
- Tank has built-in carrying handles, air intake fitting, pressure gauge and pressure relief valve

Hose Material: Reinforced PVC

Tank Material: Stainless Steel



SKU	Capacity Vol.	Flow	Hose Length
333-G1562	15 gal	0.65 gal/min	6 ft

Honeywell

Eyesaline® Wall Station Refill Bottles

Features:

- 16 and 32 oz Eyewash refills contain Eyesaline and have extended flow nozzles
- 32 oz Eyewash and Bodyflush refill bottles feature integral gripping surface for ease of handling
- 16 and 32 oz eyewash bottles have bi-lingual, English/Spanish instructions on label



SKU	Capacity Vol.	Used With
203-32-000454-0000	16 oz	460 Wall Station
203-32-000455-0000	32 oz	461 Wall Station

Eyesaline® Wall Stations

Features:

- Mounts to wall with provided screws
- Overhang protects bottles from dust and debris
- Twist off, tamper resistant tabs prevent leaking and are easily removed in an emergency
- Holds factory-sealed, sterile, preserved, buffered saline solution bottles firmly in place for easy access in an emergency
- Simple, highly visible, operating instructions are provided on each unit
- Durable, easy to clean plastic



SKU	Capacity Vol.	Packing Type
203-32-000460-0000	16 oz	Single Bottle
203-32-000462-0000	32 oz	Double Bottle
203-32-000461-0000	32 oz	Single Bottle

Honeywell

Fendall 2000™ Sterile Emergency Eyewash Cartridges

Features:

- Cartridge change takes less than 5 minutes
- Up to 24 month cartridge life
- 100% Sterile pH balanced, saline solution

Packing Type: Single Cartridge

SKU	Capacity Vol.
203-32-ST2050-0000	7 gal



Fendall 2000™ Sterile Emergency Eyewash Stations

Features:

- Added comfort features, ergonomic design, and alarm system all work together to ensure compliance with the full 15-minute ANSI flushing requirement
- Ingenious design delivers a steady soft ribbon of 100% sterile saline from a 100% sterile delivery system, minimizing the risk of further injury
- Sterile saline solution cartridge sold separately

Includes: Emergency Eyewash Station Sign; Installation DVD; Mounting Bracket; Tamper Seal

SKU
203-32-002000-0000



Flash Flood® Recommended Refills & Accessories

Features:

- One gallon cartridges are easy to store and offer quick change without mixing or measuring
- Unique cartridge design delivers a buffered, saline solution superior to tap water for emergency eye care

SKU	Capacity Vol.	Quantity
203-32-000401-0000	1 gal	4 per pail



Porta Stream® I Emergency Eyewash Station

Features:

- Portable/no plumbing
- Fluid flushing options
- Easy to use nozzle strap
- One-piece, molded construction
- Large fill hole
- Illustrated operating instructions

Includes: Eyesaline Concentrate

SKU	Capacity Vol.
203-32-000100-0000	70 oz



Porta Stream® II Emergency Eyewash Station

Features:

- Can be easily relocated to provide emergency eye wash capability at or near hazards
- Highly visible Eyesaline green
- No plumbing required
- No moving parts. Hanging bracket permits easy installation on vertical surfaces or install on a horizontal surface
- Exclusive full flow nozzles cover a wide area around the eyes
- Patented nozzle strap is easily removed to activate flushing, leaving hands free to hold eyelids open
- Locking fill cap reduces risk of tampering with solution
- Large fill hole located at top of unit simplifies refilling and cleaning
- Molded in tough FDA approved polyethylene



SKU	Capacity Vol.	Includes
203-32-000200-0000	16 gal	Eyesaline Concentrate
203-32-000230-0000	8 oz	Fend-All Preservative

Porta Stream® II Recommended Refills & Accessories

Features:

- Formulated to inhibit the growth of harmful bacteria in self-contained eyewash stations
- Easy-to-mix liquid
- Will preserve 14 to 16 gallons of water in a unit such as Porta Stream® II
- Proper concentration level is 1/2 oz. of preservative for every gallon of eyewash

SKU	Capacity Vol.
203-32-001100-0000	8 oz


Features:

- Mix with clean, portable water
- Preserved, buffered, saline solution
- Included preservative inhibits bacterial growth

SKU	Capacity Vol.
203-32-000509-0000	5 gal - 7 gal
203-32-000513-0000	14 gal - 16 gal

Features:

- Use directly from the container to fill your eye wash station

SKU	Capacity Vol.
203-32-000502-0000	1 gal

Honeywell

Porta Stream® III Emergency Eyewash Station

Features:

- Easy installation with no plumbing required
- Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or universal stand
- Molded handle accepts hanging bracket for vertical or horizontal surface installation
- Versatile flushing fluid options include Eyesaline Concentrate and Water Additive
- Large 16 gallon (60.5L) capacity permits thorough flushing by providing 0.4 gpm over the entire 15-minute flushing period required by current ANSI Z358.1
- Nozzles cover a wide area around the eyes
- Simple strap design is easily removed for hands-free flushing
- Large fill hole/lockable fill cap simplifies refilling and cleaning and reduces risk of tampering

Applications: Indoor/Outdoor


SKU	Capacity Vol.	Flow
203-32-000310-0000	180 oz	0.4 gal/min



by Honeywell

Eyesaline® Personal Eyewash Products

Features:

- Eyesaline solution delivery
- Easy open top
- User-controlled volume delivery
- Quality assured manufacturing

SKU	Capacity Vol.
203-32-000451-0000	1 oz
203-32-000452-0000	4 oz



Flash Flood® Emergency Eyewash Station

Features:

- Flash Flood delivers Eyesaline Solution
- Dual nozzles flush both eyes simultaneously
- When the cartridge is inserted in the base unit, the cartridge seal is broken and the Flash Flood is ready to deliver eyewash solution for three minutes
- Cartridge replacement is quick and easy
- Wall mounted

Includes: Eyesaline Cartridge


SKU	Capacity Vol.
203-32-000400-0000	1 gal

Pure Flow 1000® Emergency Eyewash Station

Features:

- Delivers Eyesaline Solution: purified, contaminant-free and physiologically correct from a sealed, integrated delivery module
- Constant fluid flow rate and stream height for 15 minutes
- Sure-grip handle provides instant, simple activation
- Activation straps display expiration date
- Integral drain valve allows easy draining of reservoir after use
- Integral fluid reservoir captures waste fluid, eliminating potential safety hazards and simplifying fluid disposal
- Provision for locking device
- Cover keeps dirt and trash from collecting in the basin and nozzle



SKU
203-32-001000-0000

Pure Flow 1000® Recommended Refills & Accessories

Features:

- Up to 24 month cartridge life
- Preserved, buffered, pH balanced, saline solution
- Cartridge change takes less than 5 minutes

SKU	Capacity Vol.
203-32-001050-0000	7 gal



Eye & Skin Flush Emergency Station/Replacement Twin Bottles

Features:

- Provides easy access for a quick response to eye accidents
- Sterile eye, face, and skin flush

Packing Type: Bottle

Includes: Two 16 oz bottles of eye wash

Mounting: Wall Mount

Usage: Eye & Skin

Used With: 579-24-101


SKU	Capacity Vol.
579-24-102	16 oz



Eye Flush Bottles

- Features:**
- Sterile eye, face and skin flush
 - Provides easy access for a quick response to eye accidents
- Includes:** 16 oz eyewash
- Usage:** Eye & Skin



SKU	Capacity Vol.
579-24-101	16 oz

ITW Professional Brands

Insect Shield™ Insect Repellent Towels

- Features:**
- EPA-approved insect repellent formula combined with a large, lint-free towel
 - With 30% DEET, INSECT SHIELD™ Insect Repellent Towels provide a safe, yet highly effective level of protection
 - Once applied, the INSECT SHIELD™ Insect Repellent formula is waterproof and greaseless
- Insect Type:** Biting Flies; Black Flies; Chiggers; Deer Flies; Fleas; Gnats; Mosquitos; No-see-ums; Sand Flies; Stable Flies; Ticks



SKU	Quantity
253-91401	100 per box

Solar Guard™ Sunscreen Towels

- Features:**
- Combines a unique liquid sunscreen formula and a large, lint free towel
 - Will not roll up like many wipes, while applying to the face, neck and arms
 - SPF 30+
 - Water/Sweat Resistant
 - Greaseless
 - UVA/UVB Protection
 - Aminobenzoic Acid (PABA) Free
 - Use for skin highly sensitive to sunburn
 - Can be applied with dirty hands



SKU	Quantity
253-91201	100 per box

SUN SKEETER™ Insect Repellent + Sunscreen Towel

- Features:**
- Provides SPF 25 with UVA/UVB protection in a greaseless formula that is Aminobenzoic Acid (PABA) free
 - The 20% DEET formula provides effective long-lasting protection against disease-causing insects that carry West Nile virus Lyme disease, malaria and dengue fever
 - EPA registered formula resists perspiration
- Insect Type:** Chiggers; Fleas; Flies; Gnats; Mosquitos; Ticks



SKU	Quantity
253-91501	1 per pack



OFF! Deep Woods® Repellents

- Features:**
- Effectively repels against biting mosquitoes, flies, and more
 - Special valve system allows the aerosol to be sprayed in any direction—permitting easy application to skin and clothing
- DEET:** 25 %
- Insect Type:** Chiggers; Fleas; Gnats; Ticks; Mosquitos
- Odor/Scent:** Unscented



SKU	Container Size
395-CB018425	6 oz



Insulated Steel Toe Boots

- Features:**
- Cushion insoles reduce fatigue for all day comfort
 - Flexible hand layered construction
 - Specialized rubber compound prevents ozone deterioration
- Material:** Rubber
- Lining:** Fleece
- Resistance:** Water
- Quantity:** 6 per case



SKU	Size Group	Height
617-6147-9	9	12 in
617-6147-10	10	12 in
617-6147-11	11	12 in



by Honeywell

CT™ Economy Knee Boots

Features:

- FOOT FORM contour insole

Material: PVC

Color: Black

Resistance: Water

Quantity: 6 per case



Features:

- Scalloped top line design
- Seamless molded construction
- Trac10™ sole and heel

SKU	Size Group	Height	Length	Width
617-18822-10	10	15 in; 16 in	10 in	9 in

Features:

- Specialized rubber compound prevents ozone deterioration
- Seamless molded construction with SAFE-TOE steel toe

SKU	Size Group	Height	Length	Width
617-18821-8	8	15 in; 16 in	10 in	9 in
617-18821-9	9	15 in; 16 in	10 in	9 in
617-18821-10	10	15 in; 16 in	10 in	9 in
617-18821-11	11	15 in; 16 in	10 in	9 in
617-18821-12	12	15 in; 16 in	10 in	9 in
617-18821-13	13	15 in; 16 in	10 in	9 in

XTP Knee Boots

Features:

- Specialized rubber compound prevents ozone deterioration

• Seamless molded

• self-cleaning outsole and heel

Material: PVC

Lining: Net

Color: Black/Yellow/Gray

Resistance: Water



SKU	Size Group	Quantity
617-75109-10	10	6 per case



Chaps

Features:

- Adjustable waist belt and a quick release buckle
- thigh, knee and leg straps are fitted with adjustable snap fasteners

Color: Golden Brown



SKU	Material
101-Q-13	Leather

Spats

Features:

- Elastic top with 2 buckles on back of leg
- Metal reinforced boot
- Sold per pair
- Velcro fasteners that ensure a secure fit for various shoe sizes

Material: Leather



SKU	Color
101-220	Brown
101-Q-15	Brown



DuPont™ Tyvek® Boot Covers

Features:

- Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont

- Tyvek® provides an ideal balance of protection, durability and comfort of any limited use fabric technology
- Protection is built into the fabric itself, and there are no films or laminates to abrade or wear away

- Tyvek® fabric's durability advantage over microporous film and SMS fabrics delivers consistently better barrier, even after wear and abrasion

• One size fits most

Style: Elastic Opening

Quantity: 100 per case



SKU	Length	Width	Height
251-TY454S	16 in	10 in	8 3/4 in
251-TY454S-LG-SR	16 in	8 3/4 in; 10 in	8 3/4 in; 18 in

DuPont™ Tyvek® IsoClean® Boot Cover

Features:

- Boot Cover features serged seams
- Elastic opening, bound Tyvek® ties at ankle
- Product is comfortable, lightweight and durable
- Slip Resistant Gripper™ sole
- Tyvek® IsoClean® provides an excellent barrier to dry particles, microorganisms and non-hazardous liquids

Style: Elastic Opening; Serged Seams

SKU	Size Group	Length	Width	Height	Quantity
251-IC446SWH-XL	X-Large	16 in	16 in	5 in; 18 in	100 per case

DuPont™ Tyvek® IsoClean® Shoe Cover

Features:

- Shoe Cover features elastic opening & toe
- Slip resistant PVC sole
- Tyvek® IsoClean® provides an excellent barrier to dry particles, microorganisms and non-hazardous liquids

Style: Elastic Opening and Toe

Quantity: 150 per case



SKU	Size Group	Length	Width	Height
251-IC461S-L	Large	16 in	8.8 in; 16 in	5 in; 18 in
251-IC461S-M	Medium	0 in; 16 in	0 in; 16 in	0 in; 5 in



Protective Shoe Covers

Features:

- Protection is built into the fabric itself, there are no films or laminates to abrade or wear away
- Tyvek® fabric offers an inherent barrier to particles down to 1 micron in size
- Tyvek® fabric's durability advantage over micro porous film and SMS fabrics delivers consistently better barrier, even after wear and abrasion
- Tyvek® shoe covers are composed of flash spun high-density polyethylene which creates a nonwoven material available only from DuPont
- Tyvek® provides an ideal balance of protection, durability and comfort of any limited use fabric technology
- Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up



SKU	Size Group	Color	Style
251-PE440S-XL	X-Large	White	6 in. Low Elastic Top
251-TY450S-L	Large	Gray	One Size Fits All; Elastic Opening; Serged Seams

Tyvek® Shoe & Boot Covers

1



2



Features:

- Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up
- Protection is built into the fabric itself, there are no films or laminates to abrade or wear away
- Tyvek® fabric offers an inherent barrier to particles down to 1 micron in size
- Tyvek® fabric's durability advantage over microporous film and SMS fabrics delivers consistently better barrier, even after wear and abrasion
- Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont
- Tyvek® provides an ideal balance of protection, durability and comfort of any limited use fabric technology
- One size fits most

SKU	#	Color	Style	Length
251-FC450S	1	Gray	Low Elastic Top	16 in
251-FC454S	2	Gray	High Elastic Top	16 in
251-TY450S	1	Gray	One Size Fits All; Elastic Opening; Serged Seams	16 in
251-TY454S-XL-SR	1	White	Elastic Opening	16 in



KleenGuard® A20 Breathable Particle Protection Foot Covers

Features:

- Lightweight and breathable - strong and abrasion-resistant for extended wear
- Patented Microforce™ fabric offers barrier protection against dry particulates and light liquid sprays
- Made from a breathable patented Microforce™ Barrier SMS Fabric that offers significantly improved barrier protection on submicron size particles

Style: Elastic Top



SKU	Quantity
138-36880	300 per case
138-36885	300 per case

KleenGuard® A40 Liquid & Particle Protection Shoe Covers

Features:

- Fully elasticized. Passes NFPA 99 criteria for antistatic materials
- Made from breathable, microporous film laminate that offers better liquid barrier, better particulate barrier, lower in lint than TYVEK®

Style: Elastic Top



SKU	Size Group	Length	Width	Height	Quantity
138-44490	Universal	16 in	12 in	13 7/8 in	400 per case



Est. 1893

Munk® Chore Gloves

Features:

- Two ply quilted fleece out cotton flannel palm, thumb and index finger with cotton back
- Turtle neck, elastic strap on back

Material: Cotton

Style: Clute-Straight Thumb

Cuff Style: Safety Cuff



SKU	Size Group
121-1BC5510	Large



Latex Coated Gloves

Features:

- Color-coded hem
- Contoured fit
- Machine washable

Lining: Cotton/Polyester 7-Cut Knit

Cuff Style: Knit-Wrist

Color: White/Blue

Resistance: Abrasion; Cut; Puncture; Tear



SKU	Size Group
101-6040	Men's

Nitrile Coated Gloves

Features:

- Color-coded hem
- Contoured fit
- Machine washable

Lining: Nylon Knit

Cuff Style: Knit-Wrist

Color: Gray/Black



SKU	Size Group
101-6020-M	Medium
101-6020-XL	X-Large



AlphaTec™ Gloves

Features:

- Ideal for the ultimate grip protection when working with hazardous chemicals or dangerous liquids
- Features the revolutionary Ansell Grip Technology™, a patent-pending nitrile layer filled with microscopic channels that actively repel oils and other lubricants

Style: Gauntlet



SKU	Size Group
012-58-530-10	10

Ansell Vinyl Gloves

Features:

- Tough PVC coating protects hands from abrasions and stays soft even when cold
- Curved fingers, wing thumb and soft jersey lining offer superior comfort
- Ideal for use in cold or unheated work environments

Lining: Jersey

Coating: PVC

Style: Work Glove

Cuff Style: Safety



SKU	Size Group
012-23-173-10	10
012-23-193-10	10

Easy Flex® Gloves

Features:

- Compared to ordinary 8-ounce cotton and string knit gloves
- Easy Flex® gloves provide a whole new level of comfort and performance in light-duty applications
- Provide a superior dry grip
- The coolness and comfort of a light, flexible glove

Lining: Interlock Knit

Coating: Nitrile

Cuff Style: Knit-Wrist

Color: Aqua

Usage: Medium Duty Assembly; Shipping and Receiving

Resistance: Abrasion; Cut; Puncture



SKU	Size Group
012-47-200-10	10

Flock-Lined Latex Gloves

Features:

- Cotton flock-lined natural latex gloves provide tensile strength while maintaining sensitivity
- Made from natural latex rubber
- Ideal for use in industrial work environments

Material: Latex

Lining: Flock

Style: Flock-Lined Latex Glove



SKU	Size Group	Cuff Style	Color
012-298-8	8	Straight	Black
012-298-9	9	Pinked	Yellow

Golden Grab-It® Gloves

Features:

- Abrasion- and tear-resistant
- Soft jersey-knit lining for superior comfort and flexibility
- Premium coating with crinkle finish delivers long service life as well as cut protection
- Made from natural rubber latex

Material: Jersey

Lining: Fine Gauge Knit

Coating: Polyurethane

Style: Palm-Coated Gloves

Cuff Style: Safety



SKU	Size Group
012-16-347-10	10



Hycron® Nitrile Coated Gloves

Features:

- Soft jersey lining eliminates seams from working areas for greater comfort
- Heavy-duty nitrile coating provides excellent dry grip as well as superior performance when handling rough, abrasive materials
- Provides excellent resistance to snags, punctures, abrasions, cuts, greases and oils



Features:

- A comfortable, long-wearing replacement for cotton or leather gloves

Usage: Light Duty Fabrication; Plant Maintenance

SKU	Resistance
012-28-507-9	Abrasion; Cut; Puncture

SKU	Size Group	Lining	Color
012-28-507-10	10	DuPont™ Kevlar®/Jersey	Brown
012-28-507-8	8	DuPont™ Kevlar®/Jersey	Brown

SKU	Size Group	Lining	Color
012-27-805-10	10	Jersey	Blue

Features:

- Hycron® gloves are the perfect replacement for cotton and leather
- In fact, Hycron® gloves outwear heavy-duty leather-palm gloves by 3 to 1
- Their extra-tough, heavy-duty nitrile coating gives excellent dry grip and superior service when handling rough, abrasive materials
- Outwears standard heavy-duty leather palm gloves by 3-to-1
- Excellent resistance to snags, punctures, abrasions, cuts, greases and oils
- Hycron gloves are the perfect replacement for cotton and leather
- Hycron gloves outwear heavy-duty leather-palm gloves by 3 to 1

Usage: Casting & Core Mfg; Handling Metal Cable, Bricks & Blocks; Bricks and Blocks; Casting and Core Mfg; Handling Metal Cable

SKU	Size Group	Lining	Color	Resistance
012-27-600-10	10	Jersey	Blue	Abrasion; Cut; Puncture; Grease & Oil; Snag; Grease and Oil

HyFlex® Foam Gloves

Features:

- Exceptional, unmatched comfort for workers and provides good grip in dry environments
- Glove molds naturally to the hand, minimizing fatigue
- Ultra-lightweight assembly gloves which offer unmatched dexterity, fit and comfort that are the closest you can get to no glove at all

Lining: Knit

Coating: Foam Nitrile

Cuff Style: Knit-Wrist

Resistance: Abrasion; Puncture



SKU	#	Size Group
012-11-800-10	1	10
012-11-800-11	1	11
012-11-800-6	2	6
012-11-800-7	2	7
012-11-800-8	2	8
012-11-800-9	1	9

HyFlex® Foam Gray™ Gloves

Features:

- Offering the same outstanding light oil grip as HyFlex Foam 11-800
- Provides exceptional comfort using Ansell's patented Knitted Variable Stitch Design
- Coating reduces hand fatigue and promotes maximum dexterity, while its gray colored knit liner stays clean longer, making these gloves more industrial friendly

Lining: Knit

Coating: Nitrile Foam



SKU	Size Group
012-11-801-10	10
012-11-801-8	8
012-11-801-8	8
012-11-801-9	9

HyFlex® Lite Gloves

Features:

- Designed for excellent fit and performance to maintain high productivity
- Ultra-cool stretch nylon liner and polyurethane coating offer unmatched tactile sensitivity
- Allows maximum dexterity
- Effective for handling and assembly tasks where precision is required

Coating: Polyurethane

Style: Palm-Coated Gloves

Cuff Style: Knit-Wrist

Resistance: Abrasion



SKU	Size Group	Lining	Color
012-11-600-10-BK	10	Knit	Black/Gray
012-11-600-11-BK	11	Knit	Black/Gray
012-11-600-7-BK	7	Knit	Black/Gray
012-11-600-8-BK	8	Knit	Black/Gray
012-11-600-9-BK	9	Knit	Black/Gray
012-11-600-7-WH	5-10	Nylon	White
012-11-600-8-WH	5-10	Knit	Black/Gray
012-11-600-9-WH	5-10	Nylon	White

HyFlex® NBR Gloves

Features:

- Ergonomic, natural fit for increased comfort
- Excellent grip in dry environments
- Molds naturally to the hand, decreasing fatigue
- Provides good snag, puncture and superior abrasion resistance
- Reduces oil penetration, which minimizes the risk of dermatitis

Lining: Nylon

Coating: Nitrile

Cuff Style: Knit-Wrist

Usage: Shipping and Receiving; Small Parts Handling

Resistance: Abrasion



SKU	Size Group
012-11-900-10	10
012-11-900-9	9



Hyflex® Oil Repellent Gloves

Features:

- Patent-pending Ansell Grip Technology coating wicks oil away from the hand in microscopic channels
- Prevents oil penetration and reduces the risk of dermatitis and liquid exposure
- Multi-layer coating provides high abrasion resistance and increases wear life
- Ergonomic, natural fit along with superior dry and oil grip for high productivity
- Durable material is machine launderable for extended life and reduced replacement costs

Material: Cotton

Lining: Fine Gauge Knit

Coating: Nitrile

Cuff Style: Knit-Wrist

Usage: Medium Duty Assembly; Shipping and Receiving

Resistance: Abrasion

SKU	Size Group
012-11-920-10	10
012-11-920-10	10
012-11-920-9	9
012-11-920-9	9



HyLite® Fully Coated Gloves

Features:

- For extra comfort, Features an interlock lining, generous sizing, and a contoured design
- Gloves outwear cotton up to 12 to 1, light leather 5 to 1, and PVC-coated gloves 3 to 1
- Hylite® glove is a better alternative to cotton, light to medium-duty leather, and PVC

Lining: Interlock Knit

Coating: Nitrile

Cuff Style: Knit-Wrist

Usage: Maintenance; Assembly; Light Fabrication

Resistance: Abrasion; Cut; Puncture

SKU	Size Group
012-47-402-9	9
012-47-402-9	9



HyLite® Palm Coated Gloves

Features:

- For extra comfort, Features an interlock lining, generous sizing, and a contoured design
- Gloves outwear cotton up to 12 to 1, light leather 5 to 1, and PVC-coated gloves 3 to 1
- Hylite® glove is a better alternative to cotton, light to medium-duty leather, and PVC

Lining: Interlock Knit

Coating: Nitrile

Cuff Style: Knit-Wrist

Usage: Maintenance; Assembly; Light Fabrication

Resistance: Abrasion; Cut; Puncture

SKU	Size Group
012-47-400-10	10
012-47-400-9	9



Hynit® Nitrile-Impregnated Gloves

Features:

- A comfortable, long-wearing replacement for cotton or leather gloves
- Fully launderable, with color-coded cuffs to simplify sorting and storage
- Gloves outwear 8-ounce cotton by as much as 10 to 1, goatskin by 3 to 1, and light leather by 4 to 1
- The gloves feature superior dry grip, no silicone, and are light and comfortable to wear
- Outwears standard 8-ounce cotton by as much as 10-to-1, standard goatskin by 3-to-1 and standard lightweight leather by 4-to-1
- Nitrile-impregnated fabric provides excellent snag, puncture, abrasion and cut resistance
- Superior dry grip without silicone

Lining: Interlock Knit

Cuff Style: Slip-On

Usage: Light Duty Fabrication; Plant Maintenance

Resistance: Abrasion; Cut; Puncture

SKU	Size Group	Material	Color
012-32-105-10	10	Nitrile-Impregnated Fabric	Blue
012-32-105-8	8	Nitrile-Impregnated Fabric	Blue
012-32-105-9	9	Nitrile-Impregnated Fabric	Blue
012-32-105-7.5	7.5	Fabric	Gray



KSR® Multi-Purpose Vinyl-Coated Gloves

Features:

- KSR gloves are machine washable, and they won't shrink, stiffen, or lose their grip
- The gloves outwear 8-ounce cotton gloves by at least 6 to 1, and an interlock knit lining stretches to a snug, sensitive fit
- Very light, flexible, and easy to wear, KSR gloves feature a coating that provides superior grip and liquid repellency, yet breathes for ventilation
- Vinyl coated glove is extremely comfortable for long-wearing light-duty work
- Interlock knit lining stretches to a comfortably snug, sensitive fit
- Outwears 8-ounce cotton gloves by at least 6-to-1
- Coating breathes for ventilation while providing superior grip and liquid repellency

Lining: Interlock Knit

Coating: Vinyl

Cuff Style: Slip-On

SKU	Size Group
012-22-515-10	10
012-22-515-9	9



Ansell

Nitrasafe® Gloves

Features:

- Greater cut-, puncture- and abrasion-resistance than that offered by standard leather palm gloves
- Porous nitrile coating channels oil away from the surface for better grip while providing superior flexibility and dexterity
- DuPont™ Kevlar® reinforced hand protection with comfort and flexibility

Material: Nitrile-Impregnated Fabric

Lining: DuPont™ Kevlar®/Jersey

Cuff Style: Gold Safety



SKU	Size Group
012-28-350-10	10

PowerFlex® Gloves

Features:

- The glove's coating is crinkled for exceptional grip
- The uncoated back allows air to circulate which keeps hands cooler and drier
- Unbelievable comfort and superior wet and dry grip

Lining: Poly/Cotton Knit

Coating: Natural Rubber

Cuff Style: Continuous

Usage: Maintenance; Brick Handling; Shipping

Resistance: Abrasion; Cut; Puncture



SKU	Size Group
012-80-100-10	10
012-80-100-9	9

Sensilite® Gloves

Features:

- Specifically designed for light applications
- Provide superior abrasion resistance while delivering quality comfort
- Allows maximum dexterity for handling small objects
- Can be worn comfortably all day

Lining: Nylon

Style: Light Industrial Glove

Cuff Style: Elasticized Cut



SKU	Size Group
012-48-101-10	10
012-48-101-9	9

Winter Monkey Grip® Work Gloves

Features:

- Tough PVC coating protects hands from abrasions and stays soft even when cold
- Curved fingers, wing thumb and soft jersey lining offer superior comfort
- Ideal for use in cold or unheated work environments

Lining: Jersey

Cuff Style: Gauntlet



SKU	Size Group
012-23-152-10	10



Atlas Fit® 300 Rubber-Coated Gloves

Features:

- Superior durability, dexterity and fit
- Open back for perspiration-free wear
- Wrinkle free
- Ergonomic shape
- Excellent wet and dry grip
- Natural rubber palm coating

Material: Natural Rubber

Thickness: 10 gauge

Lining: Seamless Knitted Liner

Coating: Rubber Palm

Style: Coated; Knit

Usage: Maintenance; Assembly; Construction



SKU	Size Group
845-300L-09	L
845-300M-08	M
845-300XL-10	XL

Atlas® Assembly Grip 370W Nitrile-Coated Gloves

Features:

- Sturdy general purpose gloves with durable nitrile palm coating
- Lint-free, seamless knitted liner
- Excellent dry grip and flexibility
- Machine washable

Material: Nitrile

Thickness: 13 gauge

Lining: Seamless Knitted Liner

Coating: Nitrile

Style: Coated; Knit

Usage: Automotive; Light Fabrication



SKU	Size Group
845-370WL-08	L

SHOWA® Foam Grip 377 Nitrile-Coated Gloves

Features:

- Durable gloves with full nitrile undercoating and foamed nitrile palm coating
- Liquid-proof undercoat for oil protection
- Foam nitrile overcoat provides a strong grip in oily applications

Material: Knitted Liner; Nitrile Coating

Thickness: 13 gauge

Lining: Seamless Knitted Liner

Coating: Nitrile

Style: Coated; Knit

Usage: Automotive; Maintenance; Assembly



SKU	Size Group
845-377L-08	L
845-377XL-09	XL

Honeywell

Perfect Fit Coated Gloves

Features:

- Seamless knit liners offer comfort and flexibility
- Liners and coatings are ergonomically constructed to conform to the natural curve of the hand to minimize hand fatigue
- Textured dipped surface enhances wet and dry grip to help reduce hands from slipping over sharp edges

Material: Cotton; Polyester; Rubber

Lining: Seamless Knitted Liner

Style: Coated; Knit



SKU	Size Group
582-300PC-L	Large

Tuff-Coat II™ Gloves

Features:

- Medium weight, 10-cut
- Seamless knit construction eliminates uncomfortable seams that can tear, rub or chafe
- Coatings provide excellent wet/slippy grip and help inhibit liquid penetration
- Flexible, ergonomically correct design conforms snugly to the natural shape of the hand increasing comfort and reducing hand fatigue
- DuPont™ KEVLAR® fiber knit shell is coated with natural rubber* to provides superior protection from cuts, slashes and punctures

Lining: Kevlar® Knit



SKU	Size Group
582-KV300-L	Large
582-KV300-XL	X-Large



Work Safety Gloves



Features:

- 4 impact absorbing 3-D thermoplastic rubber ribs are designed to absorb and dissipate impacts to the back of the hand
- Foam rubber padding placed between fabric layers provides added protection and flexibility
- Impregnated PVC dots adhered to the palm of the glove enhance overall grip
- Reinforced cross-stitching was added to reduce the friction caused by multiple layers of fabric rubbing together
- 3-D thermoplastic rubber finger ribs provide extra protection while offering flexibility
- I.D tag for employee name

Lining: Synthetic Leather

Cuff Style: Extended

Usage: Demolition; Extraction; Fracking; Heavy Construction; Mining; Oil and Gas Drilling; Refining; Rigging; Tool Pushing

SKU	Size Group	Cuff Length
424-SDX-04-L	Large	2 1/2 in



TRIlites® 994 Gloves

Features:

- Textured fingertips with lightly halogenated finish for optimum tactility and grip
- Powder-free for no cross contamination

Material: Tri-Polymer

Thickness: 6 mil



SKU	Size Group
457-994957	Medium
457-994958	Large
457-994959	X-Large



Coated String-Knit Gloves

Features:

- Natural rubber provides abrasion resistance
- Excellent comfort and fit

Thickness: 10 gauge

Lining: Cotton/Polyester

Coating: Latex

Style: Textured Palm & Fingers

Cuff Style: Knit-Wrist

Color: White; Blue



SKU	Size Group
127-9680M	Medium
127-9680XL	X-Large

Flex Tuff-II Latex Coated Gloves

Features:

- Natural abrasion resistance
- Excellent durability
- Great comfort and fit
- Improved grip
- Textured palm
- 10 gauge with gray cotton poly shell
- Medium Flex Tuff II construction

Lining: Cotton/Polyester

Style: Textured Palm & Fingertips

Cuff Style: Knit-Wrist

Resistance: Tear



SKU	Size Group
127-9688M	Medium
127-9688L	Large
127-9688XL	X-Large

Industrial Safety Welding Oilfield Construction


**MEMPHIS
GLOVES**
An MCR Safety Brand

Memphis Glove Nitrile Coated Gloves

Features:

- Provides superb flexibility, elasticity and durability

Lining: Cotton Jersey

Coating: Nitrile

Cuff Style: Safety

Resistance: Abrasion; Chemicals; Cut; Puncture


SKU	Size Group	Style
127-9760	Large	Palm Coated; Smooth Finish
127-9761	Large	Fully Coated; Smooth Finish
127-9761R	Large	Extra Rough Finish; Fully Coated

Ninja® Coated-Palm Gloves

Features:

- Crinkle latex coating providing superb flexibility, elasticity, and durability
- Component materials comply with all relevant federal regulations for food contact

Thickness: 15 gauge

Lining: 100% Nylon

Coating: Latex

Cuff Style: Knit-Wrist


SKU	Size Group
127-N9680M	Medium
127-N9680L	Large
127-N9680XL	X-Large

Ninja® X Bi-Polymer Coated Palm Gloves

Features:

- Shell blended of silicone free nylon/spandex with a proprietary bi-polymer coating combining durability and softness

Thickness: 15 gauge

Cuff Style: Knit-Wrist


SKU	Size Group
127-N9674L	Large

Premium Latex Coated String Gloves

Features:

- Natural rubber provides abrasion resistance
- Excellent comfort and fit

Thickness: 10 gauge

Lining: Cotton/Polyester

Style: Textured Palm & Fingers

Cuff Style: Knit-Wrist


SKU	Size Group
127-9680L	Large

UltraTech PU™ Coated Gloves

Material: 100% Nylon

Coating: Polyurethane

Cuff Style: Knit-Wrist

Features:

- Abrasion resistance
- Excellent comfort and fit
- Great tactile sensitivity
- Greater dexterity

SKU	Size Group
127-9696M	Medium

Features:

- Ultra Tech Gray nylon palm
- 13 gauge

SKU	Size Group
127-9696L	Large



by Honeywell

Chemical Resistant Glove

Features:

- Highest permeation resistance to gases and water vapors
- Highly resistant to ketones (MEK, MIBK, acetone) and esters (tricresyl phosphate, amyl acetate, ethyl acetate)
- Particularly suited to applications involving highly toxic chemical hazards such as chemical weapons
- Available with "Grip-Saf" roughed palm for enhanced grip and less hand fatigue, rolled bead cuff prevents tearing

Thickness: 13 mil

Coating: Butyl

Cuff Style: Rolled Bead


SKU	Size Group
068-B131/9	9

NorthFlex Red™ Foamed PVC Palm Coated Gloves

Features:

- 15 gage seamless shell is stretchy and form fitting for wearer comfort
- Provides exceptional grip, particularly in wet conditions
- Provides good mechanical properties, including impressive abrasion resistance

Thickness: 15 gauge

Lining: Nylon

Cuff Style: Knit-Wrist

SKU	Size Group
068-NF 11/8M	Medium
068-NF 11/9L	Large
068-NF 11/10XL	X-Large





by Honeywell

NorthFlex-Cold Grip™ Winter Gloves

Features:

- Glove retains flexibility, even at low temperatures for worker dexterity
- Launderable for added value and longer life
- Provides high levels of comfort, fit and dexterity compared to traditional gloves
- PVC coating extends to the knuckles to provide liquid protection
- Retains flexibility, even at low temperatures

Lining: Nylon over Seamless Brushed Synthetic

Cuff Style: Knit-Wrist



SKU	Size Group
068-NF11HD/9L	Large
068-NF11HD/10XL	X-Large

NorthFlex™ Light Task Plus II™ Coated Gloves

Features:

- EN388 level 3 cut resistance
- Combines the mechanical toughness of PU with the grip and flexibility of nitrile
- Fully launderable

Lining: Dyneema®

Coating: Bi-Polymer

Cuff Style: Knit-Wrist



SKU	Size Group
068-NFD15B/8M	Medium
068-NFD15B/9L	Large
068-NFD15B/10XL	X-Large

Smitty® Nitrile Palm Coated Gloves

Features:

- Cool, breathable, grip

Lining: Cotton/Polyester



SKU	Size Group
068-81/1162M	Medium



1000 Series Canvas Gloves

Lining: Unlined

Cuff Style: Knit-Wrist

Resistance: Abrasion



Features:

- Comfortable work gloves for protection in light-duty applications

Style: Clute-Straight Thumb

SKU	Size Group	Material	Color
101-1110	Men's	Cotton Canvas	White

Features:

- Economical, comfortable and breathable
- Used for general or light duty applications

Style: Clute Pattern; Straight Thumb

SKU	Size Group	Material	Color
101-1060OR	Large	Poly/Cotton, Fully Corded	Orange

Features:

- Heavy multi-purpose
- Nap-in double palm
- Minimal heat protection
- Economical, comfortable and breathable
- Used for general or light duty applications

SKU	Size Group	Style	Color
101-1060	Large	Clute Pattern; Straight Thumb	White
101-1050	Men's	Clute-Straight Thumb	Off-White
101-1070	Men's	Clute-Straight Thumb	Off-White

Canvas Gloves

Features:

- Economical, comfortable and breathable
- Used for general or light duty applications

Material: Poly/Cotton, Fully Corded

Lining: Unlined

Style: Clute Pattern; Straight Thumb

Cuff Style: Knit-Wrist

Resistance: Abrasion



SKU	Size Group
101-1060G	Large



Ansell Insulators

Features:

- Thermolite® fabric delivers warmth against cold or damp conditions, even when wet
- Thermolite® fast-wicking fibers act as hand warmers

Cuff Style: Knit-Wrist

Lining: Thermolite Fiber

Usage: Handling Chilled or Refrigerated Products; Industrial Applications where Extra Warmth is Required



SKU	Size Group	Color
012-78-101	One Size	Blue
012-78-150	One Size	White

Ansell

Dyneema®/Lycra® Work Gloves

Lining: DSM Dyneema® and Lycra®

Features:

- Advanced yarn technology increases worker confidence while on the job
- Good resistance to tears and punctures that might occur when handling sharp parts
- Offers users an unmatched combination of comfort, softness, coolness and cut protection
- Proprietary coating provides a sure grip in light oil and dry applications
- Black palm coating hides soil, providing longer wear and reduced replacement costs



SKU	Size Group	Material	Coating
012-11-624-10	10	Dyneema/Lycra	Polyurethane
012-11-624-9	9	Dyneema/Lycra	Polyurethane

Features:

- Innovative yarn structure with an optimal level of Dyneema® for exceptional cut resistance
- Lycra® and nylon liner is combined with a polyurethane palm coating to ensure excellent dexterity and grip
- Relaxed, natural fit liner helps reduce hand fatigue
- Improves tactile sensitivity and excellent grip in dry environments
- Effective control in minimally oily environments
- Excellent grip in dry environments
- Launderable, durable materials

SKU	Size Group	Coating
012-11-627-10	10	Polyurethane Palm
012-11-627-8	8	Polyurethane Palm
012-11-627-9	9	Polyurethane Palm

GoldKnit™ Heavyweight Gloves

Features:

- Heavyweight 100% DuPont™ Kevlar® string knit featuring a reinforced thumb crotch for excellent cut resistance
- Reversible design allows glove to be worn on either hand, reducing replacement costs

Resistance: Cut

Lining: DuPont™ Kevlar®

Usage: Drywall; Carpentry

SKU	Size Group
012-70-225-7	7



GoldKnit™ Mediumweight Gloves

Features:

- Double-layered construction for extra cut resistance
- Provides forearm protection from minor heat and burn injuries
- Elasticized on upper arm for snug fit

Material: Kevlar® String Knit

Resistance: Cut

SKU	Size Group
012-70-118	One Size



HyFlex® 11-644 Light Cut Protection Gloves

Features:

- Ansell Cut Protection Technology™ combines a proprietary blend of high performance polyethylene yarn with a polyurethane palm coating
- Molds naturally to the hand preventing fatigue
- Soft and cool to the skin for all-day comfort
- Exclusive engineered yarn combination provides exceptional precision, dexterity, and flexibility when handling small parts
- Can be washed and re-used without any loss of cut protection
- Cut-resistant stretch Kevlar® liner

Cuff Style: Knit-Wrist

Resistance: Abrasion

Lining: Polyethylene

SKU	Size Group
012-11-644-10	10
012-11-644-11	11
012-11-644-7	7
012-11-644-9	9



HyFlex® CR Gloves

Features:

- Good resistance to tears and punctures that might occur when handling sharp parts
- Advanced yarn technology increases worker confidence while on the job
- Proprietary coating provides a sure grip in light oil and dry applications
- Coating channels away oil from the surface of the gloves, providing a sure grip in light oil applications and features a soil-hiding black palm coating
- Lining provides a comfortable fit with excellent protection from nuisance nicks and abrasion and the extended cuff offers extra cut protection around the wrist

Cuff Style: Knit-Wrist

SKU	Size Group	Material	Coating
012-11-500-10	10	DuPont™ Kevlar®	Foam Nitrile
012-11-624-11	11	Dyneema®/Lycra®	Polyurethane
012-11-624-11	11	Dyneema®/Lycra®	Polyurethane
012-11-624-8	8	Dyneema®/Lycra®	Polyurethane
012-11-624-8	8	Dyneema®/Lycra®	Polyurethane
012-11-500-9	9	DuPont™ Kevlar®	Foam Nitrile



HyFlex® CR+ Gloves

Features:

- Superior HyFlex® oil grip, tactile sensitivity, dexterity and comfort
- Enhanced cut protection reduces the risk of injury and related expenses

Coating: Foam Nitrile

Lining: Intercept Technology® with DuPont™ Kevlar®

Usage: Sheet metal assembly; Glass; Handling Sharp Small Parts

SKU	Size Group
012-11-501-10	10
012-11-501-11	11
012-11-501-8	8
012-11-501-9	9





HyFlex® CR2 Gloves

Features:

- Innovative yarn structure with an optimal level of Dyneema® for exceptional cut resistance
- Lycra® and nylon liner is combined with a polyurethane palm coating to ensure excellent dexterity and grip

Coating: Polyurethane Palm

SKU	Size Group
012-11-627-11	11
012-11-627-7	7

HyFlex® Kevlar® Work Gloves

Features:

- Lining provides a comfortable fit with excellent protection from nuisance nicks and abrasion and the extended cuff offers extra cut protection around the wrist
- Coating channels away oil from the surface of the gloves, providing a sure grip in light oil applications and features a soil-hiding black palm coating
- Provides "second skin" closeness, reducing risk of snags and cuts
- Ability to handle sharp parts with confidence, increasing productivity and safety
- Enhances grip in light oil conditions with good abrasion resistance
- Silicone-free and natural rubber latex-free for worker and product protection

Cuff Style: Knit-Wrist

Coating: Foam Nitrile

SKU	Size Group
012-11-500-8	8



HyFlex® Light Cut Protection Gloves

Features:

- Featuring zonal reinforcement and "Comfort Flex" cuff

Material: Kevlar® Yarn

Cuff Style: Knit-Wrist

Resistance: Cut

Coating: Foam Nitrile

Usage: Assembly of sharp Objects

SKU	Size Group
012-11-510-10	10
012-11-510-8	8
012-11-510-9	9



HyFlex® Ultra Lightweight Assembly Gloves

Features:

- Cut-resistant stretch Kevlar® liner
- Excellent choice when working with sharp-edged materials and tools
- Lining provides a comfortable fit with excellent protection from nuisance nicks and abrasion and the extended cuff offers extra cut protection around the wrist
- Coating channels away oil from the surface of the gloves, providing a sure grip in light oil applications and features a soil-hiding black palm coating
- Provides "second skin" closeness, reducing risk of snags and cuts
- Ability to handle sharp parts with confidence, increasing productivity and safety
- Enhances grip in light oil conditions with good abrasion resistance
- Silicone-free and natural rubber latex-free for worker and product protection

Cuff Style: Knit-Wrist

Coating: Foam Nitrile

SKU	Size Group
012-11-500-11	11



Metalist® Palm-Coated Gloves

Features:

- Ergonomic design ensures a natural, comfortable fit
- Flexible nitrile coating provides excellent cut and abrasion resistance and superior grip without sacrificing dexterity
- Two piece liner features cut resistant DuPont™ Kevlar® in high stress areas

Cuff Style: Safety

Coating: Golden Yellow Nitrile

SKU	Size Group
012-28-407-10	10



PowerFlex® Cut Resistant Gloves

Features:

- Arc Rated
- Cuff Style:** Knit-Wrist
Resistance: Cut; Flame
Coating: Foam Neoprene
Usage: Electrical Utilities

SKU	Size Group
012-80-813-10	10



Ansell

Vantage® Heavy Cut Protection Gloves

Features:

- CONTAINS STAINLESS STEEL
- Enhanced durability and grip
- Knitted, 10g liner paired with poly cotton, leather pad with reinforced thumb crotch, high cut protection

Material: Steel Fiber
Cuff Style: Knit-Wrist

Resistance: Cut

Coating: Leather

Color: Mint

Usage: Handling Sharp Objects

SKU	Size Group
012-70-765-10	10
012-70-765-11	11
012-70-765-8	8
012-70-765-9	9



Honeywell

Junk Yard Dog® Gloves

Features:

- Full leather reinforced palms for puncture and abrasion resistance and excellent wet and dry grip
- Kevlar® brand fiber construction for cut resistance and slash resistance (Kevlar® is a highly cut and heat resistant fiber)
- Reinforced thumb crotch for high wear durability
- 100% Kevlar® shell is five times stronger than steel on an equal weight basis
- Leather palm provides solid abrasion/puncture resistance, added durability and improved grip in wet and oily applications

Material: Kevlar®; Leather

SKU	Size Group
582-KV18A-100-50	Men's



JACKSON

G60 Purple Nitrile* Cut Resistant Gloves

Features:

- Ambidextrous
- Breathable
- Enhanced dexterity, grip and comfort
- For industrial employees who need protection against hand cuts
- Made of Dyneema® fabric, the "world's strongest fiber"
- Provide a high level of cut resistance

Material: Nitrile; Dyneema® Fabric

Style: Dotted Palm

SKU	Size Group
138-97431	8



Dyneema® Gloves

Coating: Polyurethane

Features:

- Dyneema® fiber provides extreme cut resistance without sacrificing dexterity or gripping power
- Machine washable to help achieve maximum usage life of glove

SKU	#	Size Group	Style
127-9676L	1	Large	Seamless Knit



Features:

- PU coated palm and fingertips
- Lint-free

SKU	#	Size Group	Thickness
127-9672L	2	Large	13 gauge



Kevlar® Gloves

Features:

- Will not melt, ignite or conduct electricity
- Regular weight 7-gauge knit

Cuff Style: Knit-Wrist

Resistance: Flame Resistant

Features:

- DuPont™ KEVLAR® brand fiber for high tensile strength cut resistant applications

SKU	Size Group	Style	Resistance
127-9370S	Small	Seamless Knit	Abrasion; Tear



Features:

- DuPont™ KEVLAR® brand fiber for high tensile strength relative to its weight - up to five times stronger than steel
- Allows manual dexterity
- 18% greater cut resistance than standard KEVLAR® brand fiber for maximum protection
- DuPont™ KEVLAR® brand fiber for high tensile strength relative to its weight - up to five times stronger than steel
- 18percent greater cut resistance than standard KEVLAR® brand fiber for maximum protection

SKU	Size Group	Style	Resistance
127-9366L	Large	Dots 2 Side	Cut; Wear





by Honeywell

Light Task Plus II Polyurethane-Coated Gloves

Features:

- Gloves provide protection while handling materials such as glass, ceramics, and abrasive items such as blocks and lumber, in dry conditions

Coating: Polyurethane Palm

Lining: Dyneema Fiber



SKU	Size Group
068-NFD15/9L	9

WELLS LAMONT

Industrial

Cut-Resistant Composite Sleeve Glove

Features:

- Cut- and flame-resistant
- Offers ANSI Level 3 Cut Resistance
- Resistant to odor
- Made in the USA
- Elastic on both ends
- Easily laundered

Material: Cut-Resistant; Flame Resistant

Resistance: Cut; Flame



SKU	Length
815-SKC-24H	24 in



Conform XT® Disposable Gloves

Features:

- Conform gloves provide the highest degree of dexterity available with the strength and comfort
- Textured finish

Material: Natural Rubber Latex

Thickness: 5 mil

Style: Powder Free

Cuff Style: Beaded

Usage: Electronics assembly; General Applications; Lab Work



SKU	Size Group
012-69-318-L	Large
012-69-318-XL	X-Large

TNT® Blue Disposable Gloves

Features:

- The glove contains absolutely no fillers, additives, silicones, or plasticizers
- TNT gloves set a whole new standard in durability and chemical splash protection

Material: Nitrile

Thickness: 5 mil

Style: Powder Free

Cuff Style: Rolled/Beaded

Usage: Electronics assembly; General Applications; Lab Work

Resistance: Chemical



SKU	Size Group
012-92-675-M	Medium
012-92-675-L	Large
012-92-675-XL	X-Large

TNT® Single-Use Gloves

Features:

- The glove contains absolutely no fillers, additives, silicones, or plasticizers
- TNT gloves set a whole new standard in durability and chemical splash protection
- Contains absolutely no fillers, additives, silicones, or plasticizers

Material: Nitrile

Thickness: 5 mil

Cuff Style: Rolled/Beaded

Color: Blue

Usage: Electronics assembly; General Applications; Lab Work

Resistance: Chemical



SKU	Size Group	Style
012-92-675-S	Small	Powder Free
012-92-575-L	Large	Powdered
012-92-575-XL	X-Large	Powdered

Touch N Tuff® Disposable Gloves

Features:

- The gloves contain absolutely no fillers, silicones, or plasticizers
- Touch N Tuff® disposable gloves set a whole new standard in comfort, durability, dexterity, and cleanliness

Material: Nitrile

Thickness: 4 mil

Style: Powder Free

Cuff Style: Rolled/Beaded

Color: Green

Usage: Electronics assembly; General Applications; Lab Work

Resistance: Chemical



SKU	Size Group
012-92-600-7.5-8	7.5 - 8
012-92-600-8.5-9	8.5 - 9
012-92-600-9.5-10	9.5 - 10

Ansell

Touch N Tuff® Nitrile Gloves

Features:

- The gloves contain absolutely no fillers, silicones, or plasticizers
- Touch N Tuff® disposable gloves set a whole new standard in comfort, durability, dexterity, and cleanliness
- Contain absolutely no fillers, silicones, or plasticizers

Material: Nitrile

Thickness: 4 mil

Cuff Style: Rolled/Beaded

Usage: Electronics assembly; General Applications; Lab Work

Resistance: Chemical



SKU	Size Group	Style
012-92-600-6.5-7	6.5 - 7	Powder Free
012-92-500-8.5-9	8.5 - 9	Powdered
012-92-500-9.5-10	9.5 - 10	Powdered



BEST® Nitrile Powder-Free Economy Grade Disposable Gloves

Features:

- Durable disposable gloves
- Conveniently powder-free
- Economy grade gloves provide excellent value
- 100% nitrile gloves are excellent for employees with latex allergies

Material: Nitrile

Thickness: 4 mil

Style: Powder-Free

Cuff Style: Rolled



SKU	Size Group	Quantity
845-7500PFL	Large	100 per box

N-DEX® Original Lightly Powdered Nitrile Disposable Gloves

Features:

- 100% nitrile gloves are an excellent choice for employees with latex allergies
- Low-modulus formulation
- Rolled cuff

Thickness: 4 mil



SKU	Size Group	Quantity
845-7005XL	XL	100 per box

N-DEX® Original Powder-Free Class 1 Nitrile Disposable Gloves

Features:

- Convenient, powder-free disposable gloves
- 100% nitrile gloves are an excellent choice for employees with latex allergies
- Low-modulus formulation
- Rolled cuff

Material: Nitrile

Thickness: 4 mil

Style: Powder Free

Cuff Style: Rolled



SKU	Size Group	Quantity
845-6005PFS	Small	100 per box

N-DEX® Plus Lightly Powdered Nitrile Disposable Gloves

Features:

- Convenient, disposable gloves
- Low-modulus formulation
- 100% nitrile gloves are an excellent choice for employees with latex allergies
- Extra thick for durable protection

Thickness: 8 mil

Cuff Style: Rolled



SKU	Size Group	Quantity
845-8005M	Medium	50 per box
845-8005L	Large	50 per box
845-8005XL	XL	50 per box

Honeywell

PowerCoat® Premium Powder-Free Nitrile Disposable Gloves

Features:

- Nitrile formulation provides better chemical resistance than latex for incidental exposure
- 100% nitrile does not contain allergy-causing proteins
- 8 mil style provides added protection against cuts, snags and tears

Thickness: 8 mil

Cuff Style: Rolled



SKU	Size Group	Quantity
582-PSD-NI8-XL	XL	50 per box

JACKSON[™]

G40 Purple Nitrile* Foam Coated Gloves

Features:

- 25% better productivity than leather
- Black and purple color hides oil and dirt
- Excellent dexterity
- Excellent grip even through oil and dirt
- Seamless knit nylon liner for comfort

Lining: Nylon

Coating: Foam



SKU	Size Group	Quantity
138-40227	9	12 per bag



KleenFuard® G10 Arctic Blue Nitrile Gloves

Features:

- Ambidextrous, AQL - 4.0
- Natural rubber latex-free, reducing the risk of Type-1 allergic reactions
- Food handling certified in North America and Europe

Material: Natural Rubber Latex

Style: Textured Fingertips

Cuff Style: Beaded



SKU	Size Group	Quantity
138-90097	Medium	200 per box
138-90098	Large	200 per box



Disposable Latex Gloves

Features:

- Fits snugly
- Resistance to a wide variety of germs and hazards

Thickness: 5 mil

Style: Double Chlorinated; Powder Free

Color: Blue



SKU	Size Group	Quantity
127-5055XL	X-Large	100 pair per box

Disposable Vinyl Gloves

Features:

- Suited for lots of applications and can be employed for basic household cleanup tasks, food processing or light industrial work
- Protects hands from direct exposure to various things that might create illness or cause skin breakout

Thickness: 5 mil

Style: Gauntlet

Cuff Style: Gauntlet



SKU	Size Group	Usage	Quantity
127-5020M	Medium	Ind/Food Service	100 per dispenser
127-5010L	Large	Medical Field	100 per dispenser

Disposable Vinyl/Latex Gloves

Features:

- Fits snugly
- Resistance to a wide variety of germs and hazards

Style: Gauntlet

Cuff Style: Gauntlet



SKU	Size Group	Color	Usage	Quantity
Material: Powder Free Latex				
127-5015M	Medium	Clear	Ind/Food Service	100 per dispenser
127-5049XL	X-Large	Blue	Medical Field	50 per dispenser
Material: Powder Free Vinyl				
127-5010M	Medium		Medical Field	100 per dispenser
Material: Powdered Latex				
127-5055L	Large	White	Medical Field	100 per dispenser
127-5060L	Large	White	Ind/Food Service	100 per dispenser
127-5060XL	X-Large	White	Ind/Food Service	100 per dispenser

Nitrile Gloves

Features:

- Resistance to a wide variety of chemicals
- Latex free

Style: Powder Free; Textured; Powdered; Powder-Free

Cuff Style: Beaded

Resistance: Abrasion; Puncture



SKU	Size Group	Usage	Quantity
127-6012L	Large	Medical	100 per dispenser
127-6012XL	X-Large	Medical	100 per dispenser
127-6015XL	X-Large	Ind/Food Service	100 per dispenser
127-6025XL	X-Large	Ind/Food Service	50 per dispenser
127-6030XL	X-Large	Industrial	50 per dispenser

Single-Use Nitrile Gloves

Features:

- Resistance to a wide variety of chemicals
- Latex free

Thickness: 8 mil

Style: Powdered; Textured

Cuff Style: Beaded

Usage: Ind/Food Service

Resistance: Abrasion; Puncture



SKU	Size Group	Quantity
127-6025L	Large	50 pair per dispenser



by Honeywell

Silver Shield®/4H® Gloves

Features:

- Protects against most chemicals used

Lining: Unlined

Cuff Style: Straight



SKU	Size Group	Length	Width
068-SSG/10	10	18.63 in	12 3/4 in



West Chester Industrial Grade Nitrile Disposable Gloves

Features:

- Industrial grade disposable nitrile disposable gloves are perfect for persons with latex allergies

- Stretches for snug sensitive fit and maximum dexterity

- Great for working with oils and solvents

Cuff Style: Rolled



SKU	Size Group	Style	Quantity
813-2900/L	Large	Lightly Powdered	100 per box
813-2910/L	Large	Powder Free	100 per box
813-2900/XL	X-Large	Lightly Powdered	100 per box
813-2910/XL	X-Large	Powder Free	100 per box

West Chester Medical Grade Latex Disposable Gloves

Features:

- Medical/Exam grade disposable latex disposable gloves stretch for snug sensitive fit and maximum dexterity

Style: Powdered

Cuff Style: Rolled



SKU	Size Group	Quantity
813-2500/L	Large	100 per box



1000 Series Dotted Canvas Gloves

Features:

- PVC Dots provide gripping ability and longer wear
- Black PVC dots on palm, index finger, and thumb

Material: Cotton Canvas

Lining: Unlined

Style: Clute-Straight Thumb

Cuff Style: Knit-Wrist

Resistance: Abrasion



SKU	Size Group
101-1000	Men's
101-1005	Men's

Dotted Canvas Gloves

Features:

- Provide hand protection while offering finger dexterity and excellent grip

Material: Cotton

Lining: Unlined

Style: Clute Pattern; Straight Thumb

Cuff Style: Knit-Wrist



SKU	Size Group
101-1090	Large

4000 Series Cowhide Leather Driver Gloves

Features:

- Shirred elastic wrist helps keep dirt and debris out of the glove
- Color coded cotton hem makes it easy to identify size
- Straight thumb construction is ideal for closed fist work
- Quality leather for comfortable and reliable protection

Lining: Unlined

Cuff Style: Hemmed

Resistance: Abrasion



SKU	Size Group	Style	Color
Material: Quality Grain Cowhide			
101-4000M	Medium	Shirred Elastic Back; Straight Thumb	Natural
101-4100M	Medium	Pull Strap Back; Straight Thumb	Natural
101-4000L	Large	Shirred Elastic Back; Straight Thumb	Natural
101-4000XL	X-Large	Shirred Elastic Back; Straight Thumb	Natural
101-4100XL	X-Large	Pull Strap Back; Straight Thumb	Natural
Material: Split Cowhide			
101-4400M	Medium	Keystone Thumb; Shirred Elastic Back	Pearl Gray
101-4400XL	X-Large	Keystone Thumb; Shirred Elastic Back	Pearl Gray



4000 Series Leather Driver Gloves

Features:

- Color coded fabric
- Quality leather for comfortable and reliable protection
- S - XL also available

Material: Quality Grain Cowhide

Lining: Unlined

Style: Pull Strap Back; Straight Thumb

Cuff Style: Hemmed

Resistance: Abrasion



SKU	Size Group
101-4100L	Large

4000 Series Pigskin Leather Driver Gloves

Features:

- Color coded cotton hem makes it easy to identify size
- Premium grain pigskin leather gloves provide durable hand protection for general work applications

Lining: Unlined

Style: Shirred Elastic Back

Cuff Style: Hemmed

Resistance: Abrasion



SKU	Size Group	Material	Color
101-4900M	Medium	Standard Grain Pigskin	Tan
101-4800L	Large	Premium Grain Pigskin	Beige
101-4900L	Large	Standard Grain Pigskin	Tan
101-4800XL	X-Large	Premium Grain Pigskin	Beige

Cowhide Leather Driver Gloves

Features:

- Color coded cotton hem makes it easy to identify size
- Shirred elastic wrist helps keep dirt and debris out of the glove
- Straight thumb construction is ideal for closed fist work
- S - XL also available

Material: Split Cowhide

Lining: Unlined

Style: Keystone Thumb; Shirred Elastic Back

Cuff Style: Hemmed

Resistance: Abrasion



SKU	Size Group
101-4400L	Large

Driver's Cowhide Gloves

Features:

- Color-coded cotton hem for easy size identification
- Welled seams on middle fingers for added strength

Material: Standard Grain Cowhide

Lining: Unlined

Style: Keystone Thumb

Cuff Style: Shirred Elastic Back

Resistance: Abrasion



SKU	Size Group
101-4015M	Medium
101-4015M	Medium
101-4015L	Large
101-4015L	Large
101-4015XL	X-Large
101-4015-2XL	2X-Large

Leather Driver Gloves

Features:

- Color coded fabric
- Quality leather for comfortable and reliable protection

Material: Premium Grain Cowhide

Lining: Unlined

Style: Keystone Thumb; Shirred Elastic Back

Cuff Style: Hemmed

Resistance: Abrasion



SKU	Size Group
101-4010L	Large
101-4010XL	X-Large

Pigskin Leather Driver Gloves

Features:

- Color coded cotton hem makes it easy to identify size
- Shirred elastic wrist helps keep dirt and debris out of the glove
- Provides durable hand protection for general work applications

Lining: Unlined

Style: Shirred Elastic Back

Cuff Style: Hemmed

Resistance: Abrasion



SKU	Size Group	Material	Style	Color
101-4800M	Medium	Premium Grain Pigskin	Keystone Thumb	Beige
101-4900XL	X-Large	Standard Grain Pigskin	Straight Thumb	Tan

Industrial Safety Welding Oilfield Construction



Insulated Driver's Gloves

- Features:**
- Greater dexterity
- Material:** Premium Grade Grain Cow
- Lining:** Jersey
- Style:** Straight Thumb
- Cuff Style:** Slip-On



SKU	Size Group
127-3250L	Large
127-3250XL	X-Large

Premium-Grade Leather Driving Gloves

- Features:**
- Color-coded hem to identify size
 - Shirred elastic back
 - Supple leather
 - Strong tensile strength and excellent tactile sensitivity
- Lining:** Unlined
- Style:** Shirred Elastic Back
- Cuff Style:** Slip-On



SKU	#	Size Group	Style
Material: Premium Grade Split Cow			
127-3110L	1	Large	Keystone Thumb
Material: Premium Grain Goatskin			
127-3601M	2	Medium	Straight Thumb
127-3601L	2	Large	Straight Thumb
127-3601XL	2	X-Large	Straight Thumb
127-3611XL	3	X-Large	Keystone Thumb
Material: Select Grain Cow Leather Palm; Split Leather Back			
127-3205M	2	Medium	Keystone Thumb
127-3205L	2	Large	Keystone Thumb
127-3205XL	2	X-Large	Keystone Thumb

Unlined Drivers Gloves

- Features:**
- Leather driver's glove is made from premium quality cowhide
 - Good balance between abrasion resistance, dexterity, durability and comfort



SKU	Size Group	Style	Cuff Style
Premium Grade Cowhide			
127-3200M	Medium	Keystone Thumb; Shirred Elastic Back	Rolled
Select Grade Cowhide			
127-3201M	Medium	Straight Thumb	Slip-On
127-3201L	Large	Straight Thumb	Slip-On

Unlined Driving Gloves

- Features:**
- Keystone thumb



SKU	#	Size Group	Material
127-3211M	1	Medium	Select Grade Cowhide
127-3400M	1	Medium	Economy Grain Pigskin
127-3200L	1	Large	Premium Grade Cowhide
127-3211L	1	Large	Select Grade Cowhide
127-3213HVIL	2	Large	Industrial Grade Cowhide
127-3400L	1	Large	Economy Grain Pigskin
127-3200XL	1	X-Large	Premium Grade Cowhide
127-3211XL	1	X-Large	Select Grade Cowhide
127-3213HVIXL	2	X-Large	Industrial Grade Cowhide
127-3400XL	1	X-Large	Economy Grain Pigskin
127-3211XXL	1	2X-Large	Select Grade Cowhide



ProFlex® 925F(x) Dorsal Impact-Reducing Gloves

- Features:**
- Molded TPR armor on knuckles, fingers and carpal bone for impact protection
 - Armor "flex zones" for high dexterity
 - 5 mm EVA dorsal pad protects vulnerable metacarpal region
 - 5 mm EVA palm and ulnar padding protects against "chopping" blows
 - Abrasion-resistant PVC on palm and 3 fingers limits liquid penetration
 - Non-slip Armortex® reinforcement zones on thumb saddle and index finger for enhanced grip and durability
 - Reinforced Kevlar palm stitching for extended wear and durability
 - Reflective accents and hi-vis color scheme for optimal hand visibility



SKU	Size Group	Height	Length
150-16054	Large	12 1/2 in	4 1/2 in
150-16055	X-Large	12 1/2 in	4 1/2 in



ProFlex® Mechanic's Gloves

Features:

- Arkon visco elastic polymer pad to dampen shock and impact
- Textured PVC palm
- Neoprene knuckle pad
- Breathable stretch spandex
- Reinforced fingers and thumb
- Premium EVA foam palm pad to dampen shock and impact
- Abrasion resistant, textured PVC on palm and fingers
- Breathable, 3-layer stretch spandex with neoprene knuckle pad



SKU	Size Group
150-16154	Large



Box Handler™ Gloves

Features:

- Super tacky DiamondClad™ palm fingertips
- Low profile airprene knuckle protection
- Reinforced Gorilla Grip™ thumb and saddle
- One piece clarino® synthetic leather palm
- Terry cloth sweat wipe
- Breathable, flexible fabrics designed for all day use
- Washable - resists stretching, shrinking or hardening
- Snug Tug™ pull tab with wrist protection
- Hook & loop wrist closure with airprene protection



SKU	Size Group
424-BHG-04-L	Large

Ranchworx® Gloves

Features:

- Genuine Bullwhip™ leather - completely washable and breathable
- 4x4 vented knuckle protection
- DuPont™ Kevlar® reinforced saddle and thumb
- Double leather Rolltop™ fingertips
- Rugged ArmorFlex™ finger sidewalls
- Hidden Velcro Combo Cuff™ with extended wrist protection

Cuff Style: Open



SKU	Size Group
424-RWG-04-L	Large



FastFit® Gloves

Features:

- The glove incorporates a Clarino Synthetic Leather palm, stretch panels between the fingers, two-way stretch Spandex padded back increases protection
- A new taller cuff has been added to provide for additional protection and a more secure fit

Material: Spandex/Synthetic Leather

Cuff Style: Elastic



SKU	Size Group
484-MFF-05-009	Medium
484-MFF-05-010	Large
484-MFF-05-011	X-Large
484-MFF-05-012	2X-Large

M-Pact 2 Gloves

Features:

- Anatomically designed with advanced features that include tapered stretch side panels that form comfortably between fingers and a molded Neoprene cuff for a seamless fit to your wrist
- Integrating impact absorbing molded rubber finger protection and EVA deep ribbed accordion knuckle protection
- Extreme knuckle guard—accordion knuckle design with dense EVA foam padding reduces impact
- Padded and reinforced impact palm for complete impact protection and gripping power
- Flexible accordion knuckle with high density EVA foam padding underneath and reflective printing on top
- TPR closure with hook and loop provides a secure fit
- TPR ribbing for impact and abrasion protection



SKU	Size Group	Length	Width
484-MP2-05-010	Large	12 in	5 in

M-Pact Gloves

Features:

- Impact Guard™ integrated with TPR knuckle and fingers protection for improved dexterity
- Trek Dry™ stretch fabric on the back of the hand provides ventilation and wicks moisture
- The M-Pact Glove has been redesigned with an anatomically engineered direct sonic welded rubber top and EVA foam palm pads for improved protection
- TPR (Thermal Plastic Rubber) hook and loop closure for a secure fit
- Rubberized grip material on the thumb and index finger provides extra gripping power

Material: Synthetic Leather

Cuff Style: Hook & Loop



SKU	Trade Size
484-MPT-03-009	M-PACT GLOVE BLUE MD
484-MPT-03-010	M-PACT GLOVE BLUE L



ORHD Gloves

Features:

- Originally designed for work on oil rigs and platforms, the Safety M-Pact® ORHD is rugged enough to handle the most difficult tasks
- A rubber-molded exoskeleton integrates with a stamped foam padded top of hand and extended cuff for complete protection
- The rubber molding extends to the fingertips for pinch point protection
- The palm is double reinforced with rubberized grip for extra durability and grip in slick situations
- High visibility reflective material is located on the fingertips, wrist, and palm

Material: Spandex/Synthetic Leather

Cuff Style: Hook & Loop



SKU	Size Group
484-SHD-91-010	Large

Original Gloves

Features:

- Original Glove provides a winning combination of versatility and performance
- Innovative, wrap-around rubber molded wrist closure forms better to wrist and improves comfort
- Reinforced thumb, high dexterity fingertips and two-ply thumb reduces wear and increases protection
- Uniquely ribbed two-way stretch Spandex top increases stretch and flexibility for an even better fit

Material: Spandex/Synthetic Leather

Cuff Style: Hook & Loop



SKU	Size Group	Color
484-MG-05-009	Medium	Black
484-MG-02-010	Large	Red
484-MG-03-010	Large	Blue
484-MG-05-010	Large	Black
484-MG-03-011	X-Large	Blue
484-MG-05-011	X-Large	Black
484-MG-05-012	2X-Large	Black

Padded Palm Gloves

Features:

- The Padded Palm Glove is designed to help you fight fatigue during those tough jobs
- Constructed with a mesh padded knuckle and wrist to provide flexible protection, and then added a Spandex top and Tricot lining to give you extra comfort
- The top of the hand is protected by moderate padding and integrated ribbing, providing an extra degree of defense against abrasion and impact
- The anatomically contoured dual-thickness palm padding is enhanced by Clarino Dura-Fit™ Synthetic Leather to provide you with ultimate durability and comfortable performance

Material: Spandex/Synthetic Leather

Cuff Style: Hook & Loop



SKU	Size Group
484-H25-05-009	Medium
484-H25-05-010	Large
484-H25-05-011	X-Large

Utility Gloves

Features:

- It is perfect to have on hand for a wide variety of small and large jobs
- This glove is constructed with a two-way form fitting stretch Spandex top and stretch panels between fingers for extra dexterity, along with reinforced Clarino Dura-Fit™ Synthetic Leather thumb and index fingertips for improved strength and protection
- Elastic cuff, designed with molded TPR (Thermal Plastic Rubber) hook and loop closure provides a secure fit

Material: Spandex/Synthetic Leather

Cuff Style: Hook & Loop



SKU	Size Group
484-H15-05-010	Large



High-Heat Wool-Lined Gloves

Features:

- Superior abrasion resistance
- Lined with heat resistant 100% wool

Lining: Wool

Style: Standard

Cuff Style: Gauntlet

Usage: High Heat



SKU	Size Group	Material	Cuff Length
101-K-37WL	Large	Kevlar®	4 in
101-FG-37WL	Large	Fiberglass	4 in



Crusader® Flex Hot Mill Gloves

Features:

- An exclusive bonded nitrile coating helps protect against snags, punctures, abrasions, and cuts, while also enhancing dry grip
- Crusader Flex gloves wear an average of four times longer than 24-ounce cotton hot mill gloves
- For the best protection and comfort in moderate heat applications, Crusader Flex gloves are the answer
- Non-woven felt insulation and a full-length heat barrier protect the worker, while two-piece construction eliminates outseams to provide better finger comfort, dexterity, and flexibility

Lining: Non-Woven Felt

Cuff Style: Gauntlet

Coating: Nitrile



SKU	Size Group	Length
012-42-474-9	9	14 in



Double-Palm Hot Mill Gloves

Features:

- Heavy multi-purpose
- Minimal heat protection

Material: Cotton

Style: Gunn-Straight Thumb;

Nap-In Double Palm

Cuff Style: Knit-Wrist

Resistance: Abrasion; Cold; Heat



SKU	Size Group
127-9018C	Large



by Honeywell

Grip N® Hot Mill Nitrile Coated Gloves

Features:

- Provides protection against intermittent heat up to 400° F
- Nitrile "N" design, palm coating provides excellent grip and longer life
- Knit allows for air to flow, unlike cut/sewn hot mill gloves
- Available with extended cuffs for added wrist protection

Material: Nitrile-Impregnated Fabric

Style: Hot Mill

Cuff Style: Knit-Wrist



SKU	Size Group	Height	Length	Width
068-51/7147	Mens-Medium	9 1/2 in	10 in	6 1/2 in

WELLS LAMONT

Industrial

High-Heat Gauntlet Gloves

Features:

- Protects up to 350 degrees F, loop out terry cloth, 2.5" gauntlet, brown and white color to hide dirt

Material: Terry Cloth



SKU	Height	Length
815-S-25HR	15.9 in	8 in



Lisle Cotton Inspector Gloves

1

2



Features:

- May be used as glove or glove liners
- Breathable fabric helps hands cool
- May be used as glove or glove liners
- Lightweight and comfortable
- Color coded hems for easy size identification

Material: 100% Cotton

Style: Reversible/Unhemmed

SKU	#	Size Group
127-8600C	1	Large; Men's
127-8610C	2	Ladies' Small



1000 Series Jersey Gloves

Features:

- Regular weight
- Soft, comfortable jersey for general duty and light abrasion applications

Material: Cotton

Lining: Unlined

Style: Clute Pattern

Cuff Style: Knit-Wrist

Resistance: Abrasion



SKU	Size Group
101-1200	Men's



Cotton Jersey Gloves

Features:

- Jersey gloves are for general purpose work

Material: Jersey

Style: Clute-Straight Thumb

Cuff Style: Knit-Wrist



SKU	Size Group
127-7102	Small
127-7100	Large



Ansell Unsupported Latex Gloves

Features:

- Provide a high degree of tensile strength while maintaining excellent sensitivity

Material: Natural Latex

Thickness: 17 mil

Lining: Flock

Cuff Style: Pinked

Usage: Agriculture; Food Processing; Janitorial

Resistance: Chemical



SKU	Size Group	Length
012-198-10	10	12 in

FL200 Natural Rubber Latex Gloves

Features:

- Natural rubber latex provides a high degree of tensile strength
- Cotton flock lining helps maintain sensitivity
- Provides snag, puncture and abrasion resistance
- Fishscale design provide improved grip on wet or dry objects
- Complies with FDA food handling requirements (21 CFR 177.2600)
- CAUTION: This product contains natural rubber latex which may cause allergic reactions in some individuals

Material: Natural Rubber Latex

Thickness: 20 mil

Lining: Flocked

Cuff Style: Pinked



SKU	Length
012-255-10	0 in; 12 in

Heavyweight Natural Rubber Latex Gloves

Features:

- Heavy-duty protection for the toughest applications
- Palm is 50% thicker than most standard flock-lined gloves
- Increased tensile strength and puncture/cut protection against chemical and physical hazards
- Cotton flock lining increases user comfort
- Recessed diamond design provides grip on wet or dry objects
- CAUTION: This product contains natural rubber latex which may cause allergic reactions in some individuals

Material: Natural Rubber Latex

Thickness: 29 mil

Lining: Flocked

Cuff Style: Pinked



SKU	Length
012-208-10	0 in; 13 in

Technicians Natural Rubber Latex Gloves

Features:

- The right mix of protection, dexterity and sensitivity for mid-level applications
- Blend of neoprene and natural rubber latex delivers optimal durability and chemical resistance
- Pebble embossed design increases grip on wet or dry surfaces
- Offers dexterity and sensitivity combined with moderate chemical protection
- Complies with FDA food handling requirements (21 CFR 177.2600)
- CAUTION: This product contains natural rubber latex which may cause allergic reactions in some individuals

Material: Natural Rubber Latex/Neoprene Blend

Thickness: 13 mil

Cuff Style: Pinked



SKU	Length
012-390-08	12 in

Unlined Latex Gloves

Features:

- Medium duty
- Pebble grip

Material: Natural Latex

Thickness: 20 mil

Lining: Unlined

Cuff Style: Pinked

Usage: Agriculture; Food Processing; Janitorial

Resistance: Chemical



SKU	Size Group	Length
012-392-7	7	12 in
012-392-8	8	12 in
012-392-9	9	0.7 in
012-392-9	9	0.7 in
012-392-8.5	8.5	12 in
012-392-7.5	7.5	12 in
012-392-6.5	6.5	12 in



2000 Series Leather Palm Gloves

Features:

- Color coded cotton hem for easy size identification
- Comfortable canvas back is cool and allows greater flexibility
- Double palm covers entire palm, index finger and thumb
- Rubberized safety cuff helps protect wrists

Material: Split Cowhide

Lining: Cotton

Style: Gunn Pattern

Cuff Length: 2 1/2 in

Resistance: Abrasion

Strap Type: Knuckle



SKU	Size Group	Style	Cuff Style	Color
Material: Premium Select Shoulder Leather; Canvas Back				
101-2300	Large	w/Double Palm	Rubberized Safety	Pearl Gray
Material: Standard Shoulder Leather				
101-2000	Large	Wing Thumb	Starched Safety Cuff	Gray; Striped Back

Cowhide Leather Palm Gloves

Features:

- Durable split cowhide leather palm, index finger, fingertips and knuckle strap
- Safety cuff provides extra protection where you need it most

Material: Select Shoulder Leather; Split Cowhide; Canvas Back

Lining: Unlined

Style: Gunn-Wing Thumb

Cuff Style: Rubberized Safety

Resistance: Abrasion

Strap Type: Knuckle



SKU	Size Group	Cuff Length
101-2100	Large	2 1/2 in

Leather Palm Denim Back Gloves

Features:

- Durable split cowhide leather palm, index finger, fingertips and knuckle strap
- Launderable
- Safety cuff provides extra protection where you need it most
- Standard split cowhide leather patch palm gloves

Material: Denim; Split Cowhide; Standard Shoulder Leather; Canvas Back

Lining: Cotton

Style: Gunn Pattern; Wing Thumb

Cuff Style: Denim Safety

Resistance: Abrasion

Strap Type: Knuckle



SKU	Size Group	Cuff Length
101-2020	Large	2 1/2 in

Leather Palm Knit Wrist Cotton Gloves

Features:

- 5-piece canvas back
- Knit wrist helps keep dirt and debris out of the gloves
- Striped canvas gloves with leather palm and fingers provide great protection and finger dexterity
- Available in Ladies

Material: Regular Shoulder Standard, Split Cowhide

Lining: Unlined

Style: Clute Pattern

Cuff Style: Knit-Wrist

Resistance: Abrasion



SKU	Size Group
101-2010	Men's



Grain Leather Palm Gloves



Features:

- Pigskin affords the greatest breathability due to the porous texture of this hide
 - Becomes softer with use and withstands moisture without stiffening
 - Goatskin provides great tactile sensitivity and all day comfort
- Lining:** Cotton (unless noted)
Resistance: Wear

SKU	#	Size Group	Cuff Length	Cuff Style
Style: Full Feature Gunn Pattern				
127-1935L	1	Large	2 1/2 in	Rubberized Safety
127-1935XL	1	X-Large	2 1/2 in	Rubberized Safety
127-1936XL	2	X-Large	4 1/2 in	Rubberized Gauntlet
Style: Gunn Pattern				
127-1950L	3	Large	2 1/2 in	Starched Safety



Heavy-Duty Side Split Gloves

Features:

- Heavy select side split cow leather
- Rich chrome tanned for durability
- Sewn with super-strong heat resistant DuPont™ KEVLAR® thread

Material: Leather

Lining: Jersey

Style: Full Feature Gunn Pattern

Cuff Style: Safety

Resistance: Heat; Wear



SKU	Size Group	Cuff Length
127-1700XL	X-Large	2 3/4 in

Features:

- Sewn with super-strong heat resistant DuPont™ KEVLAR thread

SKU	Size Group	Cuff Length
127-1700L	Large	2 3/4 in

Industrial Standard Shoulder Split Gloves

Features:

- Economical leather hand protection
- Ideal for construction, landscaping, metal working and sanitation
- Breathable cotton back

Material: Leather

Cuff Style: Rubberized Safety

Color: Red Gray Stripe Fabric Back



SKU	Size Group	Cuff Length
Style: Full Feature Gunn Pattern		
127-1200*	Large	2 1/2 in
127-1200XL	X-Large	2 1/2 in
Style: Jointed Double Leather Palm		
127-1211J	Large	2 1/2 in

* Thermal Knit

Mustang Grain-Leather Palm Gloves

Features:

- Pigskin affords the greatest breathability due to the porous texture of this hide
- Becomes softer with use and withstands moisture without stiffening
- Goatskin provides great tactile sensitivity and all day comfort

Material: Premium Grain Cowhide

Lining: Cotton

Style: Full Feature Gunn Pattern

Cuff Style: Rubberized Safety

Resistance: Wear



SKU	Size Group	Cuff Length
127-1935M	Medium	2 1/2 in

Mustang Premium Grain-Leather Gloves

Features:

- Pigskin affords the greatest breathability due to the porous texture of this hide
- Becomes softer with use and withstands moisture without stiffening
- Goatskin provides great tactile sensitivity and all day comfort

Material: Premium Grain Cowhide

Lining: Cotton

Style: Full Feature Gunn Pattern

Cuff Style: Rubberized Gauntlet

Resistance: Wear



SKU	Size Group	Cuff Length
127-1936L	Large	4 1/2 in

Premium Grain-Leather Palm Gloves

Features:

- Pigskin affords the greatest breathability due to the porous texture of this hide
- Becomes softer with use and withstands moisture without stiffening
- Goatskin provides great tactile sensitivity and all day comfort

Material: Premium Grain Cowhide

Lining: Cotton

Style: Full Feature Gunn Pattern

Cuff Style: Rubberized Gauntlet

Resistance: Wear



SKU	Size Group	Cuff Length
127-1936M	Medium	4 1/2 in

Premium Side Split Cow Gloves

Features:

- Provides strength and durability
- Yellow fabric back adds to visibility for safety

Material: Select "A" Side Leather

Style: Full Feature Gunn Pattern

Cuff Style: Rubberized Safety

Resistance: Wear



SKU	Size Group	Cuff Length
127-1680	Large	2 1/2 in

Select Shoulder Split Cow Gloves

Features:

- Sturdy cowhide gloves with Gunn pattern
- Comfortable fleecy lining
- Rubberized cuff and knuckle strap for extra protection

Material: "B" Select Cowhide

Style: Double Palm; Gunn-Wing Thumb

Cuff Style: Rubberized Safety



SKU	Size Group	Cuff Length
127-1311	Large	2 1/2 in



by Honeywell

North Polar® Insulated Leather Palm Gloves

Features:

- Warmth, water proof
- 3M Thinsulate® liner provides protection from cold
- Waterproof vinyl liner prevents hands from getting wet
- Extended knitwrist provides additional weather protection
- Gunn cut with wing thumb for comfort

Material: Split Cowhide

Lining: Thinsulate

Style: Gunn Pattern; Wing Thumb

Cuff Style: Safety



SKU	Size Group
068-70/6465NK	Large



Double Palm Gloves

Features:

- Two layers of fabric in the palm, thumb and the back of the first finger for improved wear and hand comfort

Material: Cotton/Polyester

Lining: Rayon

Cuff Style: Knit-Wrist



SKU	Length	Height	Width
667-UPC195	17 in	12 in	21 in



Chemi-Pro® Unsupported Neoprene Gloves

Features:

- A recessed diamond-embossed pattern provides added grip on wet or dry surfaces
- A unique dipping process which combines neoprene over natural rubber latex provides increased protection against a wide range of chemicals

Thickness: 27 mil

Lining: Cotton Flock

Usage: Sheet metal assembly; Chemical Handling; Fiberglass lay-up



SKU	Size Group	Length
012-224-10	10	13 in
012-224-9	9	13 in
012-224-9	9	13 in

Neox® Neoprene Gloves

1

2



Features:

- Cotton lining enhances puncture and snag resistance
- Curved fingers and a wing thumb provide a natural fit and greater comfort
- Suitable for intermittent handling of warm liquids
- Two-piece lining eliminates irritating seams

Material: Neoprene

Lining: Fleece/Jersey

Usage: Petrochemical; Chemical Processing, Oil Refining; Cleaning; De-greasing; HazMat Work; Plating Operations

SKU	#	Size Group	Cuff Style	Length	Quantity
012-9-430-10	1	10	Shoulder Length	31 in	1 pair
012-9-924	2	10	Gauntlet	0 in; 14 in	1 pair

Scorpio® Neoprene-Coated Gloves

Features:

- A dipped rough finish makes handling wet, slippery materials easier and safer
- Scorpio gloves offer broad-spectrum resistance to a wide range of chemicals, including oils, acids, solvents, and caustics
- The interlock knit cotton lining and flexible neoprene coating stretch to provide a snug fit, and allow easy on and off, while the two-piece lining eliminates seams which can cause hand irritation and premature wear-through

Lining: Interlock Knit

Cuff Style: Gauntlet



SKU	Size Group	Length
012-8-352-10	10	12 in
012-8-352-9	9	12 in



Stanzoil® NL-34 Gloves

Features:

- A unique multi-layer construction, to avoid the thin spots and pinholes common to single-dipped supported gloves
- Launderable

Material: Neoprene

Lining: Knit

Style: Rough Finish

Cuff Style: Pinked



SKU	Size Group
457-334949	X-Large

Ansell

Sol-Knit™ Nitrile Gloves

Features:

- A reinforced nitrile glove combining the durability and chemical resistance of nitrile with the added strength and comfort of an interlock liner
- Plus, the interlock knit liner adds strength and eliminates seams which cause hand irritation and premature wear-through
- This combination results in a tough, flexible glove that resists fuels, lubricants, acids, solvents, and a wide range of other chemicals

Lining: Interlock Knit Cotton

Style: Gauntlet

Usage: Sheet metal assembly; Chemical Mfg; Refining Applications



SKU	Size Group	Length
012-39-122-10	10	12 in

Sol-Vex® Nitrile Gloves

Features:

- Gloves do not promote contact dermatitis
- High-performance nitrile compound which provides an outstanding combination of strength and chemical resistance
- When exposed to aromatic and petroleum solvents, as well as caustics and animal fats, Sol-Vex® gloves have proven to be a superior choice over rubber or neoprene
- When exposed to aromatic and petroleum solvents, as well as caustics and animal fats, Sol-Vex gloves have proven to be a superior choice over rubber or neoprene

Cuff Style: Straight

Usage: Sheet metal assembly; Machining and Degreasing

Resistance: Chemical; Puncture



SKU	Size Group	Thickness	Length
012-37-155-10	10	15 mil	13 in
012-37-165-10	10	22 mil	15 in
012-37-185-10	10	22 mil	18 in
012-37-175-8	8	15 mil	13 in
012-37-145-9	9	11 mil	13 in
012-37-185-9	9	22 mil	18 in

Sol-Vex® Unsupported Nitrile Gloves

Features:

- Gloves do not promote contact dermatitis
- High-performance nitrile compound which provides an outstanding combination of strength and chemical resistance
- When exposed to aromatic and petroleum solvents, as well as caustics and animal fats, Sol-Vex® gloves have proven to be a superior choice over rubber or neoprene

Lining: Flock

Usage: Sheet metal assembly; Machining and Degreasing

Resistance: Chemical; Puncture



SKU	Size Group	Thickness	Length
012-37-145-10	10	11 mil	13 in
012-37-175-10	10	15 mil	13 in
012-37-175-11	11	15 mil	13 in
012-37-175-9	9	15 mil	13 in



Nitri-Solve®

Features:

- These durable Nitrile gloves are strong, yet extremely soft and flexible
- The Bisque grip assures excellent dexterity

Material: Nitrile

Thickness Size: 15 mils

Lining: Flock Lined

Cuff Style: Gauntlet

Coating: Nitrile

Resistance: Nitrile Flock Lined



SKU	Size Group	Thickness	Cuff Length
845-730-09	XS, S, M, L, XL, XXL	23 mil	13 in
845-730-10	XS, S, M, L, XL, XXL	24 mil	13 in



KleenGuard® G10 Blue Nitrile Gloves

Features:

- Provides hand protection while eliminating the type one allergic reactions associated with natural rubber latex proteins
- The material provides an added degree of durability compared to latex, while textured fingertips provide enhanced grip and dexterity

Material: Nitrile

Thickness: 5.9 mil



SKU	Size Group	Length	Quantity
138-57371	Small	16.34 in	100 per box
138-57372	Medium	16.34 in	100 per box
138-57373	Large	16.34 in	100 per box
138-57374	X-Large	16.34 in	90 per box



KleenGuard® G10 Nitrile Gloves

Features:

- Latex-free and designed for tasks requiring maximum dexterity and tactile sensitivity
- They are also environmentally friendly since you get 50% more gloves per case, resulting in less packaging wasted and added space savings
- Typical uses include: small parts handling, electronics assembly, food handling and processing



SKU	Size Group
138-97822	Medium
138-97823	Large

PURPLE NITRILE-XTRA® Exam Gloves

Features:

- Ambidextrous
 - Latex-free
 - For high-risk clinical settings where extra protective coverage is required to guard against bloodborne pathogens or infectious liquids
 - The distinctive COLOR PURPLE* helps users immediately distinguish it from other latex or synthetic options
 - The PURPLE NITRILE* material has been tested with ten chemotherapy drugs to determine permeation and breakthrough times
 - Single use only
- Material:** Nitrile
Thickness: 6 mil
Cuff Style: Beaded



SKU	Size Group	Length	Width	Quantity
138-50602	Medium	12 in	5.11 in	50 per box
138-50603	Large	12 in	5.11 in	50 per box

PURPLE NITRILE® Exam Gloves

Features:

- Ambidextrous
 - Latex-free
 - Designed as an alternative for those who may have a Type 1 hypersensitivity to natural rubber latex proteins
 - The unique COLOR PURPLE* provides quick, visual differentiation from those of other sources
 - Custom design enhances comfort and fit, and textured fingertips improve wet and dry grip
 - Single use only
- Material:** Nitrile
Thickness: 6 mil
Cuff Style: Beaded



SKU	Size Group	Length	Width	Quantity
138-55081	Small	9 1/2 in	5 in	100 per case
138-55082	Medium	9 1/2 in	5 in	100 per case
138-55083	Large	9 1/2 in	5 in	100 per case
138-55084	X-Large	9 1/2 in	5 in	100 per case



Stansolv® AK-22 Gloves

Features:

- Nitrile embossed z-grip
- Separate shell-and-liner construction prevents leak paths caused by liner fibers penetration of nitrile shell
- Soft, two-way-stretch interlock cotton liner absorbs perspiration and helps insulate glove
- Light-weight nitrile shell provides excellent comfort and dexterity and guarantees long-lasting protection from permeation by toxic compounds
- Z-pattern grip channels fluids off working surface to insure secure grip with hard to grasp materials

Material: Nitrile

Thickness Size: Medium Weight

Lining: Knit



SKU	Size Group
457-381410	10
457-381418	18
457-381419	19



Unsupported Nitrile Gloves

Features:

- Heavy duty non-slip grip
 - Made with FDA-accepted materials for use in food processing applications
- Thick.:** 11 mil
Lining: Unlined
Style: Gauntlet
Cuff Style: Straight
Resistance: Abrasion; Acid; Caustics; Chemicals; Cut; Fats; Oil; Petroleum; Solvent



SKU	Size Group	Quantity
127-5310	10	12 per package



by Honeywell

Worknit® HD Supported Nitrile Gloves

Features:

- Sticky grip, service life
- Lining:** Cotton
Style: Gunn Cut, Wing Thumb
Cuff Style: Gauntlet



SKU	Size Group
068-85/3729L	Large
068-85/3729L	Large



PVC Coated Gloves

Features:

- PVC exterior resists oil, grease, acids and solvents and also provides moderate abrasion resistance
- Soft jersey lining offers cushioning and moderators insulation
- Provides moderate abrasion resistance

Lining: Interlock

Cuff Style: Gauntlet

Coating: PVC

Resistance: Chemical



SKU	Size Group	Length
101-7005	Men's	12 in

PVC-Coated Jersey-Lined Gloves

Features:

- Double Dipped
- PVC exterior is chemically resistant to oil, grease and acids
- Soft jersey lining offers cushioning and moderators insulation

Cuff Style: Gauntlet

Resistance: Chemical



SKU	Size Group	Length
101-7400	Men's	14 in

Ansell

Petroflex® PVC Gloves

Features:

- Excellent choice for applications where gloves become excessively contaminated or where glove controls are difficult to administer
- Good resistance to many chemicals
- Rough finish optimizes cut/abrasion protection and provides excellent wet grip
- Comfortable lining provides flexibility and launderability

Lining: Interlock Knit

Cuff Style: Gauntlet

Usage: Chemical Processing; Oil Refining; Petrochemicals

Resistance: Chemical



SKU	Size Group	Length
012-12-210-10	10	0 in; 10 in



Insulated Super Flex™ Cotton Jersey Gloves

Features:

- Soft cotton jersey with foam insulation for complete hand protection
- Triple-layered insulation
- 12-in reinforced gauntlet
- Reinforced safety cuff
- Strong wrinkle-grip

Material: Foam

Cuff Style: Gauntlet

Coating: PVC Foam

Usage: Construction; Cold Storage; Medium-Duty Maintenance; Utilities



SKU	Size Group	Length	Height	Width
845-75-10	Large	21 3/4 in	15 1/2 in	14 1/2 in



Economy Dipped PVC Gloves

Features:

- Fully coated PVC glove protects against liquids and chemicals
- Generously sized to protect hands and wrists
- Interlock lining

Lining: Interlock

Style: Single Dipped; Smooth Finish

Cuff Style: Gauntlet

Resistance: Acid; Caustics; Chemicals; Grease; Oil; Solvent



SKU	Size Group
127-6212	One Size Fits All
127-6218	One Size Fits All

Oil Hauler Premium Double Dip PVC Coated Gloves

Features:

- Treated with Actifresh®

Cuff Style: Safety

Resistance: Oil; Solvent



SKU
127-6410SC



Premium Double-Dippe PVC Gloves

Features:

- Comfortable jersey lining
- Non-slip grip in wet and dry applications

Lining: Jersey

Style: Gauntlet

Cuff Style: Gauntlet

Resistance: Oil; Solvent



SKU
127-6414



PVC-Dot String-Knit Gloves

Features:

- A comfortable medium weight cotton/polyester knit glove with PVC dots provides general-duty protection and enhanced gripping ability

Material: Cotton/Polyester

Style: Dots 2 Side

Cuff Style: Knit-Wrist

Resistance: Abrasion



SKU	Size Group
101-6705	Men's

String-Knit Gloves

Features:

- 7 Cut refers to the number of rows of stitches per inch
- A cool and comfortable layer of protection ideal for use as a glove liner
- Color coded hem to identify sizes
- Overcast edging
- Available in Ladies

Material: Cotton/Polyester

Style: 7 Cut; Reversible

Cuff Style: Knit-Wrist

Resistance: Abrasion



SKU	Size Group
101-6700	Large



Knit Gloves



Features:

- Non-coated styles are made with FDA approved materials for use in food processing applications
- Provides comfort and warmth
- Reversible pattern
- Use as gloves or glove liners

Material: Cotton/Polyester

Thickness: 7 gauge

SKU	#	Size Group	Cuff Style	Color
127-9500SM	1	Small	Knit-Wrist	Natural
127-9507LM	2	Large	Hemmed	Gray

Memphis Glove PVC Dot String Knit Gloves

Features:

- PVC coatings improves grip
- PVC coatings provides more abrasion resistance
- Color coded hem to identify sizes

Material: Cotton/Polyester; PVC

Thickness: 7 gauge



SKU	Size Group	Style
127-9650LM	Large	1-Sided Dots
127-9660LM	Large	2-Sided Dots

Memphis Glove String-Knit Gloves

Features:

- Reversible pattern
- Provides comfort and warmth
- Use as gloves or glove liners
- Color coded hem to identify sizes
- Non-coated styles are made with FDA approved materials for use in food processing applications

Material: Cotton/Polyester

Thickness: 7 gauge

Cuff Style: Hemmed



SKU	Size Group
127-9500LM	Large



PVC Dotted Kevlar® String Knit Gloves

- Features:**
- Allows manual dexterity
 - Provides abrasion resistance
- Thickness:** 7 gauge
Style: 2-Sided Dots
Cuff Style: Knit-Wrist
Resistance: Abrasion



SKU	Size Group
127-9369L	Large



Economy Welding Gloves Cowhide

- Features:**
- Provides excellent heat protection
 - One piece palm has no exposed seams
 - Cotton sock lining absorbs perspiration
 - Heavy full leather gauntlet cuffs
 - Available in Ladies
- Material:** Economy Shoulder Leather
Lining: Full Sock
Style: Gunn-Wing Thumb
Cuff Style: Gauntlet
Resistance: Abrasion; Heat



SKU	Size Group	Length
101-3000	Large	13 1/2 in

Leather Welder's Gloves

- Features:**
- Fully welted
 - Excellent heat protection
 - One-piece palm has no exposed seams
 - Sewn with heat resistant Kevlar® thread
 - Cotton sock lining absorbs perspiration
 - Reinforced thumb and palm
- Material:** Leather
Lining: Full Cotton Sock
Style: Wing Thumb
Cuff Style: Gauntlet



SKU	Size Group
101-3030	Large

Premium Welding Gloves

- Features:**
- Unlined reverse grain palm for superior dexterity
 - Straight thumb with wide band thumb strap
 - Ultimate comfort and dexterity in an unlined palm
 - Shoulder leather, comfoflex lining, fully welted seams
- Style:** Gunn Pattern
Cuff Style: Leather Cuff
Material: Grain Cowhide
Lining: Unlined Reversed Grain
Resistance: Abrasion; Heat



SKU	Size Group	Cuff Length
101-850GC	Large	4 in

Quality Welding Gloves

- Features:**
- Fully welted seams and Kevlar® sewn
 - Standard heat and improved abrasion resistance
 - Excellent comfort, protection, and durability
- Material:** Split Cowhide
Cuff Length: 4 in
Cuff Style: Leather Cuff
Resistance: Abrasion; Heat
Size Group: Large



SKU	Style	Length	Color
101-10-2000	Reinforced Palm & Thumb; Standard	14 in	Bucktan
101-100GC	Standard; Wing Thumb	14 in	Russet
101-500GC	Standard; Straight Thumb	13 1/2 in	Russet
101-700GC-L	Reinforced Palm & Thumb; Standard	14 in	Blue

Specialty Welding Gloves

- Features:**
- Fully welted seams and Kevlar® sewn
 - Excellent resistance to soil, moisture, oil, and weather
 - Fully welted seams and Kevlar sewn
- Material:** Top Grain Pigskin
Lining: Flame Retardent
Style: Wing Thumb
Cuff Style: Leather Cuff
Resistance: Abrasion



SKU	Size Group	Length
101-250GC	Large	13 1/2 in

Split Cowhide Front Welding Gloves

- Features:**
- Welting on all exposed seams and finger tips
 - One piece back
- Material:** Aluminized Back, Split Cowhide Front
Lining: Full Sock
Style: Gunn-Wing Thumb; Standard
Cuff Style: Leather Cuff
Usage: High Heat
Resistance: Abrasion; Heat



SKU	Size Group	Cuff Length
101-42AL	Large	4 in



Split Cowhide Welding Gloves

Features:

- Heat- and abrasion-resistant
- Split cowhide welding glove with Gunn-Wing thumb and full sock lining

Material: Split Cowhide

Lining: Full Sock

Style: Gunn-Wing Thumb; Standard

Cuff Style: Turned and Lined

Color: Russet



SKU	Size Group	Cuff Length
101-18GC	Large	4 in
101-20GC	Large	4 in

Tig Welding Gloves

Features:

- Soft lightweight
- Excellent dexterity, fit, and flexibility

Lining: Unlined

Cuff Style: Safety Cuff

Material: Capeskin

Style: Gunn-Straight Thumb; Standard



SKU	Size Group	Cuff Length
101-120TIG-XL	X-Large	4 in

Tig Welding Gloves Capeskin

Features:

- Weltd thumb stress point
- Fully Kevlar® sewn
- Excellent dexterity, fit, and flexibility

Material: Capeskin

Lining: Unlined

Style: Gunn-Straight Thumb; Standard

Cuff Style: Safety Cuff

Resistance: Abrasion; Heat



SKU	Size Group	Cuff Length
101-120TIG-M	Medium	4 in
101-120TIG-L	Large	4 in

Welding Gloves

Features:

- Welting on thumb and forefinger
- One piece back

Lining: Full Sock

Cuff Style: Turned & Lined

Material: Split Cowhide

Style: Gunn-Wing Thumb; Standard

Cuff Length: 4 in



SKU	Size Group	Length
101-18GC-XL	X-Large	14 in



Caiman Welding Gloves

Features:

- Welting on all exposed seams and finger tips
- One piece back

Cuff Style: Gauntlet



SKU
607-1878

Deerskin Multi-Tasker Gloves

Features:

- Designed for multi-tasking & light duty welding
- 3-D Kontour™ patterns for superior fit, precision & comfort
- External reinforcement on palm

• Unlined palm with internal padding

• Wool insulated back

• Sewn with 100% Kevlar®

Lining: Unlined palm & wool lined back

Cuff Style: Reverse Scalloped Boarhide™ Cuff



SKU	Size Group	Length	Cuff Length
607-1870-L	Large	10 in	2 in
607-1870-XL	XL	10 in	2 in

Kontour™ Welding Gloves

Features:

- Exclusive Kontour™ Design - 3-dimensional patterns, pre-curved fingers and form-fitting for ultimate fit, comfort and dexterity
- Large pulse protector

• Sewn with 100% Kevlar® thread

• Complimentary 3-in carabiner to keep gloves together with loops on each pair

• Patches, padding and reinforcements for comfort & protection

Material: American Elk Grain Leather

Lining: Unlined palm with 100% wool on back of hand

Cuff Style: Gauntlet



SKU	Size Group	Cuff Length
607-1858-L	L	5 in



M.A.G.™ Gray Deerskin Mechanics Gloves

Features:

- Sturdy gloves made from genuine American Deerskin
- AirMesh™ breathable back provides ultimate comfort
- Neoprene cuff with hook & loop closure for snug secure fit
- Internal padded palm for extra comfort and a snug fit
- Washable leather dries soft
- Pinch'd-Tip® fingers for maximum sensitivity

Lining: Unlined



SKU	Size Group	Length	Cuff Length
607-2970-L	Large	9 in	1 in
607-2970-XL	XL	9 in	1 in

M.A.G.™ Hi-Visibility Reflective Deerskin Mechanics Gloves

Features:

- Hi-visibility gloves are designed to be noticed, with hi-visibility lime coloring and reflective tape for maximum visibility
- Sturdy gloves made from genuine American Deerskin
- AirMesh™ breathable back provides ultimate comfort
- Neoprene cuff with Velcro® pull strap for comfort and wrist support
- Internal padded palm for extra comfort and a snug fit
- Pinch'd-Tip® fingers for maximum sensitivity

Lining: Unlined



SKU	Size Group	Length	Cuff Length
607-2981-XL	XL	9 in	1 in

M.A.G.™ Rhino-Tex™ Synthetic Leather Gloves

Features:

- Durable gloves with Rhino-Tex™ synthetic leather palm
- AirMesh™ breathable back provides ultimate comfort
- Neoprene cuff with hook & loop closure for snug secure fit
- Padded G-Grip™ patches strategically placed on palm

Material: Synthetic Leather

Lining: Unlined

Style: Mechanics Glove

Cuff Style: Neoprene with Hook & Loop Closure



SKU	Size Group	Length	Cuff Length
607-2950-L	Large	9 in	1 in

Revolution® Welding Gloves

1



2



Features:

- Complimentary 3-in carabiner to keep gloves together with loops on each pair
- Large pulse protector
- Patches, padding and reinforcements for comfort & protection
- Sewn with 100% Kevlar® thread

Cuff Length: 4 in; 5 in

SKU	#	Size Group	Color	Material
Lining: Full sock-insulation with flame-resistant foam/fleece				
607-1816-L	1	L	Green; Green/Gold	American Deerskin Leather
607-1817-L	1	L	Blue; Blue/Gold	American Deerskin Leather
607-1816-XL	1	XL	Green; Green/Gold	American Deerskin Leather
Lining: Unlined palm with flame-resistant fleece on back of hand				
607-1868-L	2	L	White/Gold	Goat Grain Leather
607-1868-XL	2	XL	White/Gold	Goat Grain Leather
Lining: Full sock-insulation with flame-resistant fleece				
607-1812-XL	1	XL	Tan/Gold	Pig Grain Leather



Memphis Cow Mig/Tig Welders Gloves

Features:

- Grain leather double palm
- Split leather back
- Sewn with super-strong, heat-resistant DuPont™ Kevlar® thread
- Cotton fabric lining for cool comfort

Material: Premium Grade Cowhide Leather

Lining: Cotton

Cuff Style: Leather, Band Top



SKU	Size Group	Length	Cuff Length
127-4921	Large	14.93 in	3.7 in



Memphis Goat Mig/Tig Welders Gloves



Features:

- Grain kid goatskin
- Greater softness for pleasant feel
- Sewn with super-strong heat-resistant DuPont™ Kevlar® thread
- Gloves provide excellent dexterity, easing delicate tasks

Lining: Unlined

Cuff Style: Gauntlet

SKU	#	Size Group	Length	Cuff Length	Cuff Color
127-4840L	1	Large	10.4 in	3 3/4 in	Red
127-4850L	2	Large	9 3/4 in	3.6 in	Blue

Mig/Tig Welders Gloves

Features:

- Sewn with DuPont® KEVLAR® thread
- Enhanced dexterity
- Softness for less hand fatigue

Style: Gunn-Wing Thumb

Cuff Length: 4 1/2 in

Cuff Style: Gauntlet



SKU	Size Group	Material
127-4950M	Medium	Premium Grain Cowhide
127-4950L	Large	Premium Grade Grain Goatskin
127-4950XL	X-Large	Premium Grain Cowhide

Premium Quality Welder's Gloves

Features:

- Full 100% cotton sock lining, in-sewn at all finger tips
- All seams FULLY welted for durability
- Turned leather hems
- Extra-large die cut

Material: Select Side Leather

Lining: Full Sock

Style: Reinforced Palm; Wing Thumb

Cuff Style: Gauntlet

Resistance: Flame Resistant; Wear



SKU
127-4600

WELLS LAMONT

Industrial

Wells Lamont High Heat Welding Gloves

Features:

- Protects up to 350 degrees F, loop out terry cloth, 2.5" gauntlet, brown and white color to hide dirt

Material: Terry Cloth



SKU
815-644HR



MIG Deerskin Welding Gloves

Features:

- Kevlar® thread protects seams from sparks
- Foam lined back of hand for heat protection and unlined palm for dexterity
- Deerskin provides optimum balance between comfort and heat protection

Lining: 6 oz jersey 60% cotton, 40% polyester w/ 3 mm foam

Color: Rust/Gold

Cuff Color: Tan

Usage: MIG Welding/Multi-Task

Abrasive Material: Reverse Grain Deerskin

SKU	Size Group	Length	Cuff Length
813-6030/L	Large	0.917 in	4 in

Pigskin MIG Welding Gloves

Features:

- Kevlar® thread protects seams from sparks
- Foam lined back of hand for heat protection and unlined palm for dexterity
- Pigskin ideal for wet and oily conditions

Lining: 6 oz jersey 60% cotton, 40% polyester w/ 3 mm foam

Cuff Style: Gauntlet



SKU	Size Group	Cuff Length
813-6020/L	Large	4 in

Shoulder Split Cowhide Welding Gloves

Features:

- Welted fingers to protect seams from sparks
- Cotton lining keeps hands cool
- Wing thumb for a natural fit

Material: Cotton; Cowhide; Polyester

Lining: Palm & back 6 oz jersey 60% cotton, 40% polyester w/ 5 mm foam; Cuff 60% cotton 40% polyester

Cuff Style: Lined



SKU	Size Group	Cuff Length
813-9010/L	Large	5 1/2 in



Squids® 3400 Grabber-Dual Clip

Features:

- Breakaway feature
- Clips to clothing, tool belts, and D-rings
- Dielectric/non-conductive material
- Durable, ultra-resilient acetal copolymers
- Keeps gloves where you want'em, when you want'em

Color: Black



SKU
150-19112



Hand Protectors

Features:

- Cool shield promotes safety
- Riveted straps extend the life of the glove protector
- Long-lasting performance

Material: Aluminized Rayon Top; Neoprene Bottom

Style: Leather & Elastic Strap; Standard



SKU	Width	Height	Description
100-37109	5 3/4 in	7 1/2 in	ABCH-2
100-37110	5 3/4 in	7 1/2 in	ABCH-1



Cool Hand™ Protectors

Features:

- Protect your hands from high radiant arc heat during welding operations and increase the service life of gloves
- Reflective surface and protective backing permit longer welds at high amperages
- Made of special aluminized fiber blend non-asbestos fabric
- Elastic bands hold Cool Hand snugly in place, yet allows free finger movement



SKU
144-COLH-2



Hot Rods Hand Warmers

Features:

- Literally "run on air"
- Simply open to activate
- Last up to 11 hours with an average temperature of 135°F/57°C
- Safe, non-toxi and odorless
- Just five extra minutes of outdoor worktime per day would pay for a pair of warming packs
- Open and shake pouch for 10 seconds to activate
- Last up to 11 hours with an average temperature of 125°F/52°C
- Safe, non-toxic and odorless



SKU	Quantity
561-1100-10R	5 pair per package

WELLS LAMONT

Industrial

Baker Pads & Hand Pads

Features:

- Protects to 460 degrees
- Loop out terry cloth with hand hole

Material: Extra Heavy Terry Cloth

Color: Tan




SKU	Height	Length
815-B-PAD	0 in; 11.3 in	0 in; 9.9 in



Anchor Brand Visors

Features:


- Clear or shaded available
 - Durable and high-performance
- Test & Approvals:** ANSI-Z87.1 2003; OSHA
- Material:** PETG
- Thickness:** 0.04 in



SKU	Color	Height	Width
Unbound			
101-3440-U-CL	Clear	9 in	15 1/2 in
101-3442-U-DG	Dark Green	9 in	15 1/2 in
101-4199-5	Shade 5	9 3/4 in	19 in
Aluminum Bound			
101-3440-B-CL	Clear	9 in	15 1/2 in
101-3442-B-DG	Dark Green	9 in	15 1/2 in
101-3465-5	Shade 5	9 in	15 1/2 in



Unbound Visor For Fibre-Metal® Frames



Test & Approvals: ANSI-Z87.1 2003; OSHA

Binding: Unbound

Material: PETG

Thickness: 0.04 in

Features:

- Designed for Fibre-Metal frames
- ANSI- and ASHA-approved

SKU	#	Color	Height	Width
101-4178-C	1	Clear	8 in	16 1/2 in
101-4178-DG	2	Dark Green	8 in	16 1/2 in

Features:

- Unbound
- Durable and high-performance

SKU	#	Color	Height	Width
101-4199-C	1	Clear	9 3/4 in	19 in
101-4199-DG	1	Dark Green	9 3/4 in	19 in



Visor Headgear



Features:

- Absorbent air cushioned sweatband
- 45 head size ratchet headgear

Test & Approvals: ANSI Z87.1-2003 STD Approved

Suspension: Ratchet

Material: ABS Plastic

Used With: Anchor Visors

SKU	Wt.
101-UVH700	7 lb



Crews Headgear Brackets



Features:

- Durable and high performance
- For Model:** Faceshields

SKU
135-102

Ratchet Take-Up Headgear

Features:

- Durable and high performance

For Model: Faceshields

SKU
135-103



Regular Faceshields

Lens Tint: Clear

Thickness: 0.4 in

Features:

- Durable and high performance

SKU	Lens Material	Quantity
135-101640	PETG	24 per package
135-181640	PETG	6 per package



Features:

- 5 system hole punched, designed to fit Crews Headgear
- Accepts most manufacturer's cam lock headgear

SKU	Lens Material	Quantity
135-181540	Polycarbonate	6 per package



by Honeywell

Dual Crown Faceshields

Features:

- Provides extended, wraparound protection for tough working conditions
- Crown and chin protectors provide an extra margin of protection when harsh conditions require it

Style: Wraparound

For Model: F400DC Series

Material: Noryl®

Resistance: Heat

SKU	Window Width x Length
280-4750CLBP	16 1/2 in x 8 in



Faceshield Windows for Dual Crown Series

Features:

- Preformed to the curve of the crown
- Constructed for durability and heat resistance
- Distortion-free optics
- Universal mounting configuration
- SEI certified to comply with current ANSI standards

Test & Approvals: ANSI Z87.1+

For Model: FM-400 DC Series; FM-500DC Series

Material: Propionate

Thickness: 0.06 in

Used With: FM-400 & FM-500DC Series

SKU	Lens Tint	Thickness	Height	Width
280-6750CL	Clear	0.06 in	8 in	16 1/2 in





by Honeywell

FMX Faceshield Windows

Features:

- Provides the protection available for plasma cutting
- Injection molded from high grade propionate
- Lightweight which reduces fatigue, stress, strain on neck muscles and improves productivity
- Absorptive protection is engineered into the window
- Not surface coated so the window will not lose its protective qualities

Lens Coating/Shade: IR/UV 8

Thickness: 0.06 in



SKU	Window Width x Length
280-4178IRUV8	16 1/2 in x 8 in

High Performance® Faceshield Headgears

Features:

- Made from Noryl® the same material used in our welding helmets
- High Performance faceshields are stronger, more durable and more heat resistant than ordinary faceshields



SKU	Suspension	Crown
280-F500BP	Ratchet	7 in

Features:

- Made from Noryl® the same material used in our welding helmets, High Performance faceshields are stronger, more durable and more heat resistant than ordinary faceshields

SKU	Suspension	Used With	Crown
280-F400	Ratchet	F-400 Series	4 in
280-F4400		F-400 Series	4 in
280-F500	Ratchet		7 in
280-F5400		F-400 Series	4 in
280-F5500		F-500 Series	7 in
280-FM71			

Does not include faceshield

SKU	Suspension	Crown
280-F300	Ratchet	3 in

Features:

- Made from Noryl® the same material used in our welding helmets, High Performance faceshields are stronger, more durable and more heat resistant than ordinary faceshields



SKU
280-F5500BP

High Performance® Faceshield Windows

Features:

- SEI certified to comply with current ANSI standards
- Preformed to the curve of the crown

Used With: F-400, F-500 & FH-66 Series

Style: Extended View

Material: Propionate



SKU	Lens Tint	Thickness
280-4199CL*	Clear	0.06 in
280-4199DGN*	Dark Green	0.06 in
280-4199IRUV5*	IR/UV 5.0	0.06 in

SKU	Material	Usage	Model
280-FH66	Aluminum	High Heat	E-2, P-2 Caps
280-FM70	Plastic	Dielectric Insulating	E-2, P-2 Caps

Used With: F-400, F-500, FH-66, FM-70, FM-71 Series

Style: Wide View

Material: Propionate

SKU	Lens Tint	Thickness
280-4178CL*	Clear	0.06 in
280-4178CLBP*	Clear	0.06 in
280-4178DGN*	Dark Green	0.06 in
280-4178IRUV5*	IR/UV 5.0	0.06 in

Used With: F-300 & F-770 Series

Style: Standard

Material: Propionate

SKU	Lens Tint	Thickness
280-4118CL*	Clear	0.06 in
280-4118DGN*	Dark Green	0.06 in

SKU	Lens Tint	Style	Height	Width
280-4178IRUV3	IR 3.0	Wideview	8 in	16 1/2 in
280-4199CLBP	Clear	Extended View	9 3/4 in	19 in

*Test & Approvals: ANSI Z87.1+

High Performance® Wide View Faceshield Windows

Features:

- High performance faceshield windows provide a high grade of protection
- Designed for exact fit and perfect seal against dust, dirt and debris
- Extra thick (.060") for added margin of protection
- Easy to install
- Made from injection-molded propionate for strength and durability

Test & Approvals: ANSI Z87.1+; CSA Z94.3

Style: Wide View

Color: Green

For Model: F400, F500 Series, FH66, FM70 and F71 series

Material: Propionate

Thickness: 0.06 in

Used With: F400, F500 Series, FH66, FM70 and F71 series



SKU
280-4178DGNBP

HUNTSMAN®

Cap Coil Spring Attachments

Features:

- Polyethylene spark deflector
- For attaching any visor spark deflector combination, to any non-slotted cap
- Metal device for non-slotted caps
- Curved aluminum channel and coil spring attachment



SKU	Model
138-14390	C
138-14391	P

F10 PETG Faceshields

Features:

- F10 PETG Faceshield - Clear

Style: PETG Bulk Faceshield

Color: Clear

For Model: 34-40AP

Lens Material: PETG

Thickness: 0.4 in

Used With: 34-40AP



SKU	Height	Length
138-28962	9 in	15 1/2 in

F30 Acetate Face Shields

Features:

- Ideal for scratch resistance and premium optics
- High-grade cast sheet acetate protects against splash
- 99.9% UV protection

Test & Approvals: Meets ANSI Z87.1 Standard

Lens Material: Acetate

Thickness: 0.04 in

Usage: Contaminants



SKU	Lens Tint	Binding
138-29052	Clear	Bound
138-29053	Green-Medium	Bound
138-29056	Clear	Unbound
138-29060	Clear	Unbound

F50 Polycarbonate Special Face Shields

Features:

- Ideal for impact and heat resistance
- Optical-grade polycarbonate from extruded sheets
- 99.9% UV protection


Test & Approvals: Meets ANSI Z87.1 Standard

Binding: Unbound

Lens Material: Polycarbonate

Thickness: 0.06 in

Usage: Contaminants



SKU	Lens Tint
138-28634	Gold

F60 Wire Face Shields


Features:

- Not intended for high-impact protection
- Apply over a face shield to dissipate heat

Binding: Bound

Lens Material: Steel Mesh

Usage: Contaminants



SKU	Lens Tint
138-29055	Black

HDG10 Face Shield Headgear

Features:

- Spark deflector
- Soft, absorbent wrap-around foam cushioned sweatband gently hugs the natural shape of the head

Test & Approvals: Meets ANSI Z87.1 Standard

Suspension: Ratchet

Adjusting Method: Increment - 1/16 in

Used With: 12 in, 15-1/2 in. Visors



SKU	Quantity
138-14381	6 per pack
138-29051	60 per pack

HDG20 Face Shield Headgear

Features:

- Spark deflector for visor use without a safety cap
- Fully dielectric
- Visor secured with integral plastic lugs

Test & Approvals: Meets ANSI Z87.1 Standard

Suspension: Ratchet

Used With: Faceshield



SKU	Wt.
138-14940	3/4 lb

Schedule "F" Visors

Features:

- For Huntsman® K, K-4, and K-10, Glendale™, Fibre-metal®, Sellstrom®, and Jackson® headgear, plus Huntsman® C, H, P, 8100 BRC, 8100 BRS, Jackson®, Bullard®, and AO® H-15 safety cap attachments.
- Molded binding

Lens Material: Propionate

Thickness: 0.06 in

Usage: Contaminants



SKU	Lens Tint
138-28766	Clear

JACKSON

SAFETY Brand

Blade Mounted Cap Adapters

Features:

- Quick detach brackets
- Polyethylene spark deflector
- Totally dielectric, all plastic device for slotted caps
- Curved plastic channel fits over the bill of the cap and includes pivoting blades that snap easily into cap slots
- Face shields are secured with integral plastic lugs



SKU	Description	Wt.
138-14941	82B Cap Adapter	0.91 lb
138-14947	437 Cap Shield	0.83 lb
138-14949	82BM Cap Adapter	0.67 lb

Cap Coil Spring Attachments

Features:

- Polyethylene spark deflector
- For attaching any visor spark deflector combination, to any non-slotted cap
- Metal device for non-slotted caps
- Curved aluminum channel and coil spring attachment



SKU	Description	Wt.
138-14942	182 B Capmount Adapter	0.91 lb
138-14945	37 Hat Shield	0.4 lb
138-14948	137 Cap Shield	0.66 lb

Cord Mounted Cap Adapters

Features:

- Dielectric polyethylene spark deflector with pivoting blades
- For mounting visor on caps with integral plastic lugs
- For mounting face shields to slotted caps



SKU	Description
138-14398	Model K-4 Face Shield Mount
138-14943	282B Capmount Adapter
138-14944	382 B-Cap Adapter
138-14946	337 Cap Shield
138-14952	282B Bulk Capmount Adapter

F20 Polycarbonate Face Shields

Features:

- Ideal for impact and heat resistance


Test & Approvals: Meets ANSI Z87.1 Standard

Features:

- Optical-grade polycarbonate from extruded sheets
- 99.9% UV protection

Binding: Unbound

Thickness: 0.06 in



SKU	Lens Tint	Lens Material
138-29087	Clear	Polycarbonate

Features:

- Used in conjunction with protective eyewear, JACKSON SAFETY* brand Face Shields provide a high degree of on-the-job protection for heat protection, as well as for grinding, flying debris and splash protection, among others

• All JACKSON SAFETY* Brand Face Shields meet ANSI Z87.1 2010 standards when used with any JACKSON SAFETY* Brand Headgear

Test & Approvals: ANSI Z87.1 2010

Height: 8 in

Length: 15 1/2 in

Thickness: 0.04 in

SKU	Color	Lens Tint	Material
138-30706	Clear	Clear	Polycarbonate

F30 Acetate Face Shields

Features:


- Ideal for scratch resistance and premium optics
- High-grade cast sheet acetate protects against splash
- 99.9% UV protection

Test & Approvals: Meets ANSI Z87.1 Standard

Lens Material: Acetate

Thickness: 0.04 in

Usage: General Protection



SKU	Lens Tint	Binding	Quantity
138-29078	Clear	Bound	24 per carton
138-29079	Clear	Bound	24 per carton
138-29082	Green-Light	Bound	12 per carton
138-29083	Clear	Unbound	12 per carton
138-29090	Green-Dark	Bound	50 per carton
138-29091	Clear	Bound	50 per carton

F40 Propionate Face Shields

Features:

- Injection molded propionate offers distortion-free optics
- 99.9% UV protection

Test & Approvals: Meets ANSI Z87.1 Standard

Binding: Unbound

Lens Material: Propionate

Thickness: 0.06 in

Usage: General Protection



SKU	Color	Quantity
138-29084	Clear	12 per carton
138-29089	Clear	50 per carton

SKU	Color
138-29086	Green-Dark

JACKSON
SAFETY Brand**F50 Polycarbonate Special Face Shields****Features:**

- Ideal for impact and heat resistance
- Optical-grade polycarbonate from extruded sheets
- 99.9% UV protection
- Ideal for impact and heat resistance

Test & Approvals: Meets ANSI Z87.1 Standard**Binding:** Unbound**Lens Material:** Polycarbonate**Thickness:** 0.06 in**Lens Coating/Shade:** IR/UV 3.0**Usage:** Spark & Light

SKU	Quantity
138-26262	12 per carton

Lens Coating/Shade: IR/UV 5.0

SKU	Quantity	Usage
138-28633	50 per carton	General Protection
138-29080	12 per carton	Spark & Light

F60 Wire Face Shields**Features:**

- Not intended for high-impact protection
- Apply over a face shield to dissipate heat

Test & Approvals: Meets

ANSI Z87.1 Standard

Binding: Bound**Lens Material:** Steel 24 Mesh**Usage:** Spark & Light

SKU	Lens Tint	Quantity
138-29081	Black	12 per carton

HDG20 Face Shield Headgear**Features:**

- Spark deflector for visor use without a safety cap
- Fully dielectric
- Visor secured with integral plastic lugs
- Used in conjunction with protective eyewear, face shield provides a high degree of on-the-job protection for heat applications, as well as for grinding, flying debris and splash protection, among others
- Meets ANSI Z87.1 2010 Standards when used with any JACKSON SAFETY* Brand Headgear

Test & Approvals: Meets ANSI Z87.1 Standard; Meets ANSI Z87.1 Standard**Color:** Black**Suspension:** Ratchet

SKU	Wt.
138-29077	0.43 lb

MSA

The Safety Company

Defender® Universal Foldback Frames**Features:**

- Does not include visor

Test & Approvals: MSA visors are manufactured for use ONLY on MSA frames and assemblies in order to comply with ANSI/ISEA Z87.1**Used With:** Non-Slotted Helmets; Slotted Helmets; V-Gard Caps and Hats**Model:** Hat**Used With:** (Except Topgard Hats)

SKU	Material	Description
454-488159	Metal	Universal Hat Adapter RI
454-10005383	Plastic	DWOS Frame Hat Visor Uni Fol

Model: Cap

SKU	Material	Description
454-488160	Metal	Foldback Faceshield Frame

Defender®+Faceshield Frames**Features:**

- Front-drip-edge splash protection
- Unlimited number of lift stop positions
- Long-lasting O-ring pivot-joint design
- Snap-in ear muff option
- Easy in, easy out visor replacement
- Less visor and cap

Test & Approvals: MSA visors are manufactured for use ONLY on MSA frames and assemblies in order to comply with ANSI/ISEA Z87.1**Used With:** V-Gard Caps w/Lockdown Clip

SKU	Wt.
454-10021614	1/2 lb

Polycarbonate Visors**Test & Approvals:** MSA visors are manufactured for use ONLY on MSA frames and assemblies in order to comply with ANSI/ISEA Z87.1**Lens Tint:** Clear**Lens Material:** Polycarbonate**Used With:** V-Gard Caps and Hats**Features:**

- Great eye protection

SKU	Thickness
454-10017934	0.04 in

Features:

- Protects against flying, abrasive particles and chemical splash
- For use with Defender Plus Faceshield Frames

SKU	Thickness
454-488131	0.04 in
454-488132	0.06 in



The Safety Company

V-Gard® Accessory System General Purpose Visors

Features:

- Suitable for most applications where impact hazards exist
- Provides maximum UV protection
- Wider design for improved resistance to impact and splash hazards
- Shape accommodates cap-mounted earmuffs

Test & Approvals: EN166 (2C-1.2 MSA 1B), ANSI/ISEA Z87.1-2010 and AS/NZS 1337; ANSI/ISEA Z87, 1-2010; EN 166 (2C-1.2 MSA 1B); and AS/NZS 1337

Style: Flat

Color: Clear

Lens Material: Polycarbonate

Thickness: 0.04 in

Used With: V-Gard Frame ONLY



SKU	Lens Tint	Length	Width
454-10117750	Max UV	8 in	17 in

V-Gard® Accessory System MSA Visor Frames

Features:

- Unique frame for use on slotted MSA caps
- Patent-pending, stowable slot adaptors allow frame to work with or without earmuffs
- Patent-pending V-shaped alignment guides and three touchpoint load for easy visor installation
- Sloped design allows material to easily slide off the frame
- Heavy-duty, flat rubber strap allows easy and secure placement of frame on the cap
- Replaceable debris-control meets EN standards for molten metal and creates a tight seal between helmet and frame (included)
- All non-metal construction

Test & Approvals: ANSI/ISEA Z87.1-2010, EN 166, CSA Z94.3, AS/NZS 1337; ANSI/ISEA Z87, EN 166, CSA Z94.3 and AS/NZS 1337

Style: For use with V-Gard® Slotted Caps

Used With: V-Gard® Chin Protectors; V-Gard® Slotted Caps; V-Gard® Visors



SKU
454-10115730

V-Gard® Accessory System Universal Visor Frames

Features:

- Pivot location allows use with other safety equipment, such as earmuffs
- Patent-pending V-shaped alignment guides and three touchpoint load for easy visor installation
- Sloped design allows material to easily slide off the frame
- Heavy-duty, flat rubber strap allows easy and secure placement of frame on the cap
- All non-metal construction

Test & Approvals: ANSI/ISEA Z87.1-2010, EN 166, CSA Z94.3, AS/NZS 1337; ANSI/ISEA Z87, EN 166, CSA Z94.3 and AS/NZS 1337

Style: For use with V-Gard Hats; For use with V-Gard Hats Without Debris Control

Color: Black

Used With: V-Gard Chin Protectors; V-Gard Full Brim Hats; V-Gard Visors



SKU	Height	Length	Width
454-10116628	3 1/4 in	5 1/2 in	11 1/4 in; 11.3 in

Welding Visors

Features:

- Protects against flying, abrasive particles and chemical splash
- For use with Defender Plus Faceshield Frames

Test & Approvals: MSA visors are manufactured for use ONLY on MSA frames and assemblies in order to comply with ANSI/ISEA Z87.1

Lens Coating/Shade: #5

Lens Material: Propionate

Thickness: 0.06 in



SKU	Height	Width	Wt.
454-10005882	8 in	15 1/2 in	0.37 lb



by Honeywell

Faceshield Windows

Features:

- Pre-formed
- Offer the multi fit attachment pattern
- Consist of 7 slots strategically located to fit a wide variety of headgear brackets

Lens Material: Polycarbonate

Thickness: 0.04 in



SKU	Lens Tint	Height	Width
068-A8154	Clear	8 in	19 in



by Honeywell

Protecto-Shield® ProLock® Headgear

Features:

- Visor not included

Adjusting Method: Ratchet

Includes: Sweatband

Resistance: Browguard to Heat

SKU	Wt.
812-11380048	1.17 lb



Protecto-Shield® Replacement Visors

Features:

- Easy attachment without snaps, posts or levers

- Universal hole pattern allows the use of North visors with other popular manufacturer's headgear

Test & Approvals: Passes ANSI Z87+ and CSA Z94.3 standards

Binding: Molded

Lens Material: Propionate

Thick.: 0.06 in

SKU	Lens Tint
812-11390044	Clear
812-11390068	Shade 5.0



by Honeywell

Bionic® Face Shield Replacement Visors

Features:

- Clear, uncoated Bionic Replacement Visors

Test & Approvals: Passes ANSI Z87+ and CSA Z94.3 standards

SKU	Lens Tint	Lens Coating/Shade
763-S8550	Clear	Uncoated
763-S8555	Clear	HC/AF
763-S8560	Shade 3.0	Uncoated
763-S8565	Shade 5.0	Uncoated



Bionic™ Face Shields

Features:

- Shell offers built-in chin protection and extended top-of-head coverage
- Highly adjustable headgear tilts visor nearer or farther from face depending on preference and application

- Comfortable cell foam on back of headgear
- Breathable, removable, washable headband

- Comfortably worn with most goggles and respirators

Test & Approvals: Passes ANSI Z87+ and CSA Z94.3 standards

Suspension: Ratchet

SKU	Lens Tint	Lens Coating/Shade
763-S8500	Clear	Uncoated
763-S8510	Clear	HC/AF



Full Brim Hard Hats

Features:

- Uvicator™ indicates when to replace hard hat due to UV exposure

- Suspension sits lower on head to reduce pressure and increase security

- Smooth, easy turn ratchet suspension

Color: White

Suspension: 4-Point, Ratchet

Material: High Density Polyethylene



SKU
142-H-801R-UV



by Honeywell

P2HN Hard Hats

Features:

- High Heat Resistant to 500 degrees Fahrenheit

- 8-point suspension with ratchet adjustment

Test & Approvals: ANSI Z89.1-2009 & CSA Z94.1

Color: Gray

Suspension: 8-point

Adjusting Method: Ratchet

Material: Fiberglass

Applications: High heat



SKU	Style	Size Group
280-P2HNRW09A000	P2HN	6 3/4 - 8

SuperEight® Hard Caps

Features:

- On impact the SuperEight® Impact Energy Control System dissipates force by reducing it to smaller increments and spreading it over a greater area

- The exclusive smooth crown design contains a technically advanced suspension with eight load bearing points to stabilize and balance the hat or cap during everyday wear

Test & Approvals: Meets ANSI-Z89.1; Type I Class E, G or C

Material: Thermoplastic

Suspension: 8 Point Ratchet

SKU	Color
280-E2RW01A000	White
280-E2RW02A000	Yellow
280-E2RW71A000	Blue
280-E2RW74A000	Green



Suspension: 8 Point Swingstrap™

SKU	Color
280-E2SW74A000	Green





by Honeywell

SuperEight® Hard Hats

Features:

- On impact the SuperEight® Impact Energy Control System dissipates force by reducing it to smaller increments and spreading it over a greater area
- The exclusive smooth crown design contains a technically advanced suspension with eight load bearing points to stabilize and balance the hat or cap during everyday wear

Test & Approvals: Meets ANSI-Z89.1; Type I Class E, G or C

Suspension: 8 Point Ratchet

Material: Thermoplastic



SKU	Color
280-E1RW00A006	Spirit of America
280-E1RW01A000	White
280-E1RW71A000	Blue



BLOCKHEAD* Hard Hats

Features:

- Full brim protects wearer from nature's elements
- Lightweight for comfort, molded from High Density Polyethylene (HDPE)
- Smooth dome leaves no crevices for buildup
- Anti-glare bill
- Soft, absorbent cloth absorbs sweat, keeping you comfortable
- Head sizes 6.5 to 8

Test & Approvals: ANSI Z89.1, Type 1, Class C, G & E

Color: White

Suspension: 8 Point Ratchet



SKU
138-20697

Cap Coil Spring Attachments

Features:

- Polyethylene spark deflector
- For attaching any visor spark deflector combination, to any non-slotted cap
- Metal device for non-slotted caps
- Curved aluminum channel and coil spring attachment



SKU
138-14393

SC-6 Hard Hats

Features:

- Smooth dome design
- Lightweight, molded from dielectric High Density Polyethylene (HDPE)
- Accessory slots for attaching additional personal protective equipment
- Head sizes 6.5 to 8

Test & Approvals: ANSI Z89.1, Type 1, Class C, G & E

Style: Cap

Suspension: 391, 4-Pt. Ratchet



SKU	Color
138-14833	Yellow
138-14834	White
138-14837	Green
138-14838	Blue
138-14839	Orange
138-14841	Red
138-14842	Gray



The Safety Company

Comfo-Cap® Protective Headwear

Features:

- Lamp bracket and cord holder to support miners lamp
- Low-crown clearance for work in low-ceiling areas
- Peak protects wearers eyes and face from small falling objects
- Helps resist top impacts
- Molded cross ridges on the crown provide increased strength and rigidity
- For use in the mining industry

Test & Approvals: Meets or exceeds the applicable requirements for a Type 1 helmet (top impact) outlined in ANSI Z89.1 1997, Class G.

Style: Cap

Color: White

Suspension: Staz-On®

Material: Polycarbonate



SKU	Size Group
454-91522	6 1/2 - 8; Standard

Freedom Series™ V-Gard Hard Hats

Features:

- Camouflage V-Gard Full Brim Hat
- Test & Approvals:** ANSI/ISES Z89.1-2009, CSA Z94.1-205

Style: Full Brim

Color: Camouflage

Suspension: Fas-Trac

Adjusting Method: Ratchet

Material: Polyethylene

Applications: General Purpose



SKU	Size Group
454-10104254	Standard



The Safety Company

Skullgard® Cap with Fas-Trac Suspension

Features:

- Skullgard® hard cap with Fas-Trac Suspension

Test & Approvals: ANSI/ISES Z89.1-2009

Color: Natural Tan

Suspension: Fas-Trac

Adjusting Method: Ratchet

Material: Phenolic

Applications: General Purpose, Elevated Temperature



SKU	Style	Size Group
454-475405	Cap	Large

Skullgard® Protective Caps and Hats

Features:

- Heavy duty construction
- For use in steel mills and other heavy industries where elevated temperatures are common
- Heavy duty construction



Test & Approvals: ANSI/ISEA Z89.1-2009

(Class G, Type I)

Style: Hat

SKU	Color	Size Group
Fas-Trac® Ratchet		
454-475407	Natural Tan	6 1/2 - 8; Standard

Test & Approvals: Meets or exceeds the applicable requirements for a Type 1 helmet (top impact) outlined in ANSI Z89.1 2003, Class E and G.

Style: Cap

SKU	Color	Size Group
Fas-Trac® Ratchet		
454-475395	Natural Tan	6 1/2 - 8; Standard
454-475396	White	6 1/2 - 8; Standard
454-482002*	Natural Tan	6 1/2 - 8; Standard
Staz-On®		
454-454617	Natural Tan	6 1/2 - 8; Standard
454-82018	Natural Tan	7 1/2 - 8 1/2; Large

Style: Hat

SKU	Color	Size Group
Fas-Trac® Ratchet		
454-475408	White	6 1/2 - 8; Standard
Staz-On®		
454-454664	Natural Tan	6 1/2 - 8; Standard
454-460389†	Natural Tan	6 1/2 - 8; Standard
454-460389†	Natural Tan	6 1/2 - 8; Standard

*Includes: Welder's Lugs

†Includes: Card Holder; Lamp Bracket

Specialty V-Gard® Protective Caps and Hats

Features:

- Consists of a polyethylene shell and suspension system working together as a protection system

- Easy to adjust pinlock suspension

- Customer imprinting and striping available

Test & Approvals: Meets or exceeds the applicable requirements for a Type 1 helmet (top impact) outlined in ANSI Z89.1 2003, Class E and G.

Suspension: Staz-On®

Adjusting Method: Pin-Lock

Material: Polyethylene

Includes: Lamp Bracket



SKU	Style	Size Group
454-460069	Hat	6 1/2 - 8; Standard

V-Gard® 500 Protective Caps

Features:

- Vented for improved air circulation

- Lateral contours above the ear for easy integration of hearing protection

- Glaregard underbrim to reduce reflective glare

- Lightweight design for added comfort

Test & Approvals: Meets ANSI Z89.1 2003 for Type I helmets

Suspension: 4 Point Fas-Trac

Material: Polyethylene



SKU
454-10034018

V-Gard® Protective Caps and Hats

Features:

- Comfortable, lightweight protection

- Self adjusting crown straps

- Consists of a polyethylene shell and suspension system working together as a protection system

Test & Approvals: Meets or exceeds the applicable requirements for a Type 1 helmet (top impact) outlined in ANSI Z89.1 2003, Class E and G.

Material: Polyethylene



SKU	Color	Size Group
Suspension: Fas-Trac® Ratchet		
454-10021292	Hi-Viz Orange	6 1/2 - 8; Standard
454-475358	White	6 1/2 - 8; Standard
454-475359	Blue	6 1/2 - 8; Standard
454-475360	Yellow	6 1/2 - 8; Standard
454-475361	Orange	6 1/2 - 8; Standard
454-475362	Green	6 1/2 - 8; Standard
454-475363	Red	6 1/2 - 8; Standard
454-475364	Gray	6 1/2 - 8; Standard
454-475366	Yellow	6 1/2 - 8; Standard
454-475367	Gray	6 1/2 - 8; Standard
454-475368	Blue	6 1/2 - 8; Standard
454-475369	White	6 1/2 - 8; Standard
454-475370	Green	6 1/2 - 8; Standard
454-475371	Red	6 1/2 - 8; Standard
454-488146	Hi-Viz Orange	6 1/2 - 8; Standard
454-477482	White	7 1/2 - 8 1/2; Large
Suspension: Staz-On®		
454-454733	White	6 1/2 - 8; Standard
454-454734	Orange	6 1/2 - 8; Standard
454-463942	White	6 1/2 - 8; Standard
454-463943	Blue	6 1/2 - 8; Standard
454-463944	Yellow	6 1/2 - 8; Standard
454-463945	Orange	6 1/2 - 8; Standard

MSA

The Safety Company

Vanguard™ Helmet for Lateral Protections

Features:

- Designed to provide limited impact and penetration protection in the event of a top or lateral blow to the head

Test & Approvals: Certified to CAN/CSA Z 94.1-1992, Class E.; Compliant with test requirements of ANSI Z 89.1-1997, Type I and II helmets.

Style: Cap

Material: Polyethylene



SKU	Color	Suspension
454-804940	White	Fas-Trac® Ratchet

NORTH

by Honeywell

Everest Hard Hats

Features:

- 2-level height adjustment and self centering
- Accepts face and hearing protection accessories for the fullest available protection
- Forehead comfort band and crown pad
- Wide brim hard hat for protection from the sun's harmful UV rays, rain and falling debris

Color: White

Adjusting Method: Ratchet

Material: HDPE

Applications: Forestry; Mining; Oil Industry; Utilities



SKU	Suspension
068-A119R010000	6 Point Nylon
068-A49R010000*	6 Point

* ANSI Type 1; Class E

Peak Hard Hats

Features:

- Versatile and dependable design, with grooved HDPE out shell, rain trough and accessory slots
- Pin lock adjustment is a sturdy, easy to use 4 point pin lock headband
- Ratchet adjustment headband offers a firmer and more comfortable fit
- All suspension choices feature 3-level height adjustment

Test & Approvals: ANSI Type 1; Class E

Color: White

Suspension: 4 Point

Material: HDPE



SKU	Adjusting Method
068-A59010000	Pin-Lock
068-A79R010000	Ratchet



Chill-Its® 6609 Terry Sweatbands

Features:

- Machine washable
- Absorbent terrycloth sweatband, fits most hard hat suspension systems
- Economical way for hard hat wearers to manage moisture
- Keeps sweat out of eyes

Color: Gray

Material: 100% Cotton



SKU	Size Group
150-12440	One Size



by Honeywell

Fibre-Metal Suspensions

Features:

- Fibre-Metal® offers three headband adjustments for hard hat suspensions
- The ratchet headband is strip proof and provides easy adjustment
- The patented SwingStrap™ combines the benefits of both the ratchet and the 360 padded sweatband with the added ability to convert from forward to reverse wearing position without having to remove and reinstall the suspension
- TabLok™ features a 360° padded sweatband, providing extra comfort for all-day wear

Color: Gray

Suspension: Swingstrap

Used With: Fibre-Metal E1, E2 Hard Hats



SKU
280-3SW2V

SwingStrap™ Suspensions

Features:

- Fibre-Metal® offers three headband adjustments for hard hat suspensions
- The ratchet headband is strip proof and provides easy adjustment
- The patented SwingStrap™ combines the benefits of both the ratchet and the 360 padded sweatband with the added ability to convert from forward to reverse wearing position without having to remove and reinstall the suspension

Style: Ratchet

Used With: Caps & Full Brim Hats



SKU
280-3RW2

JACKSON

Chin Straps

Features:

- Jackson chin strap for securing protective caps and hats
- A high quality elastic webbing with smooth, napped cotton inside
- Plastic fittings adjust and attach to headgear
- Strap may be wrapped around cap, above the brim, when not in use

Used With: SC-6, SB-6, Blockhead, SC-16 Hard Hats



SKU	Height	Length	Width
138-14937	7 1/2 in	0.27 in	2 in

Head-Hugger Suspensions

Features:

- Vinyl forehead cushion
- 1-piece nylon headband with woven nylon crown headstraps
- Ratchet headgear
- 2-crown height adjustments
- Over 30 adjustments for comfortable fit without removing headgear

Strap Type: Crown

Suspension: 391 Head Hugger

Used With: SC-6



SKU
138-14936

Welding Helmet Cap Adapters

Features:

- Quick detach brackets
- Polyethylene spark deflector
- For joining any visor and spark deflector with plastic pins to any cap equipped with #87 mounting blades

Used With: SC-16 Hard Hat

Description: 86M Quick Detach Pin; Welding Helmet Cap Adapters, Quick Detach Pins



SKU
138-14961

Used With: HLX, HSL Series or Nitro Welding Helmets; Attach to SC-6, Sentry III, Charger, SC-16, SB-6 Hard Hats

Description: 187-S Safety Capmount for Shadow helmets

SKU
138-15968

Used With: SC-6 Hard Hat, Sentry III Hard Hat and Charger Hard Hat

Description: Welding Helmet Cap Adapters, 382B

SKU
138-14951

Description: 386 Capmount Adapter

SKU	Usage
138-15973	Spark & Light

MSA

The Safety Company

Chinstraps

Features:

- Holds snugly and offers support

Strap Material: Elastic

Usage: Attaches to Suspension

Used With: Type I Helmets

SKU
454-81391



Goggle Retainers

Features:

- Designed for applications where goggles must be worn with helmets
- Non-metallic retainer can be worn on most MSA protective headwear meeting ANSI Z89.1 requirements without changing the headwear's dielectric qualifications as long as goggle used is dielectric
- Does not include goggles

Model: Hat

SKU	Length	Width
454-449895	14 in	5 3/4 in
454-449895	14 in	5 3/4 in

Model: Cap

SKU
454-459458



MSA Chin Straps

Features:

- Holds snugly and offers support

Attachment: Shell

Strap Material: Plastic

Usage: Attaches to Shell

Used With: Type I Helmets

SKU
454-88128



Skullgard® Replacement Suspensions

Features:

- Comfortable, lightweight protection

Suspension: Fas-Trac® Ratchet

SKU	Size Group
454-473334	6 1/2 - 8; Standard

Features:

- Heavy duty construction
- For use in steel mills and other heavy industries where elevated temperatures are common

Suspension: Fas-Trac® Ratchet

SKU	Size Group
454-478454	7 1/2 - 8 1/2; Large

Features:

- 4-point suspension system helps keep helmet in place
- Provides superior comfort and a semi-custom fit
- Features high-quality sweatband and nylon height adjusters
- Easily clips into V-Gard hat or cap shell

Suspension: Staz-On®

SKU	Size Group
454-454231	6 1/2 - 8; Standard



MSA

The Safety Company

Sun Shields

Features:

- Front portion is Lexan tinted
- Protects wearer's ears and neck from sun rays
- Extends brim all the way around

Lens Tint: Smoke**Material:** Polyurethane

SKU	Used With
454-697290	Standard V-Gard Caps
454-697410	V-Gard Hats

SunShade Hard Hat Accessories

Features:

- Fits most MSA hats or caps
- Three strategically-placed clips keep the SunShade accessory from falling or rotating
- Contrasting color band with reflective stripe increases worker visibility
- Hard hat (Not Included)

Color: Hi-Viz Yellow; Orange Band**Material:** Polyester Mesh

SKU
454-10098032

Topgard® Replacement Suspensions

Features:

- 4-point ratchet liner suspension system for ultimate comfort and reliability
- Features nylon height adjusters for a custom fit

- Easily clips into V-Gard hat or cap shell

Suspension: Fas-Trac® Ratchet**Used With:** Topgard® Cap; Topgard® Hat

SKU	Size Group
454-473333	6 1/2 - 8; Standard

V-Gard® 500 Cap Faceshield Frames

Features:

- Easy visor replacement
- Fits all MSA visors

Color: Black**Material:** Lightweight Polypropylene

SKU
454-10021616

V-Gard® 500 Replacement Suspensions

Features:

- 4-point ratchet liner suspension system for ultimate comfort and reliability
- Features nylon height adjusters for a custom fit

- Easily clips into V-Gard hat or cap shell

Suspension: 4 Point Fas-Trac

SKU	Size Group	Wt.
454-10034966	6 1/2 - 8	1/4 lb

V-Gard® Replacement Suspensions

Features:

- Features Fas-Trac Suspension



SKU	Size Group	Suspension
454-10087218	6 1/2 - 8; Standard	Staz-On®
454-10087220	6 1/2 - 8; Standard	Fas-Trac® Ratchet
454-492568	7 1/2 - 8 1/2; Large	Fas-Trac® Ratchet

OccuNomix
International LLC

Hard Hat Shades

Features:

- Cotton sunshade blocks sun most UV rays
- Fits most regular hard hats
- Shade at back of neck facilitates perspiration evaporation and blocks sun

Color: White**Material:** Cotton

SKU	Length	Width
561-898-008	15 1/2 in	14 in

Snap-On Hard Hat Sweatbands

Features:

- Absorbs without having to wash first
- More economical than many other sweatbands
- Machine washable

Material: 100% Cotton Plush

SKU	Color	Height	Length	Width
561-870B100-01	Navy	3.2 in	13 in	7.9 in
561-870B100-15	Beige	3.2 in	13 in	7.9 in

SIPCO
Products, Inc.

Hard Hat Storage Racks

Features:

- Fits over most vehicle seats, easily installed, provides easy access to hard hat
- Easily installs and adjusts to fit most hard hats - EVEN the wide brim designs

Style: Seat Model

SKU	Height	Length	Width
679-SAFE-TRAK-ST	12 in	12 in	2 in



by Honeywell

Sperian Headgear QWIK-KLIPS

Features:

- Attaches faceshield to safety cap
- Fits Sperian Alpha and Beta Cap hard hats only

Abrasive Material: Aluminum



SKU
812-11380029



Anchor Brand Winter Liners

Features:

- One universal size
- Resistance:** Cold Weather
Closure Type: Velcro



Lining: Red Fleece
Style: Standard

SKU	Material	Color	Climate Range
101-100F	Stretch Quilted	Blue	Mild to Moderate Cold

Lining: Sheep Thermal Lining
Style: Extra Large Neck Flap

SKU	Material	Color	Climate Range
101-600	Twill	Blue	Severe Cold
101-700	Twill	Light-Green	Severe Cold



Chill-Its® 6821 Balaclava

Features:

- Long length
- FR treated for safety (single wash)

Material: Polyester

Lining: Fleece

SKU
150-16821



by Honeywell

Leather Welding Hoods

Features:

- 870 leather welding hood is made of tough chrome leather and is ideal for getting into tight spaces where conventional welding helmets will not fit



SKU	Wt.
280-870	1 1/2 lb



The Safety Company

V-Gard® Supreme Winter Liners

Features:

- No metal parts
- Extended, zipper on/off high-bulk flame-resistant knot bottom
- Fabric tested to withstand arc exposure to an (NFPA 70E rating: HRC 2/ATPV: 8cal/cm2)
- Inside neck pocket holds warming packet

Material: Fabric

Style: 2-Piece Extended Length

Resistance: Flame Resistant

Closure Type: Velcro Adjustable Chinstrap



SKU	Length
454-10118427	14 1/2 in



by Honeywell

Deluxe Hard Hat Winter Liners

Features:

- Long neck outer shell
- With face warmer

Material: Cotton

Color: Royal Blue

Resistance: 100% Fire



SKU
068-WL12FP



Hot Rods® Combo Winter Liners

Features:

- Nomex® thread and zipper
 - Warming pack pockets
 - Zipper on/off bottom
 - Insulated ear barrier
 - Flame resistant through 50 washes
- Description:** Flame Retardant Shoulder-Length Two-Way Winter Liner

Material: 100% Flame Resistant Cotton Twill

Top: Modacrylic/Cotton/Spandex Soft Rib Knit Bottom

Lining: Modacrylic/Cotton Jersey

Color: Navy

Fastening Method: Hook & Loop

Style: Shoulder Length Two-Piece

Resistance: Fire

Closure Type: Button



SKU	Length	Width
561-LZ620-FR	9 in	12.7 in



COMEAX CAPS

Cooling Towels

Features:

- Just Add Water
- Towel Temperature drops 15 to 20 degrees in 1 to 2 min
- Once activated this product assist in lowering temperature
- Absorbs up to 12 times it's dry weight
- Reusable

Test & Approvals: TRA MSDS

Color: Blue

Material: PVA Poly Vinyl Alcohol


SKU	Width
118-91000	9 in

Deep Round Crown Caps

Features:

- Single sided, super soft brim

SKU	Color	Size Group
118-1000-7-3/8	Assorted Prints	7 3/8


Features:

- Super soft brim fitted welders cap

SKU	Color	Size Group
118-1000-7	Assorted Prints	7
118-1000-7-1/2	Assorted Prints	7 1/2
118-1000-7-1/4	Assorted Prints	7 1/4
118-1000-7-1/8	Assorted Prints	7 1/8
118-1000-7-3/4	Assorted Prints	7 3/4
118-1000-7-5/8	Assorted Prints	7 5/8
118-1000-7-7/8	Assorted Prints	7 7/8
118-1000-8	Assorted Prints	8
118-1000E-CAP	Assorted Prints	One Size Fits All
118-2000E	Assorted Prints	One Size Fits All
118-2000R-6-7/8	Assorted	6 7/8
118-2000R-7	Assorted	7
118-2000R-7-1/2	Assorted	7 1/2
118-2000R-7-1/4	Assorted	7 1/4
118-2000R-7-1/8	Assorted	7 1/8
118-2000R-7-3/4	Assorted	7 3/4
118-2000R-7-3/8	Assorted	7 3/8
118-2000R-7-5/8	Assorted	7 5/8
118-2000R-7-7/8	Assorted	7 7/8
118-2000R-8	Assorted	8

Doo Rags

Features:

- Single sided, super soft brim
- Reversible, super soft brim fitted welders cap

Color: Assorted Prints

SKU	Size Group
118-7000U	One Size Fits All



Skull Caps

Features:

- No brim on skull caps

Color: Assorted Prints

SKU	Size Group
118-8000-L	Large
118-8000-M	Medium



Style 3000 Black Quilted Shop Caps

Features:

- 100 % Cotton Black Quilted Shop Cap

Style: 3000

Color: Black Quilted

Material: Cotton

SKU	Size Group
118-3000E	One Size Fits All



LAPCO

LAPCO Welding Caps

Features:

- Reversible

Style: Cap

Color: Assorted

Material: Cotton

SKU	Size Group
160-C-7-1/4	7 1/4



3M

Welding Helmets

Features:

- Sidewindows
- New headgear makes this helmet extremely comfortable and versatile
- Sensitivity adjustment allows use with all Stick, MIG and TIG processes, also has grinding and torch modes
- Auto darkening filter 9100X

Lens Coating/Shade: 8 - 13; 8-13; Shade 5

Color: Black and Silver

Material: Nylon

Includes: Helmet Bag; Speedglas Toolbox Decal; Welding Beanie


SKU	Model No.	Series	Window Width x Length
711-06-0100-20SW	9100X	Speedglas 9100X	4.2 in x 2.1 in
711-06-0100-30SW	9100XX	Speedglas 9100XX	4.2 in x 2.8 in



Speedglas™ 100 Series Helmets

Features:

- 100V filter, which features five user-selectable dark shades
- This filter has three sensitivity settings: a normal setting used for most types of welding (both indoors and outdoors), a setting for when other welders are working nearby, and a setting for low-current or stable arc (e.g. TIG) welding

Test & Approvals: ANSI Z87.1-2003, CSA Z94.3

Lens Coating/Shade: 3; 8 - 12

Color: Black

Lens Speed: 0.1 ms @ 73° F

Power Source: Battery

Delay: 100-250 ms

Window Width x Length: 3.66 in x 1.73 in



SKU	Wt.
711-07-0012-31BL	3.33 lb

Speedglas™ 9100 Series Helmets

Features:

- Viewing area 9.12 sq in.

SKU	Model No.	Lens Coating/Shade
711-06-0100-20	9100X	8 - 13



Speedglas™ SL Series Helmets

Features:

- The SL helmet features a completely new headband with a 4-position, back-and-forth adjustment, which allows for a more custom fit
- A one-handed, easy squeeze adjuster in back and a uniquely engineered, flexible structure help the headband conform to best fit your head

SKU	Lens Coating/Shade
711-05-0013-41	8 - 12



Leather Helmets

Features:

- Screen vents on top of helmet

Color: Russet

Material: Split Cowhide

Resistance: Heat

SKU	Window Width x Length
101-750-LH	2 in x 4 1/4 in



by Honeywell

Protective Cap Welding Helmet Shells

Features:

- Sold with an attachment mechanism that allows them to be worn with a Hard Hat
- Hard Hat (Not Included)

Brand: Tigerhood® Classic



Includes: 4001 Quick-Lok® Mounting Cups f/Caps; Helmet; P-242 Clear Cover Plate; P-247 Filter Plate
Lens Coating/Shade: #10
Window Width x Length: 2 in x 4 1/4 in

SKU	#	Color	Material	Mounting
280-4906BK	1	Black	Thermoplastic	Lift Front; Cap
280-4906GY	2	Gray	Thermoplastic	Lift Front; Cap

Includes: 4001 Quick-Lok® Mounting Cups f/Caps; Helmet; P-452 Clear Cover Plate; P-457 Filter
Lens Coating/Shade: #10
Window Width x Length: 4 1/2 in x 5 1/4 in

SKU	#	Color	Material	Mounting
280-4990GY	2	Gray	Thermoplastic	Fixed Front; Cap

Includes: 5000 Speedy® Loop f/Mounting Caps; Helmet; P-242 Clear Cover Plate; P-247 Filter Plate
Lens Coating/Shade: #10
Window Width x Length: 4 1/2 in x 5 1/4 in

SKU	#	Color	Material	Mounting
280-5906BK	2	Black	Thermoplastic	Lift Front; Cap
280-5906GY	2	Gray	Thermoplastic	Lift Front; Cap

Includes: 5000 Speedy® Loop f/Mounting Caps; Helmet; P-452 Clear Cover Plate; P-457 Filter Plate
Lens Coating/Shade: #10
Window Width x Length: 2 in x 4 1/4 in

SKU	#	Color	Material	Mounting
280-5990GY	2	Gray	Thermoplastic	Fixed Front; Cap
280-906BE	2	Blue	Thermoplastic	Lift Front

Superglas® Pipeliner Welding Helmets

Features:

- Compact design allows access to areas where there is no room for a standard helmet
- Comfortable, functional headgear uses a constant-fit rubber headband for frequent re-adjustments as pipe welders move about their work



SKU	Lens Coating/Shade	Window Width x Length	Material
Suspension: Rubber Headband			
280-110PWE	#10	2 in x 4 1/4 in	Fiberglass
Mounting: Fixed Front			
280-110-WH	#10	2 in x 4 1/4 in	White



by Honeywell

Superglas® Welding Helmets

Features:

- Ideal for harsh welding applications
- Full size, curved bottom design accommodates protective eyewear, respirators and hearing protection while blocking smoke and fumes

Color: Gray

Mounting: Fixed Front

Suspension: Ratchet



SKU	Lens Coating/Shade	Window Width x Length	Wt.
280-706GY	#10	2 in x 4 1/4 in	2.21 lb

Tigerhood Futura™

Features:

- Now in XXL Wide View Format
- For years, welders have relied on the quality and reliability of Fibre-Metal® welding helmets to help them make better welds at a lower cost and with fewer injuries
- The Tigerhood Futura XXL continues the tradition of performance and innovation by combining advanced ADC Plus ADF technology with the Tigerhood Futura shell to provide serious welders with a higher level of performance in a wide view format
- Lightweight helmet and free floating headgear for added comfort

Color: Black

Material: Thermoplastic

Suspension: Ratchet

Includes: Clear Cover Plate



SKU	Lens Coating/Shade	Window Width x Length	Mounting
280-2006BK	#10	2 in x 4 1/4 in	Lift Front
280-2090BK	#10	4 1/2 in x 5 1/4 in	Fixed Front

Tigerhood® Classic Welding Helmets

Features:

- Unique welding helmet design provides extended throat protection while blocking fumes and smoke from the face
- Smooth, seamless shell deflects sparks and spatter reducing the risk of burn through

Brand: Fibre-Metal

Series: Tigerhood Classic

Shade/ Contrast: 10

Style: Tigerhood Classic

Material: Thermoplastic



Features:

- Tigerhood Classic's unique welding helmet design provides extended throat protection while blocking fumes and smoke from the face

- Molded-in colors eliminate chipping, peeling, and fading

Includes: Clear Cover Plate

Lens Coating/Shade: #10

Suspension: 3-C Ratchet

SKU	Window Width x Length	Color	Mounting
280-906BK	2 in x 4 1/4 in	Black	Lift Front
280-906GY	2 in x 4 1/4 in	Gray	Lift Front

Includes: Clear Cover Plate; Flash Barrier

Lens Coating/Shade: #10

Suspension: 3-C Ratchet

SKU	Window Width x Length	Color	Mounting
280-910GY	2 in x 4 1/4 in	Gray	Fixed Front
280-990BK	4 1/2 in x 5 1/4 in	Black	Fixed Front
280-990GY	4 1/2 in x 5 1/4 in	Gray	Fixed Front

Lens

Coating/Shade: #10

Suspension: Speedy Loop



SKU	Window Width x Length	Color	Mounting
280-5906GYBP	2 in x 4 1/4 in	Gray	Lift Front

Welding Helmet Protective Cap Components

Features:

- Model 5000 Speedy-Loop provides easy on/off welding helmet mounting on protective caps
- Model 4000 Quick-Lok provides more permanent mounting for longer term or high activity applications
- Fully adjustable to better fit Fibre-Metal caps and major competitive brands



SKU
280-4000
280-5000

HUNTSMAN®

F10 PETG Economy Face Shields

Features:

- Features variable, sensitivity and delay adjustment
- Low cost, recyclable option
- Protects from chemical splash and light airborne debris.

Color: Clear



SKU	Height	Width
138-29104	15 1/2 in	8 in

W10 930P Passive Welding Helmets

Features:

- Lightweight, durable, washable thermoplastic shell

Test & Approvals: Meets ANSI Z87.1 Standards

Shade/ Contrast: 10

Color: Black

Material: Thermoplastic

Mounting: Lift Front

Suspension: 117A

Resistance: Heat; Wear



SKU	Window Width x Length	Wt.
138-14534	4 1/2 in x 2 in	2.17 lb

W10 990P Passive Welding Helmets

Features:

- Lightweight, durable, washable thermoplastic shell
- Quick slide adjustment conveniently switches from clear to shade 10

Test & Approvals: Meets ANSI Z87.1 Standards

Shade/ Contrast: 10

Color: Black

Material: Thermoplastic

Mounting: Fixed Front

Suspension: 117A

Resistance: Heat; Wear



SKU	Window Width x Length	Wt.
138-14536	4 1/4 in x 2 in	2.04 lb

W20 430P Fiber Shell Welding Helmets

Features:

- Lightweight, vulcanized fiber shell for comfortable, cool, heavy-duty welding
- Made of 10% recycled fiber content
- Not suited for damp environments or overhead welding
- Lift front provides flexibility so user does not have to raise hood

Test & Approvals: Meets ANSI Z87.1 Standards

Shade/ Contrast: 10

Color: Black

Material: Fiber

Mounting: Lift Front

Suspension: 117A

Resistance: Heat



SKU	Window Width x Length	Wt.
138-14528	4 1/4 in x 2 in	2.09 lb

W20 451P Fiber Shell Welding Helmets

Features:

- Lightweight, vulcanized fiber shell for comfortable, cool, heavy-duty welding
- Made of 10% recycled fiber content
- Not suited for damp environments or overhead welding

Test & Approvals: Meets ANSI Z87.1 Standards

Shade/ Contrast: 10

Color: Black

Material: Fiber

Mounting: Fixed Front

Suspension: 117A

Resistance: Heat



SKU	Window Width x Length	Wt.
138-14529	5 1/4 in x 4 1/2 in	0.89 lb

W20 490P Fiber Shell Welding Helmets

Features:

- Lightweight, vulcanized fiber shell for comfortable, cool, heavy-duty welding
- Made of 10% recycled fiber content
- Not suited for damp environments or overhead welding
- Quick-slide filter plate holder is ideal for tight work environments

Test & Approvals: Meets ANSI Z87.1 Standards

Shade/ Contrast: 10

Color: Black

Material: Fiber

Mounting: Fixed Front

Suspension: 117A

Resistance: Heat



SKU	Window Width x Length	Wt.
138-14532	4 1/4 in x 2 in	2.3 lb

W20 860P Leather Welding Helmets

Features:

- Tough, pliable, breathable leather covering
- Ideal for use in overhead welding applications or when working in tight spaces

Test & Approvals: Meets ANSI Z87.1 and CSA Compliant

Shade/ Contrast: 10

Color: Red

Material: Leather

Mounting: Lift Front

Suspension: 117A

Resistance: Heat



SKU	Window Width x Length	Wt.
138-14531	4 1/4 in x 2 in	2 1/2 lb

HUNTSMAN®

W40 AutoView 1105VXL Variable Auto-Darkening Filters

Features:

- Features variable shade, sensitivity and delay adjustments
- Four independent sensors with low voltage indicator lamp
- Technology allows unit to detect welds less than 5 amps
- Requires 2 AAA batteries (included)

Test & Approvals: Meets ANSI Z87.1 Standards

Shade/ Contrast: 9 - 12

Color: Black

Material: Thermoplastic

Mounting: Fixed Front

Suspension: 117A

Resistance: Heat; Wear



SKU	Window Width x Length	Wt.
138-30621	3 3/4 in x 2.35 in	2.05 lb

JACKSON®


WH60 Truesight* Digital Auto-Darkening Welding Helmets

Features:

- TrueSight* auto-darkening filter
- Sensitivity and delay adjustments
- Large, separate buttons with LED indicator for Weld, Torch and Grind modes
- Four independent sensors positioned to reduce possibility of blockage during weld
- Two, easy-to-replace AAA batteries with low indicator light
- Amber band pass for enhanced clarity of weld puddle
- No retainer for easy helmet installation and removal
- Built-in magnification lens

Test & Approvals: Meets ANSI Z87.1-2010 and CSA Z94.3 compliant

Material: Thermoplastic



SKU	Lens Coating/Shade	Color
138-29371	3; 9 - 13; 5 - 8	Black
138-30314	3; 9 - 13; 5 - 8	Tattoo
138-30315	3; 9 - 13; 5 - 8	Serpent
138-30316	3; 9 - 13; 5 - 8	Arc Angel
138-30317	3; 9 - 13; 5 - 8	Ace of Spades

REALTREE™ Camouflage Welding Helmets

Features:

- Designed to be light, protective and easy to wear
- HYDRAFLEX* Shell helps reduce neck tension
- REALTREE™ Camouflage welding helmet



Test & Approvals: Meets ANSI Z87.1 Standard and CSA Compliant

SKU	Height	Length	Width	Wt.
138-35470	14 5/8 in	17 1/4 in	10 1/4 in	8 oz

Test & Approvals: Meets ANSI Z87.1-2010 and CSA Z94.3 compliant

SKU	Batt. Size	Height	Length	Width	Wt.
138-35477	AAA	10 1/2 in	18 3/4 in	11 in	6 oz

W10 HLX 100 Passive Welding Helmets

Features:

- Lightweight shell helps reduce neck tension
- HYDRAFLEX* shell provides the ultimate in flexibility and durability
- Hard Hat adaptable using 187-S (15968)
- ADF adaptable


Test & Approvals: Meets ANSi Z87.1, CSA compliant and CE Certified

Shade/ Contrast: 10

Material: Thermoplastic

Mounting: Fixed Front

Suspension: 370



SKU	Window Width x Length	Color	Wt.
138-20499	4 1/2 in x 5 1/4 in	I2	1.45 lb
138-20508	4 1/2 in x 5 1/4 in	Heavy Metal	1.45 lb
138-24737	4 1/2 in x 5 1/4 in	Carbon Fiber	1.86 lb
138-24738	4 1/2 in x 5 1/4 in	Arc Angel	1.86 lb
138-24739	4 1/2 in x 5 1/4 in	Ace of Spades	1.86 lb

W10 HSL 1 Passive Welding Helmets

Features:

- Narrow shell design is perfect for work in tight spaces
- Extended front increases throat protection against sparks, slag and other physical hazards
- Hard Hat adaptable using 187-S (15968)

Test & Approvals: Meets ANSi Z87.1, CSA compliant and CE Certified

Shade/ Contrast: 10

Color: Black

Material: Thermoplastic

Mounting: Fixed Front

Suspension: 370



SKU	Window Width x Length	Temp. Range	Wt.
138-14979	2 in x 4 1/2 in	350 °F	2 3/4 lb

JACKSON

SAFETY Brand

W10 HSL 100 Passive Welding Helmets**Features:**

- Made of durable, heat resistant material in the popular Shadow helmet design
- Narrow shell design is perfect for work in tight spaces
- Extended front increases throat protection against sparks, slag and other physical hazards
- Hard hat adaptable using 187-S (15968)
- ADF adaptable
- Narrow shell design is perfect for work in tight spaces

Test & Approvals: Meets ANSI Z87.1, CSA compliant and CE Certified

Shade/ Contrast: 10

Material: Thermoplastic



SKU	Window Width x Length	Color	Suspension	Wt.
138-14973*	4 1/2 in x 5 1/4 in	Black	370	1.8 lb
138-14975	4 1/2 in x 5 1/4 in	Black	370	1.96 lb
138-14976	4 1/2 in x 5 1/4 in	Blue	370	2.02 lb
138-14977	4 1/2 in x 5 1/4 in	Red	370	2 lb
138-14978†	4 1/2 in x 5 1/4 in	Black	370	0.9 lb
138-15134	4 1/2 in x 5 1/4 in	Black	370	1.3 lb

* Includes: 386 Cap Adapter

† Includes: 187-S Blades

W10 HSL 2 Passive Welding Helmets**Features:**

- Narrow shell design is perfect for work in tight spaces
- Extended front increases throat protection against sparks, slag and other physical hazards
- Hard hat adaptable using 187-S (15968)

Test & Approvals: Meets ANSI Z87.1, CSA compliant and CE Certified

Shade/ Contrast: 10

Material: Thermoplastic



Mounting: Cap Mounted; Lift Front

Temp. Range: 350 °F

SKU	Window Width x Length	Color	Wt.
138-14986*	2 in x 4 1/4 in	Black	1 3/4 lb

Mounting: Lift Front

Temp. Range: 350 °F

SKU	Window Width x Length	Color	Suspension	Wt.
138-14972†	2 in x 4 1/2 in	Black	370	2.21 lb
138-14982	2 in x 4 1/4 in	Black	370	1.97 lb
138-14983	2 in x 4 1/4 in	Blue	370	1.95 lb
138-14984	2 in x 4 1/4 in	Red	370	0.88 lb
138-15132	2 in x 4 1/4 in	Black	370	1.36 lb

* Includes: 187-S Blades

† Includes: 386 Cap Adapter

W20 H500 Fiberglass Handshields**Features:**

- For quick inspections, providing guidance and monitoring robotic welds
- Designed for high-heat applications
- Features fiberglass helmet with injection-molded plastic handle
- Must purchase a filter prior to use
- Designed for high-heat applications

Test & Approvals: Meets ANSI Z87.1 Standards

Color: Black

Material: Fiberglass

Mounting: Fixed Front

Suspension: Hand Held

Resistance: Heat



SKU	Window Width x Length	Wt.
138-14967	5 1/4 in x 4 1/4 in	1.7 lb

W30 Professional Fixed Shade 10 Auto-Darkening Helmets**Features:**

- Technology allows unit to detect welds less than 5 amps
- Fixed shade lens with two independent sensors
- Features sensitivity and delay settings
- Battery operated, solar assisted
- Built-in mag lens holder

Test & Approvals: Meets ANSI Z87.1 Standards

Brand: Shadow® EQC®

Shade/ Contrast: 10

Color: Black

Material: Thermoplastic

Mounting: Fixed Front

Suspension: 370



SKU	Window Width x Length	Temp. Range	Wt.
138-14993	3.85 in x 1.8 in	350 °F	2.53 lb

W40 Professional Variable Auto-Darkening Helmets**Features:**

- Features variable shade, sensitivity and delay adjustments
- Battery powered, solar assisted with two independent sensors
- Technology allows unit to detect welds less than 5 amps
- Requires 2 AAA batteries (included)
- Built-in mag lens holder

Test & Approvals: Meets

ANSI Z87.1 Standards

Window Width x Length: 3.86 in x 1.8 in

Material: Thermoplastic

Suspension: 370



SKU	Lens Coating/Shade	Color	Wt.
138-14988	9 - 12	Black	2.02 lb
138-20498	9 - 12	12	2 lb
138-20502	9 - 12	Heavy Metal	2 lb

JACKSON

W50 Executive 3-N-1 Variable Auto-Darkening Helmets

Features:

- Features variable shade, sensitivity and delay adjustments
- Solar assisted with two independent sensors
- Technology allows unit to detect welds less than 5 amps
- Versatile 3-N-1 built-in function: Weld, Torch, Grind
- Requires 2 AAA batteries (included)
- Low battery indicator
- Manual On/Auto Off

Test & Approvals: Meets ANSI Z87.1 and CSA Compliant

Brand: EQC®; Executive®

Shade/ Contrast: 9 - 12

Color: Black

Material: Thermoplastic

Mounting: Fixed Front

Suspension: 370



SKU	Window Width x Length	Wt.
138-14990	3.8 in x 2.37 in	2.03 lb

W50 Master 3-N-1 Variable Auto-Darkening Helmets

Features:

- Features variable, sensitivity and delay adjustment
- Solar assisted with two independent sensors
- Technology allows unit to detect welds less than 5 amps
- Versatile 3-N-1 built-in function: Weld, Torch, Grind
- Requires 2 AAA batteries (included)
- Low battery indicator
- Manual On/Auto Off
- Built-in mag lens holder
- Solar assisted with two independent sensors

Test & Approvals: Meets ANSI Z87.1 and CSA Compliant

Shade/ Contrast: 9 - 12

Color: Black

Material: Thermoplastic

Mounting: Fixed Front

Suspension: 370



SKU	Window Width x Length	Temp. Range	Wt.
138-14991	3.85 in x 1.8 in	350 °F	2.06 lb

W60 NEXGEN* Digital Auto-Darkening Helmets

Features:

- Digital controls features variable shade, sensitivity and delay adjustments
- Four independent sensors positioned to reduce possibility of blockage during weld
- Replaceable lithium batteries (included) with low battery indicator
- Versatile 3-N-1 built-in function: Weld, Torch, Grind
- Amber view lens allows for enhanced clarity of weld puddle
- Technology allows unit to detect welds less than 5 amps
- Built-in mag lens holder

Test & Approvals: Meets ANSI Z87.1 and CSA Compliant

Shade/ Contrast: 9 - 13

Window Width x Length: 3.8 in x 2.35 in

Battery Type: Lithium

Material: Thermoplastic

Suspension: 370



SKU	Color	Wt.
138-14989	Black	2 3/4 lb
138-15820	Black	2.04 lb
138-20497	I2	1.86 lb
138-20501	Metal Black	1.86 lb
138-24043	Arc Angel	2 lb
138-24044	Renegade	2 lb
138-24045	Ace of Spades	2 lb
138-24046	Carbon Fiber	2 lb

WH10 951P Passive Welding Helmets

Features:

- Lightweight, durable, washable thermoplastic shell
 - ADF adaptable (AV1005VXL only)
- Test & Approvals:** Meets ANSI Z87.1 and CSA Compliant
- Series:** WH10
- Shade/ Contrast:** Fixed Shade 10
- Color:** Black
- Style:** Passive
- Material:** Thermoplastic
- Suspension:** Ratchet



SKU	Lens Coating/Shade	Window Width x Length	Wt.
138-14535	Green	4 1/2 in x 5 1/4 in	2 lb

WH20 411P Fiber Shell Welding Helmets

Features:

- Features a lightweight vulcanized fiber shell for comfortable yet cool, heavy-duty welding
 - Made of 10% recycled fiber content
 - Not suited for damp environments or overhead welding
- Test & Approvals:** Meets ANSI Z87.1
- Shade/ Contrast:** Fixed Shade 10
- Color:** Black
- Style:** Passive
- Material:** Fiber Helmet
- Suspension:** Ratchet



SKU	Lens Coating/Shade	Window Width x Length	Wt.
138-14527	Green	2 in x 4 1/4 in	1.3 lb

JACKSON

WH30 ELEMENT* Welding Helmets

Features:

- Fixed shade 10 lens with two independent sensors
- Solar powered
- Features an economical lens

Test & Approvals: Meets ANSI Z87.1, CSA compliant and CE Certified

Shade/ Contrast: Fixed Shade 10

Size of Cartridge: 3.50 in x 4.33 in

Battery Type: Non-Replaceable Battery

Color: Silver

Lens Speed: 1/1100

Suspension: Ratchet

Power Source: Solar-Powered; Solar Cell



SKU	Lens Coating/Shade	Window Width x Length	Wt.
138-23286	Green	1.65 in x 3.78 in	1.85 lb

WH40 BALDER* Welding Helmets

Features:

- Internal Adjustable shade
- Internal adjust able sensitivity
- Aerodynamic shell designed for better fume deflection than the HSL-100
- Auto-On ADF is always ready to weld

Test & Approvals: Meets revised ANSI Z87.1

High Impact 2010 Standard

Shade/ Contrast: Variable Shade 9-13

Size of Cartridge: 4.33 in x 4.33 in

Battery Type: Non-Replaceable Battery

Style: BALDER*

Lens Speed: 1/6650

Suspension: Ratchet

Power Source: Solar Cell



SKU	Color	Wt.
138-37187	Torch Dancer	2 1/4 lb
138-37188	Black	2 1/4 lb

WH40 ELEMENT* Variable Auto-Darkening Welding Helmets

Features:

- Features an economical lens for the consumer welder
- Solar powered
- Features variable shade 9-13, sensitivity and delay adjustments
- Two independent sensors

Test & Approvals: Meets ANSI Z87.1 and CSA Compliant

Shade/ Contrast: Variable Shade 9-13

Size of Cartridge: 3 1/2 in x 4 in

Battery Type: Non-Replaceable Battery

Color: Silver

Style: Auto-Darkening Filter

Lens Speed: 1/1000

Material: Thermoplastic

Suspension: Ratchet

Power Source: Solar Cell



SKU	Lens Coating/Shade	Window Width x Length	Wt.
138-23282	Green	3 3/4 in x 1 3/4 in	1.3 lb

WH40 NITRO* Welding Helmets

Features:

- Offers welders outstanding features at an economical price point
- Features variable shade, sensitivity and delay adjustments
- Lightweight - only weighs 1 pound fully assembled
- Three independent sensors
- Variable shade 9-13, sensitivity and delay adjustments

Lens Coating/Shade: Green

Shade/ Contrast: Variable Shade 9-13

Battery Type: Non-Replaceable Battery

Lens Speed: 1/2750

Suspension: 370

Power Source: Solar-Powered; Solar Cell



Test & Approvals: CSA Compliant; Meets ANSI Z87.1 Standard and CSA Compliant

SKU	Size of Cartridge	Color
138-36633	90 x 110 mm	Black

Test & Approvals: Meets ANSI Z87.1 and CSA Compliant

SKU	Window Width x Length	Size of Cartridge	Color
138-21931	3.8 in x 1.6 in	4.33 in x 3.54 in	Blue

WH50 BOSS* Welding Helmets

Features:

- Features variable, sensitivity and delay adjustment
- Solar assisted with two independent sensors
- Versatile 3-N-1 built-in function: Weld, Torch, Grind
- Amber view lens allows for enhanced clarity of weld puddle
- Technology allows unit to detect welds less than 5 amps
- Built-in mag lens holder
- Low battery indicator
- Requires 2 AAA batteries (included)
- Auto On/Auto Off

Test & Approvals: Meets ANSI Z87.1 and CSA Compliant

Lens Coating/Shade: Amber

Shade/ Contrast: Variable Shade 9-12

Size of Cartridge: 4.50 in x 5.30 in

Batt. Size: AAA

Battery Type: Alkaline

Lens Speed: 1/25000

Material: Thermoplastic

Suspension: 370

Power Source: Solar Replaceable AAA Batteries



SKU	#	Window Width x Length	Color
138-20658	1	3.76 in x 3.47 in	Gunmetal; Gun Metal
138-20659	1	3.76 in x 3.47 in	Heavy Metal
138-21277	2	3.76 in x 3.47 in	I2
138-24040	1	3.76 in x 3.47 in	Carbon Fiber

JACKSON
SAFETY Brand**WH70 BALDER* Welding Helmets****Features:**

- Superior angle of view
- Enhanced visibility and color recognition
- Internally adjustable variable shade, adjustable sensitivity and opening time delays
- Curved front cover plate offers reduced heat build-up, reflections and fogging than the HSL-100
- Aerodynamic shell designed for better fume deflection than the HSL-100
- Smooth, rounded perimeter for increased comfort
- Quick and easy replacement of safety plate
- Auto-On ADF is always ready to weld

Test & Approvals: Meets revised ANSI Z87.1 High Impact 2010 Standard

Shade/ Contrast: Variable Shade 9-13

Battery Type: Non-Replaceable Battery

Color: Black/Yellow

Lens Speed: .15

Suspension: Ratchet

Power Source: Solar Cell



SKU	Lens Coating/Shade	Size of Cartridge	Wt.
138-37191	Blue	3.80 in x 2.70 in	2 1/4 lb



by Honeywell

Custom-fit Replacement Headgear**Features:**

- Deeply offset, pliable headband fits head contours comfortably
- Overhead band with multiple adjustments helps position the glassholder for the best view of the weld and a comfortable working position
- Exclusive "free-floating" arms balance and stabilize the helmet while minimizing pressure points
- Strip-proof ratchet head size adjustment provides small increment sizing



SKU	Style	Wt.
280-1CP	Neoprene Strap	0.27 lb
280-1CR	Ratchet	0.21 lb
280-3C	Ratchet	0.2 lb

HUNTSMAN
SAFETY Brand**Welding Helmet Headgear****Features:**

- Teeth are automatically disengaged during adjustment
- Air-cushioned cloth sweatband is washable and durable

Adjusting Method: Increment - 1/16 in

Style: 117A

Suspension: Ratchet

Used With: 900, 800 and 400 Series Welding Helmets



SKU	Wt.
138-14556	0.24 lb

JACKSON
SAFETY Brand**Welding Helmet Headgear****Features:**

- Teeth are automatically disengaged during adjustment
- Air-cushioned cloth sweatband is washable and durable

Suspension: Ratchet



SKU	Style	Used With
138-14956	170	H Series Welding Helmets
138-20696	370	HaloX Welding Helmets; HSL

3M**Speedglas™ 100 Series Parts and Accessories****Features:**

- Speedglas™ 100 Series Parts and Accessories offer welding safety protection.

Used With: 100 Series

Features:

- Speedglas™ 100 products are formulated to resist higher heat applications

SKU	#
711-04-0320-00	1

Features:

- Speedglas™ 100 products are formulated to resist higher heat applications

SKU	#
711-15-0299-99X06	2

Features:

- The Speedglas 100 standard outside protection plate is designed to protect the filter from spark and spatter

SKU	#	Height	Length	Width
711-07-0200-51	3	5 in	1 3/4 in	3 in

Speedglas™ 9100 Series Lens & Plate Parts and Accessories**Features:**

- Designed for the Professional Welder incorporating dark shade ranges 8-13, grinding and torch cutting modes, and advanced arc detection electronics
- For use with all arc welding processes

SKU	Shade/ Contrast	Window Width x Length
711-06-0000-30	Shade 5, 8-13	2.8 in x 4.2 in

Features:

- Welding Helmet Outside Protection Plate 9100

SKU
711-06-0200-51





Speedglas™ Welding Helmet Headbands and Mounting Hardware

Features:

- Replacement headgear, complete with mounting hardware
- For use with Speedglas™ Welding Helmets Utility and 9000 Series



SKU	Wt.
711-04-0650-00	0.26 lb

Speedglas™ Welding Helmet Inside Protection Plates

Features:

- Standard Outside Protection Plate
- Suitable for Utility and all 9000 or 9002 series Speedglas™ welding helmets



SKU	Type	Height	Width
711-04-0280-00	Inside Protection Plate	4 in	2 in
711-04-0290-00*	Outside Protection Plate	4 in	2 in

* Filters SL, 9002D, 9002V and 100 Series

Speedglas™ Welding Helmet Outside Protection Plates 9000

Features:

- Standard Outside Protection Plate
- Suitable for Utility and all 9000 or 9002 series Speedglas™ welding helmets



SKU
711-04-0270-01



Anchor Brand Filter Plates

Features:

- Anchor filter plates offer ultimate protection against ultraviolet and infrared rays present in the welding environment
- Precision ground and edged to allow a safe and proper fit
- Precisely shaded and optically correct

Test & Approvals: ANSI-Z87.1 2003; OSHA

Color: Green

Material: Hardened Glass



SKU	Length	Width	Shade/Contrast
101-FS-1H-10	4 1/4 in	2 in	10
101-FS-1H-11	4 1/4 in	2 in	11
101-FS-1H-12	4 1/4 in	2 in	12
101-FS-1H-9	4 1/4 in	2 in	9
101-FS-5H-10	5 1/4 in	4 1/4 in	10
101-FS-5H-11	5 1/4 in	4 1/4 in	11
101-FS-5H-12	5 1/4 in	4 1/4 in	12
101-FS-5H-9	5 1/4 in	4 1/4 in	9



Cover Lens

Features:

- Meets all applicable specifications and standards
- Resistant to abrasion, pitting, spatter, chemicals & solvents

Color: Clear

Material: 100% Polycarbonate

SKU	Length	Width	Thickness
101-A-427*	3 3/16 in	3 3/16 in	0.04 in



SKU	Style	Length	Width
Material: 100% CR-39 Plastic; Scratch and Static Resistant			
101-SP-2†		4 1/4 in	2 in
101-SP-45†		5 1/4 in	4 1/2 in
Material: 50% CR-39 Plastic; Scratch and Static Resistant			
101-SP-35†		5 1/4 in	4 1/2 in
Material: Polycarbonate			
101-PCC-24		4 1/4 in	2 in
Material: 70% CR-39 Plastic; Scratch and Static Resistant			
101-SP-1†		4 1/4 in	2 in
Material: 100% Polycarbonate			
101-A-427-N/L		6 1/2 in	1/2 in
101-A-428*		2 1/8 in	4 1/16 in
101-UV2739J*	Jackson	4 in	4.52 in
101-UV326M*	Miller	5 5/8 in	4 11/16 in
101-UV327M*	Miller	2 1/2 in	4 1/4 in

* Test & Approvals: ANSI-Z87.1 2003; OSHA

† Test & Approvals: OSHA

Glass Filter Plates

Features:

- Filter plates reflect harmful infrared rays while staying cooler than a conventional green filter plate

Test & Approvals: ANSI-Z87.1 2003; OSHA

Color: Gold

Material: Hardened Glass

Shade/ Contrast: 10



SKU	Length	Width
101-FS-2H-10	4 1/4 in	2 in

Gold Coated Polycarbonate Filter Plates

Features:

- Exceeds both Federal and ANSI specifications
- The gold coating reflects harmful infrared while staying cooler than glass
- About one third the weight of a glass plate while filtering out some of the same harmful rays

Test & Approvals: ANSI-Z87.1 2003

OSHA

Color: Gold

Material: Polycarbonate

Shade/ Contrast: 10



SKU	Length	Width
101-GCP-4-10	5 1/4 in	4 1/2 in

SAFETY & SECURITY



Magnifier Lens

Features:

- Magnifiers offer optically balanced magnification in 1/4 increments

Color: Clear

Length: 4 1/4 in

Width: 2 in



SKU	Diopter Strength	Material
101-MP-1-1.75	1.75	Ground Glass
101-MP-1-2.00	2	Ground Glass
101-MP-1-2.50	2.5	Ground Glass
101-MP-1-3.00	3	Ground Glass
101-MP-2-2.50	2.5	Polycarbonate

Magnifiers

Features:

- Magnifiers offer optically balanced magnification in .25 increments

Color: Clear



SKU	Diopter Strength	Material
101-MP-1-1.25	1.25	Ground Glass
101-MP-1-1.50	1.5	Ground Glass
101-MP-2-1.25	1.25	Polycarbonate
101-MP-2-1.50	1.5	Polycarbonate
101-MP-2-1.75	1.75	Polycarbonate
101-MP-2-2.00	2	Polycarbonate

Polycarbonate Filter Plates

Features:

- Exceeds both Federal and ANSI specifications
- The gold coating reflects harmful infrared while staying cooler than glass
- About one third the weight of a glass plate while filtering out some of the same harmful rays
- Gold coating reflects harmful infrared while staying cooler than glass

Test & Approvals: ANSI-Z87.1 2003 OSHA

Color: Gold

Material: Polycarbonate

Shade/ Contrast: 10



SKU	Length	Width
101-GCP-2-10	4 1/4 in	2 in

Safety Plates

Features:

- Impact resistant
- Optically correct
- Distortion free
- Impact resistant

Test & Approvals: ANSI-Z87.1 2003; OSHA

Color: Clear

Material: Polycarbonate



SKU	Length	Width
101-PC-24	4 1/4 in	2 in
101-PC-45	5 1/4 in	4 1/2 in

DYNAFLUX, INC.

TUFCOTE™ Polycarbonate Hard Coated Lens

Features:

- Hard coating provides superior scratch resistance
- High quality shatter resistant polycarbonate
- Superior, durable lens provides high quality protection

Abrasive Material: Polycarbonate

Color: Clear

Lens Coating/Shade: Hard Coating

Lens Material: Polycarbonate

Resistance: Scratch

Thickness: 0.06 in

Used With: Welding Helmet



SKU	Window Width x Length
368-UVT02	4 1/2 in x 5 1/4 in




by Honeywell

High Performance® Auto Darkening Filter Cassettes

Features:

- Solar powered - no batteries to change
- Fast, reliable switching speed
- Constant UV/IR protection
- Fits most brands of 2 x 4 helmets



SKU	Lens Coating/Shade
280-FMBM10	3 - 10

HUNTSMAN®

W30 Solera Fixed Shade 11 Auto-Darkening Filters

Features:

- Features an economical lens for the consumer welder
- Solar powered
- Fixed shade lens with one centered sensor
- Solar powered

Test & Approvals: Meets ANSI Z87.1 Standards

Lens Coating/Shade: 11



SKU	Window Width x Length
138-16376	2 in x 4 1/4 in

HUNTSMAN®

W40 AutoView 1105VXL Variable Auto-Darkening Filters

Features:

- Features variable shade, sensitivity and delay adjustments
- Four independent sensors with low voltage indicator lamp
- Technology allows unit to detect welds less than 5 amps
- Requires 2 AAA batteries (included)

Test & Approvals: Meets ANSI Z87.1 Standards

Lens Coating/Shade: 9 - 12

Usage: Spark & Light



SKU	Window Width x Length
138-16378	2.4 in x 3.8 in

JACKSON®

EQC® Auto-Darkening Cartridges

Features:

- Cartridge for Journeyman® EQC® HTLS

Lens Coating/Shade: 9 - 12 Fixed



SKU	Window Width x Length
138-16626	1.2 in x 3 3/4 in

Lens Kits

Material: Polycarbonate

Features:

- Contains five front (external) protection plates and two rear (internal) safety plates
- Constructed of scratch-resistant polycarbonate
- Fits Jackson Safety® W40 Element® Variable ADF welding helmet



SKU	For Model
138-29127	WH40 ELEMENT® Variable Auto-Darkening Filter

Features:

- Battery operated, solar assisted
 - Built-in mag lens holder
 - Features sensitivity and delay settings
 - Fixed shade 10 lens with two independent sensors
 - Technology allows unit to detect welds less than 5 amps
- Includes:** (2) Internal Safety Plates; (5) Front Safety Plates

SKU	Color	For Model	Window Width x Length
138-22603	Clear	Nitro	5 in x 2 in

Features:

- Features NexGen technology
- Includes:** (2) Internal Safety Plates; (5) Front Safety Plates

SKU	Color	For Model	Window Width x Length
138-22606	Clear	NexGen	5 in x 2 in

TrueSight* Lens & Cartridges

Features:

- Amber band pass for enhanced clarity of weld puddle
- Built-in magnification lens
- Four independent sensors positioned to reduce possibility of blockage during weld
- Large, separate buttons with LED indicator for Weld, Torch and Grind modes
- Low battery indicator
- Meets ANSI Z87.1-2010 and CSA Z94.3 compliant
- No retainer for easy helmet installation and removal



SKU	Lens Coating/Shade	Lens Tint	Material	Window Width x Length
HLX 100				
138-30319	9 - 13			5 1/4 in x 4 1/2 in
TRUESIGHT* ADF				
138-30320		Clear	Polycarbonate	
138-30321		Clear	Polycarbonate	

W40 Professional Variable Auto-Darkening Filters

Features:

- Features variable shade, sensitivity and delay adjustments
 - Battery powered, solar assisted with two independent sensors
 - Technology allows unit to detect welds less than 5 amps
 - Requires 2 AAA batteries (included)
 - Built-in mag lens holder
- Test & Approvals:** Meets ANSI Z87.1 and CSA Compliant



Brand: EQC®; Professional®

Lens Coating/Shade: 9 - 12

SKU	Window Width x Length
138-16624	3.86 in x 1.8 in

W50 BOSS* 3-N-1 Variable Auto-Darkening Filters

Features:

- Features variable shade, sensitivity and delay adjustments
 - Solar assisted with two independent sensors
 - Versatile 3-N-1 built-in function: Weld, Torch, Grind
 - Amber view lens allows for enhanced clarity of weld puddle
 - Technology allows unit to detect welds less than 5 amps
 - Requires 2 AAA batteries (included)
 - Low battery indicator
 - Auto On/Auto Off
 - Built-in mag lens holder
- Test & Approvals:** Meets ANSI Z87.1 and CSA Compliant
- Shade/ Contrast:** 9 - 12



SKU	Wt.
138-20657	1 lb

JACKSON™

W50 Executive 3-N-1 Variable Auto-Darkening Filters

Features:

- Features variable shade, sensitivity and delay adjustments
- Solar assisted with two independent sensors
- Technology allows unit to detect welds less than 5 amps

SKU	Lens Tint	Material
138-16047	Clear	Polycarbonate

Features:

- Versatile 3-N-1 built-in function: Weld, Torch, Grind
- Requires 2 AAA batteries (included)
- Low battery indicator
- Manual On/Auto Off

Test & Approvals: Meets ANSI Z87.1 Standards

SKU	Lens Coating/Shade	Window Width x Length
138-16629	9 - 12	3.8 in x 2.37 in



W50 Master 3-N-1 Variable Auto-Darkening Filters

Features:

- Features variable shade, sensitivity and delay adjustments
- Solar assisted with two independent sensors
- Technology allows unit to detect welds less than 5 amps
- Versatile 3-N-1 built-in function: Weld, Torch, Grind
- Requires 2 AAA batteries (included)
- Low battery indicator
- Manual On/Auto Off

Test & Approvals: Meets ANSI Z87.1 Standards

Lens Coating/Shade: 9 - 12

SKU	Height	Width	Window Width x Length
138-16628	2 3/4 in	6 1/2 in	3.85 in x 1.8 in



W60 NEXGEN* Digital Auto-Darkening Filters

Features:

- Digital controls features variable shade, sensitivity and delay adjustments
- Four independent sensors positioned to reduce possibility of blockage during weld
- Versatile 3-N-1 built-in function: Weld, Torch, Grind
- Amber view lens allows for enhanced clarity of weld puddle
- Built-in mag lens holder

SKU	Lens Tint	Material	Used With
138-15984			NEXGEN* ADF
138-30590	Clear	Polycarbonate	NEXGEN* ADF

Test & Approvals: Meets ANSI Z87.1 and CSA Compliant

SKU	Lens Coating/Shade	Window Width x Length
138-16622	9 - 13	3.8 in x 2.35 in

- Replaceable lithium batteries (included) with low battery indicator
- Technology allows unit to detect welds less than 5 amps



3M

Electronic Lens and Adapters

Features:

- Switching time is less than 40 microseconds
- Auto shutoff is after 20 minutes without switching

Batt. Life: Average 500 hours for 2 AAA Alkaline

Resistance: IR/UV

Shade/ Contrast: Light State Shade 3; Variable 8.2-12.5

Usage: General Protection

Used With: L-Series Welding Headgear; L Series Welding Helmets; Two AAA Alkaline Batteries



SKU	Temp. Range	Window Width x Length
142-L-156	23 °F - 131 °F	2.4 in x 3.8 in

3M Speedglas™ Replacement Parts

Features:

- Speedglas™ Welding Helmet Auto-Darkening Filter 9002X

SKU
711-04-0000-21

Features:

- The comfort mode may help reduce eye fatigue resulting from the eye constantly needing to adjust to differing light levels during tack welding
- The delay function allows the user to set the dark-to-light switching time
- Sensitivity of arc detection can be adjusted to provide reliable switching for a wide range of arc welding processes, amperages and situations And you now can 'lock-in' any shade: the light shade for grinding or other non-welding activities, or one of the dark shades—to have it function as a passive welding filter



SKU	Material	Series
711-04-0260-00	Clear Polycarbonate	9000 Series



by Honeywell

Fibre-Metal Welding Helmet Parts & Accessories

Features:

- Injection molded fiberglass cap built for strength, toughness and durability
- Provides exceptional impact and crack resistance
- Designed for high performance at extremely elevated temperatures up to 500°

Material: Injection-Molded Fiberglass

Suspension: Ratchet

Temp. Range: 500 °F




SKU	Color
280-P2HNQRW01A000	White
280-P2HNQRW11A000	Black
280-P2HNQRW71A000	Blue
280-P2HNRW01A000	White
280-P2HNRW71A000	Blue

Quik-Lok Welding Helmet Parts & Accessories

Features:

- QUICK-LOK Kit, Helmet

SKU
280-FM4001



HSL 100 Welding Helmet Parts


Features:

- Retainer lens clip adds another layer of safety between you and the task at hand
- Holds lens assembly firmly in place
- Easy-to-replace components

Color: Clear

Material: Polycarbonate

SKU
138-15977



Safety Plates For W3 Element Adf

Features:

- Clear Safety Plate covering W30 Element ADF
- Used With:** W30 Element ADF lens plate cover


SKU
138-23440



Welding Helmet Parts & Accessories

Features:

- Features variable shade, sensitivity and delay adjustments
- Solar assisted with two independent sensors
- Technology allows unit to detect welds less than 5 amps




SKU	Length	Width	Lens Tint	Material	Used With
138-16078	5 1/4 in	4 1/2 in	Clear	Polycarbonate	
138-16642	5 1/4 in	4 1/2 in		Polycarbonate	HSL 100

WH10-HSL 100 Parts Kits

Features:

- WH10-HSL 100 Parts Kit
- For Model:** HSL100
- Used With:** HSL 100 Jackson Safety Welding Helmets- parts kit

SKU
138-24550



The Safety Company

Friction Joints for Slotted Caps

Features:

- Friction joint
- Used With:** Slotted caps with welding shields

SKU
454-456667



Skullgard® Swing Ratchet Replacement Suspensions

Features:

- Swing-Ratchet Suspension
- Used With:** Skullgard Cap

SKU	Size Group
454-816654	Standard





Chill-Its® 6200 Phase Change Cooling Vests

Features:

- Cooling lifecycle lasts up to four hours
- Flame-resistant Banox FR3 fabric lasts up to 50 washings
- Maintains constant 58°F/14°C
- Non-toxic, non carcinogenic, dielectric substance

Test & Approvals: Exceeds FTMS 191-5903

Color: Orange

Closure Type: Hook & Loop

Material: Cotton



SKU	Size Group
150-12115	L/XL

Chill-Its® 6602 Evaporative Cooling Towels

Features:

- Advanced PVA material holds water without feeling heavy
- Machine washable
- Simply re-wet the towel to reactivate
- Super-evaporative, feels significantly cooler than ambient air
- Wear for hours, or wipe off for quick relief

Material: PVA

Color: Blue



SKU	Depth	Height
150-12420	29 1/2 in	2.327 in; 13 in

OccuNomix
International LLC

MiraCool® Bandanas

Features:

- Stays hydrated for several days
- Works without freezing or ice
- Increases alertness and productivity
- Reusable
- Other colors available

Color: Navy

Closure Type: Tie



SKU	Width
561-940-018	2 in



Headgear Sweatbands

Features:

- Individually packaged
- Snaps on any headgear
- Absorbent air cushioned layer lined with 100% fleece cotton

Brand: SWEATSOpad™

Material: FR Fleece Cotton



SKU	Used With	Closure Type
101-SB310V	Non-Suspension Headgear	Hook & Loop
101-SB320V	Suspension Headgear	Hook & Loop
101-SB340	Suspension Headgear	


SB-700 Sweatbands

Features:

- Individually packaged
- Snaps on any headgear
- Absorbent air cushioned layer lined with 100% fleece cotton

Material: Cowhide

Used With: Headgear



SKU
101-SB700

Wool Sweatbands

Features:

- Individually packaged
- Snaps on any headgear
- Absorbent air cushioned layer lined with 100% fleece cotton

Material: Sheep's Wool

Used With: Headgear



SKU
101-SB888



by Honeywell

Comfort Enhancing Sweatbands

Features:

- Welding helmet sweat bands available in terry cloth (FM-44T), shearing wool (FM-66), soft-grain leather (FM-67), or soft, absorbent cotton (FM-68)
- Circulating air evaporates sweatband moisture for cooling effect



SKU	Material	Closure Type
280-FM67	Soft Grain Leather	Snaps
280-FM68	Cotton	



by Honeywell

Cotton Jersey Sweatbands

Features:

- Sweatbands can easily be removed, cleaned, and replaced

Material: Soft Cotton Jersey

Used With: Hard Hats; Full Brim Hats

SKU
280-FM69



Cloth Sweatbands

Features:

- Great for absorbing moisture and keeping your head dry

Material: Terry Cloth

Suspension: 391 Terry Cloth Sweatband

SKU
138-14958



The Safety Company

Custom Terri-Band Sweatbands

Features:

- Washable

Used With: All MSA Helmets

Closure Type: Plastic Snaps

SKU
454-696688



by Honeywell

Sweat Bands

Features:

- Velcro closure, allowing a universal fit
- Washable

Material: Terry Cloth

Closure Type: Velcro

SKU
068-SB470



Disposable Sweatbands

Features:

- Cooling, absorbent, dry sponge sweatbands provide cooling relief

Material: Cellulose

Strap Type: Rubber Band

SKU	Quantity
561-SBR100	100 per pack



GATORADE



Gatorade G2 Powder

Flavor: Variety pack; Grape & Fruit Punch

Package Yield: 2 1/2 gal

SKU	Capacity Vol.
308-13478	21 oz



Gatorade® 20 Oz. Wide Mouth

SKU	Flavor	Capacity Vol.	Quantity
308-20781	Fruit Punch; Lemon-Lime; Orange	20 oz	24 per case
308-20802	Strawberry Kiwi; Rain Berry; Lime	20 oz	24 per case
308-32481	Cool Blue	20 oz	24 per case
308-32482	Fierce® Grape	20 oz	24 per case
308-32486	Glacier Freeze®	20 oz	24 per case
308-32488	Riptide Rush™	20 oz	24 per case
308-32866	Fruit Punch	20 oz	24 per case
308-32867	Orange	20 oz	24 per case
308-32868	Lemon-Lime	20 oz	24 per case



Gatorade® Cans

SKU	Flavor	Capacity Vol.	Quantity
308-00901	Lemon-Lime	11.6 oz	24 per case
308-00902	Orange	11.6 oz	24 per case
308-30903	Fruit Punch	11.6 oz	24 per case



Gatorade® G2® 20 Oz. Wide Mouth

Features:

- Our lightest way to help replace what you sweat out
- G2 hydrates with the same electrolyte formula of Gatorade Thirst Quencher, but has less than half the carbs and calories of the Original G

SKU	Flavor	Capacity Vol.	Quantity
308-20405	Fruit Punch	20 oz	24 per case
308-20406	Grape	20 oz	24 per case
308-20407	Orange	20 oz	24 per case
308-20964	Lemon-Lime	20 oz	24 per case





Gatorade® G2® Powder Packets

Features:

- Portable package provides expanded usage and availability

Package Yield: 20 oz

SKU	Flavor	Capacity Vol.
308-13160	Glacier Freeze®	0.52 oz
308-13167	Grape	0.52 oz
308-13168	Fruit Punch	0.52 oz

Gatorade® Instant Powder



SKU	Flavor	Capacity Vol.	Quantity
Package Yield: 1 qt			
308-03928	Lemon-Lime	2.12 oz	144 per case
308-33675	Riptide Rush™	2.12 oz	144 per case
308-33808	Fruit Punch	2.12 oz	144 per case
Package Yield: 1 gal			
308-03808	Fruit Punch	8 1/2 oz	40 per case
308-03956	Lemon-Lime	8 1/2 oz	40 per case
308-03957	Orange	8 1/2 oz	40 per case
308-33665	Riptide Rush™	8 1/2 oz	40 per case
Package Yield: 2 1/2 gal			
308-03944	Fruit Punch; Lemon-Lime; Orange; Riptide Rush™; Variety pack	21 oz	32 per case
308-03969	Lemon-Lime	21 oz	32 per case
308-03970	Orange	21 oz	32 per case
308-33673	Riptide Rush™	21 oz	32 per case
308-33677	Glacier Freeze®	21 oz	32 per case
308-33691	Fruit Punch	21 oz	32 per case
Package Yield: 6 gal			
308-03967	Lemon-Lime	51 oz	14 per case
308-03968	Orange	51 oz	14 per case
308-33672	Riptide Rush™	51 oz	14 per case
308-33676	Glacier Freeze®	51 oz	14 per case
308-33690	Fruit Punch	51 oz	14 per case

Gatorade® Liquid Concentrates

Package Yield: 6 gal

Capacity Vol.: 1 gal

SKU	Flavor	Quantity
308-03955	Orange	4 per case
308-03984	Lemon-Lime	4 per case
308-33305	Fierce® Grape	4 per case
308-33977	Fruit Punch	4 per case



Gatorade® Powder Packets

Features:

- Portable package provides expanded usage and availability

Package Yield: 20 oz



SKU	#	Flavor	Capacity Vol.
308-13163	1	Lemon-Lime	1.34 oz
308-13165	2	Orange	1.34 oz
308-13166	3	Fruit Punch	1.34 oz



Quik Stik Sugar Free

Features:

- Great tasting drinks don't need sugar
- Squwincher Quik Stik lets you take all the electrolytes you need wherever you go
- Just add a Stik to a bottle of water and you'll have a perfectly balanced drink

Package Yield: 20 oz

SKU
690-060106-LL



Fast Packs

Capacity Vol.: 6 oz

Package Yield: 6 oz

Features:

- Portable, lightweight
- Tastes great and keeps you hydrated



SKU	Flavor	Quantity
690-015300-MB	Mixed Berry	200 per case
690-015309-TC	Tropical Cooler	200 per case
690-015301-CH	Cherry	200 per case
690-015302-GR	Grape	200 per case
690-015303-LA	Lemonade	200 per case
690-015304-OR	Orange	200 per case
690-015305-FP	Fruit Punch	200 per case
690-015308-LL	Lemon-Lime	200 per case



Liquid Concentrate

Capacity Vol.: 64 oz
Package Yield: 5 gal

Features:

- Liquid concentrate can be pre-mixed to keep large crews hydrated in harsh conditions
- Jugs of liquid concentrate can be set by a water fountain or cooler at sports events or work sites, allowing people to mix their own cups
- No stirring required
- Available in all the great tasting Squwincher flavors



SKU	Flavor	Quantity
690-030320-MB	Mixed Berry	6 per case
690-030321-CH	Cherry	6 per case
690-030323-LA	Lemonade	6 per case
690-030328-LL	Lemon-Lime	6 per case
690-030329-TC	Tropical Cooler	6 per case
690-030322-GR	Grape	6 per case
690-030324-OR	Orange	6 per case
690-030325-FP	Fruit Punch	6 per case

Powder Packs

Features:

- Portable, lightweight
- Tastes great and keeps you hydrated



Capacity Vol.: 47.66 oz
Package Yield: 5 gal

SKU	Flavor	Quantity
690-016400-MB	Mixed Berry	16 per case
690-016401-CH	Cherry	16 per case
690-016403-LA	Lemonade	16 per case
690-016409-TC	Tropical Cooler	16 per case
690-016404-OR	Orange	16 per case
690-016405-FP	Fruit Punch	16 per case
690-016406-GR	Grape	16 per case
690-016408-LL	Lemon-Lime	16 per case

Capacity Vol.: 23.83 oz
Package Yield: 2 1/2 gal

SKU	Flavor	Quantity
690-016040-LA	Lemonade	32 per case
690-016046-GR	Grape	32 per case
690-016048-MB	Mixed Berry	32 per case
690-016800-LL	Lemon-Lime; Sugar Free	24 per case
690-016041-OR	Orange	32 per case
690-016042-FP	Fruit Punch	32 per case
690-016043-LL	Lemon-Lime	32 per case
690-016044-AS	Assorted Pack	32 per case

Squeeze Freezer Pops

Features:

- The great taste and performance of Squwincher, available in a tasty frozen treat
 - Now there's a better way to reduce core body temperature
 - Squwincher's scientifically developed formulation is absorbed into body significantly faster than water, allowing the body to replenish the electrolytes and minerals needed for proper hydration
 - All the benefits of a Squwincher drink in a handy freezer pop
 - Cools down the body temperature while replenishing electrolytes and minerals needed for proper rehydration
- Flavor:** Assorted Pack; Cherry; Grape; Lemon-Lime; Orange; Mixed Berry



SKU	Capacity Vol.	Package Yield	Quantity
690-159200201	3 oz	3 oz	150 per case

Squwincher Lite Liquid Concentrate

Features:

- Perfect solution for diabetics or diet conscious
- Zero Carbs & Zero Calories

Flavor: Fruit Punch

Package Yield: 5 gal

SKU	Capacity Vol.	Quantity
690-050102-FP	64 oz	6 per case



Sugar-Free Qwik Stik



Features:

- Great tasting drinks don't need sugar
- Squwincher Quik Stik lets you take all the electrolytes you need wherever you go
- Just add a Stik to a bottle of water and you'll have a perfectly balanced drink

SKU	#	Flavor	Package Yield
690-060099-SL	1	Strawberry Lemonade	20 oz
690-060106-LL	2	Lemon-Lime	20 oz
690-060109-CC	1	Cool Citrus	20 oz
690-060100-OR	2	Orange	20 oz
690-060101-MB	2	Mixed Berry	20 oz
690-060102-FP	2	Fruit Punch	20 oz
690-060103-LA	2	Lemonade	20 oz
690-060104-PT	2	Peach Tea	20 oz
690-060105-RB	2	Raspberry	20 oz
690-060107-GR	2	Grape	20 oz
690-060200-OR	3	Orange	10 oz
690-060201-MB	2	Mixed Berry	10 oz
690-060202-FP	2	Fruit Punch	10 oz
690-060204-GR	3	Grape	10 oz



N100 Particulate Respirators

Features:

- 3M™ Cool Flow™ Exhalation Valve is a one-way valve offering easy exhalation for cool, dry comfort
- Face seal is comfortable to wear and contours easily to help provide a good seal
- Adjustable noseclip provides a custom fit, secure seal, and reduces the potential for eyewear fogging
- Lightweight construction contributes to increased wear time
- Easily fits under faceshields
- Buckle adjustable straps provide a comfortable, secure fit with a single tug

Test & Approvals: Recommended for substance specific particle exposures up to 10x OSHA PEL for lead, cadmium, arsenic, and others; Meets NIOSH 42 CFR 84 N100 requirements.

TC-84A-1298

Filtration Grade: N100

Protected Area: Half Facepiece

Resistance: Non-Oil Particulates

Suspension: Adjustable Strap

Usage: Arsenic; Cadmium; Lead; Welding; MDA - Methylenedianiline; Pharmaceutical mfg.

SKU	Wt.
142-8233	0.35 lb



N95 Particulate Respirators

Features:

- Adjustable noseclip provides a custom fit, secure seal, and reduces the potential for eyewear fogging

Filtration Grade: N95

Protected Area: Half Facepiece

Resistance: Non-Oil Particulates

Usage: Aluminum Smelting; Brewing Operations; Chemical Processing; Glass Etching; Paper Processing

Test & Approvals: Meets NIOSH 42 CFR 84 N95 requirements. TC-84A-0454

Features:

- 3M™ Cool Flow™ Exhalation Valve is a one-way valve offering easy exhalation for cool, dry comfort
- Lightweight construction contributes to increased wear time
- Braided straps provide comfort and durability
- Ideally suited for work settings that involve heat, humidity, or long periods of wear

Usage: Brazing; Metal Pouring; Soldering; Torch Cutting; Welding

SKU	Suspension	Quantity
142-8512	Adjustable Strap	10 per box
142-8212	Fixed Strap	10 per box
142-8210PLUS	Fixed Strap	20 per box

Usage: Brazing; Soldering; Torch Cutting; Welding

Test & Approvals: Meets NIOSH 42 CFR 84 N95 requirements. TC-84A-1299

SKU	Suspension	Quantity
142-8515	Fixed Strap	10 per box



Usage: Bagging; Dusty Operations; Grinding; Sanding; Sweeping; Woodworking

Test & Approvals: Meets NIOSH 42 CFR 84 N95 requirements. TC-84A-0007

SKU	Suspension	Quantity
142-8210	Fixed Strap	20 per box

Usage: Brazing; Metal Pouring; Soldering; Torch Cutting; Welding; Stainless; Galvanized; Aluminum

SKU	Suspension	Includes	Quantity
142-8214	Adjustable Strap	Foam Face Seal	10 per box
142-8514	Adjustable Strap	Nose Foam	10 per box

Usage: Grinding; Machining; Sanding; Sweeping

Test & Approvals: Meets NIOSH 42 CFR 84 N95 requirements. TC-84A-1299

SKU	Suspension	Quantity
142-8511	Fixed Strap	10 per box

Test & Approvals: Meets NIOSH 42 CFR 84 N95 requirements. TC-84A-4271

SKU	Suspension	Quantity
142-8200	Fixed Strap	20 per box

Test & Approvals: Meets NIOSH 42 CFR 84 N95 requirements. TC-84A-2669

SKU	Suspension	Quantity
142-9210	Fixed Strap	20 per box

Usage: Bagging; Dusty Operations; Grinding; Sanding; Sweeping

Test & Approvals: Meets NIOSH 42 CFR 84 N95 requirements. TC-84A-1299

SKU	Suspension	Quantity
142-8211	Fixed Strap	10 per box

Usage: Bagging; Dusty Operations; Grinding; Sanding; Sweeping

Test & Approvals: Meets NIOSH 42 CFR 84 N95 requirements. TC-84A-2668

SKU	Suspension	Quantity
142-9211	Fixed Strap	10 per box

Features:

- Designed for people with small faces
- Studies have shown filtering facepiece particulate respirators can provide protection equivalent to a rubber facepiece respirator at lower cost and greater convenience
- Lightweight construction contributes to increased wear time
- Advanced Electret Media (AEM)

Usage: Grinding; Sanding; Sweeping

Test & Approvals: Meets NIOSH 42 CFR 84 N95 requirements. TC-84A-0007

SKU	Size Group	Suspension	Quantity
142-8110S	Small	Fixed Strap	20 per box

Features:

- Recommended for aluminum industry and nuisance level acid gas relief

• 3M™ Cool Flow™ Exhalation Valve is a one-way valve offering easy exhalation for cool, dry comfort

• Cake-resistant filter media

• Lightweight construction promotes greater worker comfort

• Flame resistant outer shell

SKU	Suspension	Quantity
142-8516	Adjustable Strap	10 per box

3M

P100 Particulate Cartridges

Features:

- Recommended for substance specific particle exposures up to 10x OSHA PEL for lead, cadmium, arsenic, and others
- 3M™ Cool Flow™ Exhalation Valve is a one-way valve offering easy exhalation for cool, dry comfort
- Faceseal is comfortable to wear and contours easily to help provide a good seal
- Adjustable noseclip provides a custom fit, secure seal, and reduces the potential for eyewear fogging
- Lightweight construction contributes to increased wear time
- Buckle adjustable straps provide a comfortable, secure fit with a single tug

Test & Approvals: Meets NIOSH 42 CFR 84 P100 requirements. TC-84A-2561

Filtration Grade: P100

Protected Area: Half Facepiece

Suspension: Adjustable Strap

Usage: Arsenic; Cadmium; Lead; Welding; MDA - Methyleneedianiline; Pharmaceutical mfg.

SKU	Resistance
142-8293	Non-Oil Particulates



P95 Particulate Respirators

Features:

- 3M™ Cool Flow™ Exhalation Valve is a one-way valve offering easy exhalation for cool, dry comfort
- Lightweight construction contributes to increased wear time
- Braided straps provide comfort and durability
- Recommended for nuisance level acid gas relief
- Faceseal is comfortable to wear and contours easily to help provide a good seal

Test & Approvals: Meets NIOSH 42 CFR 84 P95 requirements. TC-84A-1166

Filtration Grade: P95

Protected Area: Half Facepiece

Suspension: Fixed Strap

Usage: Aluminum Smelting; Brewing Operations; Chemical Processing; Glass Etching; Paper Processing

SKU	Resistance	Quantity
142-8576	Oil Proof	10 per box

Usage: Bagging; Dusty/Oily Operations; Grinding; Machining; Sanding; Sweeping

SKU	Resistance	Quantity
142-8271	Oil Proof	10 per box

Usage: Aluminum Smelting; Brewing Operations; Chemical Processing; Glass Etching; Paper Processing

SKU	Resistance	Quantity
142-8577	Oil Proof	10 per box



R95 Particulate Respirators

Features:

- Recommended for nuisance level organic vapor relief
- Lightweight construction promotes greater worker comfort and contributes to increased wear time
- Soft nose foam reduces eyewear fogging
- Braided straps provide comfort and durability
- Adjustable noseclip provides a custom fit, secure seal, and reduces the potential for eyewear fogging

Test & Approvals: Meets NIOSH 42 CFR 84 R95 requirements. TC-84A-1350

Filtration Grade: R95

Protected Area: Half Facepiece

Resistance: Oil Particulates

Suspension: Fixed Strap

Usage: Aluminum Smelting; Brewing Operations; Chemical Processing; Glass Etching; Paper Processing

SKU	Quantity
142-8240	20 per box

Usage: Bagging; Dusty/Oily Operations; Grinding; Machining; Sanding; Sweeping

SKU	Quantity	Description
142-8246	20 per box	Acid Gas Relief
142-8247	20 per box	Organic Vapor Relief



Gerson® N95 Particulate Respirators

Features:

- Durable, latex-free ultrasonically welded headstraps to withstand tough use
- Adjustable contoured aluminum nosepiece and a soft open cell foam nose cushion helps ensure proper fit and increased worker comfort

Filtration Grade: N95

Resistance: Non-Oil Particulates

SKU	Quantity
316-1730	20 per box

Features:

- New LPD (low pressure drop) exhalation valve for easy breathing and increased worker comfort

SKU
316-1740

Gerson® Nuisance Dust Masks

Features:

- To reduce the irritating effects from non-toxic particles such as pollen, common household dust and cut grass
- Adjustable nosepiece

SKU	Quantity
316-1501	50 per box



JACKSON

SAFETY Brand

R10 Particulate Respirators**Features:**

- Comfortable soft nose foam pad
- Highly visible, color-coded, woven head straps
- Ultrasonically bonded head straps
- With valve

Test & Approvals: NIOSH approved**Filtration Grade:** N95**Color:** White**Color Code:** Blue

SKU	Quantity
138-64240	10 per pack

**MOLDEX**


Ideas that wear well!

1500 Series N95 Healthcare Particulate Respirator and Surgical Mask**Features:**

- Contoured shape and soft foam nose cushion for extra comfort
- Highest ASTM level of fluid resistance on the market (160mm Hg)
- Meets CDC guidelines for TB exposure control standards
- The Dura-Mesh® shell, exclusive to Moldex, prevents filter media contact by contaminated gloves or hands

Test & Approvals: NIOSH approved**Filtration Grade:** N95**Resistance:** Non-Oil Based Particulates**Suspension:** 2-Strap

SKU	Size Group	Quantity
507-1510	Extra Small	20 per box
507-1511	Small	20 per box

**2200 Series N95 Particulate Respirators****Features:**

- Dura-Mesh® shell resists collapsing in heat and humidity

Test & Approvals: NIOSH approved**Filtration Grade:** N95**Resistance:** Non-Oil Based Particulates**Suspension:** 2-Strap**Quantity:** 20 per box

SKU	Size Group
507-2200N95	Medium/Large

**2300 Series N95 Particulate Respirators****Features:**

- Dura-Mesh® shell resists collapsing in heat and humidity
- Exhalation valve

Test & Approvals: NIOSH approved**Filtration Grade:** N95**Resistance:** Non-Oil Based Particulates**Suspension:** 2-Strap

SKU	Size Group	Quantity
507-2300N95	Medium/Large	10 per box

**2360 Series HandyStrap® P100 Particulate Respirators****Features:**

- Exhalation valve
- Soft foam face cushion eliminates pressure points for added comfort
- Ventex® valve lets the hot air out faster so workers breathe easier and use fewer masks
- Adjustable cloth straps allow a comfortable fit with a simple tug on the straps

Test & Approvals: NIOSH approved**Filtration Grade:** P100**Resistance:** Non-Oil Based Particulates; Oil Based Particulates**Suspension:** Adjustable Strap

SKU	Size Group	Quantity
507-2360P100	Medium/Large	5 per bag

**2400 Series N95 Particulate Respirators****Features:**

- Added carbon layer helps filter out nuisance levels of ozone and organic vapors (less than OSHA PEL)
- Dura-Mesh® shell resists collapsing in heat and humidity
- Exhalation valve

Test & Approvals: NIOSH approved**Filtration Grade:** N95**Resistance:** Nuisance Organic Vapors**Suspension:** 2-Strap

SKU	Size Group	Quantity
507-2400N95	Medium/Large	10 per bag

**2500 Series N95 Particulate Respirators****Features:**

- Added carbon layer helps filter out nuisance levels of ozone and organic vapors (less than OSHA PEL)
- Dura-Mesh® shell resists collapsing in heat and humidity
- Exhalation valve

Test & Approvals: NIOSH approved**Filtration Grade:** N95**Resistance:** Acid Gases**Suspension:** 2-Strap

SKU	Size Group	Quantity
507-2500N95	Medium/Large	10 per bag





2700 Series HandyStrap® N95 Particulate Respirators

Features:

- HandyStrap® allows mask to hang comfortably around neck when not in use
- Exhalation valve

Test & Approvals: NIOSH approved

Filtration Grade: N95

Resistance: Non-Oil Based Particulates

Suspension: HandyStrap®



SKU	Size Group	Quantity
507-2700N95	Medium/Large	10 per box

2730 Series HandyStrap® N100 Particulate Respirators

Features:

- Exhalation valve
- HandyStrap® with buckle allows mask to comfortably hang around neck when not in use
- Soft foam face cushion eliminates pressure points for added comfort
- Ventex® valve lets the hot air out faster so workers breathe easier and use fewer masks

Test & Approvals: NIOSH approved

Filtration Grade: N100

Resistance: Non-Oil Based Particulates

Suspension: HandyStrap®



SKU	Size Group	Quantity
507-2730N100	Medium/Large	5 per box

2800 Series HandyStrap® N95 Particulate Respirators

Features:

- Added carbon layer helps filter out nuisance levels of ozone and organic vapors (less than OSHA PEL)
- For most welding applications
- HandyStrap® with buckle allows mask to comfortably hang around neck when not in use
- Ventex® valve lets the hot air out faster so workers stay cooler
- Added carbon layer helps filter out nuisance levels of ozone and organic vapors (less than OSHA PEL)

Test & Approvals: NIOSH approved

Filtration Grade: N95

Resistance: Non-Oil Based Particulates; Nuisance Organic Vapors

Suspension: HandyStrap®



SKU	Size Group	Quantity
507-2800N95	Medium/Large	10 per box

2840 Series HandyStrap® R95 Particulate Respirators

Features:


- Exhalation valve
- HandyStrap® allows mask to hang comfortably around neck when not in use

Test & Approvals: NIOSH approved

Filtration Grade: R95

Resistance: Non-Oil Particulates; Oil; Nuisance Organic Vapors

Suspension: HandyStrap®



SKU	Size Group	Quantity
507-2840R95	Medium/Large	10 per box

Airwave™ N95 Disposable Respirator

Features:

- Exclusive easy breathing wave design
- Less resistance, better breathability, cool inside without a valve
- Flexfit™ comfort waves flex with you, ideal where valved respirators are preferred
- Less cost than valved respirators
- Dura-Mesh® shell adds lasting durability

Test & Approvals: NIOSH 42 Part 84.180

Filtration Grade: N95

Color: White

Usage: Use against particulate aerosols free of oil



SKU	Size Group	Quantity
507-4200	Medium/Large	10 per box

Dirt Dawgs® Particulate Respirators


Features:

- Made with a Dura-Mesh® shell that protects the filter media from dirt and prevents the mask from collapsing
- Molded nose bridge seals easily without a metal nose band
- Softspun® lining gives added comfort and durability

Test & Approvals: NIOSH approved

Filtration Grade: N95

Resistance: Non-Oil Based Particulates



SKU	Size Group	Quantity
507-1200N95	Medium/Large	20 per box

N99 Premium Particulate Respirators

Features:

- For most welding applications
- Dura-Mesh® shell resists collapsing in heat and humidity
- Exhalation valve
- For most welding applications

Test & Approvals: NIOSH approved

Filtration Grade: N99

Resistance: Non-Oil Based Particulates



SKU	Size Group	Suspension	Quantity
507-2310N99	Medium/Large	2-Strap	10 per bag
507-2315N99	Medium/Large	Adjustable Strap	10 per bag



by Honeywell

Particulate Reusable Welding Respirators

Features:

- Fits easily under welding hoods
- Replacement filters available
- This low maintenance respirator filters (99% minimum filter efficiency)

Protected Area: Half Facepiece

Resistance: Non-Oil Particulates; Welding Fumes

Color Code: Clear/Black



SKU	Size Group
068-7190N99	One Size Fits All

SAF-T-FIT PLUS N1125 Particulate Respirators

Features:

- Boomerang nose seal is adjustable for secure fit and added comfort
- Exhalation valve for ease of breathing and exceptional comfort during extended wear
- Latex-free

Test & Approvals: NIOSH-approved vN95 protection

Protected Area: Half Facepiece

Resistance: Aerosols Free of Oil

Color Code: Green

Usage: Brazing; Dusty/Hot Operations; Grinding; Metal Pouring; Sanding; Soldering; Sweeping; Torch Cutting; Welding

Includes: Boomerang Nose Seal



SKU	Filtration Grade	Size Group
695-14110394	N95	Medium/Large

7600 Series Full Facepiece With Welding Attachment

Features:

- 100% Silicone facepiece is soft and flexible to provide workers with a comfortable and secure fit
- Wide sealing area fits more facial types
- Nose cup provides less dead air space and channels exhaled breath out
- Speech diaphragm is standard to amplify workers' conversations
- Wide panoramic lens provides optimal field of vision in all directions
- Polycarbonate lens meets ANSI requirements for high impact
- Can be adapted to PAPR or Supplied Air for greater flexibility in the workplace



SKU	Depth	Height	Width
068-760008AW	11 in	6 1/2 in	8 1/2 in

Emergency Escape Respirators

Features:

- Mouthbit respirators offer a quick and economical method to escape non-IDLH emergency situations
- Large, soft and flexible nose pads hold securely without pinching
- Wider nose clip fits a variety of facial types
- Silicone mouthpiece is more comfortable to wear over long periods
- Packed in sealable plastic bag, carrying bag sold separately (79BAG)



Resistance: Chlorine; Hydrogen Chloride; Hydrogen Fluoride; Hydrogen Sulfide; Sulfur Dioxide

Usage: Chloride Dioxide; Hydrogen Chloride; Hydrogen Fluoride; Hydrogen Sulfide; Protection from atmospheres containing Chlorine; Sulfur Dioxide

SKU	Depth	Quantity
068-7902	9 in	10 per pack

Half Mask Respirator Carrying Cases

Features:

- Durable nylon carrying bag
- Convenient velcro closure and belt loops
- Designed for carrying 7900 Series mouthbit respirators, 4200 and 7190 Series half masks



SKU	Depth	Height	Width
068-79BAG	7 3/4 in	1 1/2 in	6 in

Peel Away Windows for Full Facepieces

Features:

- Convenient, disposable lenses
- Simply peel away and dispose
- Designed for use with full facepieces

Usage: North 5400, 7600 and 7800 Series Full Facepieces



SKU	Quantity
068-80836A	15 per pack

Replacement Filters for 7190 Series Half Masks

Features:

- Especially designed for use with welding helmets and faceshields
- Unique coaxial valve system channels air to the worker
- Provides maximum filtration and ease of breathing
- Provides protection against airborne particulates and welding flash

Resistance: Airborne Particulates; Welding Flash



SKU	Quantity
068-719009N99	12 per pack

3M

5000 Series Half Facepiece Respirators

Features:

- Resealable storage bag helps keep respirator clean between uses
- Low profile design provides wider field of vision and greater comfort while wearing goggles or glasses

Protected Area: Half Facepiece

Includes: 501 Filter Retainers; P95 Filter

SKU	Size Group	Resistance
142-52P71*	Medium	Organic Vapors
142-53P71*	Large	Organic Vapors

Includes: Cartridges

SKU	Size Group	Resistance
142-5303†	Large	Organic Vapors/Acid Gases

Features:

- Can be used with NIOSH P95 and P100 filters for oil and non-oil particles
- For convenience and simplicity, some 3M respirator package assemblies are packaged with either P95 or P100 filters along with 501 filter retainers or 502 filter adapters

SKU	Size Group	Resistance
142-5201‡	Medium	Organic Vapors
142-5203‡	Medium	Organic Vapors/Acid Gases
142-5301‡	Large	Organic Vapors

* NIOSH Approval: P95/Certain organic vapors

† NIOSH Approval: Certain organic vapors, chlorine, hydrogen chloride, and sulfur dioxide or hydrogen sulfide (escape only) or hydrogen fluoride

‡ NIOSH Approval: Certain organic vapors

6000 Series Full Facepiece Respirators

Features:

- Directs exhaled breath and moisture downward
- Smooth surface allows for quick and easy cleaning
- Helps reduce debris from depositing in valve area
- Available with negative pressure and dual airline modes only
- Cool Flow Valve design helps makes breathing easier
- Helps reduces heat and moisture buildup in the facepiece
- Helps provide cool, dry comfort

Test & Approvals: NIOSH approved for negative pressure air purifying and positive pressure dual airline applications

Protected Area: Full Facepiece

Suspension: 4 Point, Adjustable Strap

SKU	Size Group
142-6700	Small
142-6800	Medium
142-6900	Large



6000 Series Half Facepiece Respirator Assemblies

Features:

- Remarkably comfortable with soft, lightweight facepiece and the easy-to-adjust head straps
- Reusable. Just dispose of the cartridges/filters when used to capacity
- NIOSH approved for negative pressure air purifying and positive pressure dual airline applications
- Supplied as a complete assembly with reclosable storage bag

Test & Approvals: NIOSH Approval: P100

Filtration Grade: P100

Includes: Filters 2091, P100

SKU	Size Group
142-6291	Medium
142-6391	Large



6000 Series Half Facepiece Respirators

Features:

- Used with 2000, 6000 and 7000 Series filters and cartridges
- Remarkably comfortable with soft, lightweight facepiece and the easy-to-adjust head straps
- Reusable. Just dispose of the cartridges/filters when used to capacity

Protected Area: Half Facepiece

Suspension: Adjustable Strap

Features:

- Half facepiece drop down

Test & Approvals: NIOSH Approval - Negative pressure air purifying

SKU	Size Group
142-6300DD	Large

Test & Approvals: NIOSH approved for negative pressure air purifying and positive pressure dual airline applications

SKU	Size Group
142-6100	Small
142-6200	Medium
142-6300	Large



3M

7000 Series Full Facepiece Respirators

Features:

- These facepieces can be used with: 2000, 5000, 6000, and 7000 Series cartridges, filters and adapters
- N95, P95 or P100 filters can be used in combination with chemical cartridges
- Large inhalation and exhalation valves for easier breathing
- Speaking diaphragm enhances communication
- Has double-flange face seal and six adjustable straps to help provide a secure fit
- Can be configured in 11 different modes of operation from air purifying to SCBA

Protected Area: Full Facepiece

Body Material: Silicone

Suspension: 6 Point, Adjustable Strap



SKU	Size Group	Wt.
142-7800S-L	Large	2.17 lb
142-7800S-M	Medium	2 lb

7500 Series Half Facepiece Respirators

Features:

- These facepieces can be used with 2000, 6000, and 7000 series filters and cartridges
- Material provides soft cushioning on face
- 3M™ Cool Flow™ Exhalation Valve is a patented one-way valve offering easy exhalation for cool, dry comfort
- Interchangeable filters enable wearer to match the filter with the application

Material: Special Silicone



SKU	Size Group
142-7501	Small
142-7502	Medium
142-7503	Large

MSA

The Safety Company

Advantage® 1000 Facepieces

Features:

- Wraparound flexible lens that offers excellent fit and comfort with increased vision
- Weighs 40% less than conventional full-face piece respirators
- Constructed of super-soft Hycar™ rubber that provides the feel and comfort of silicone but has a better permeation resistance
- Unique inturred lip seal that provides exceptional seal against a wide range of face contours
- Distinctive, flexible urethane lense that is integrally bonded to the facepiece, eliminating the need for rigid lens retainers that can cause unwanted pressure points
- Speaking diaphragm for clear, short range communication
- Nosecup reduces lense fogging in low temperatures or high-humidity conditions

Test & Approvals: Facepiece is NIOSH-approved to 42 CFR; Part 84 when used with MSA Advantage Respirator Cartridges

Protected Area: Full Facepiece

Body Material: Hycar™ Rubber

Lens Material: Urethane

Suspension: Strap

Color: Black



SKU	Size Group
454-805408	Medium
454-805420	Large

Advantage® 200 LS Facepieces

Features:

- Lighter and softer facepiece is made from a clear blue formulation of thermoplastic rubber to give the workers more comfort and stability than ever

Test & Approvals: Facepiece is NIOSH approved to 42 CFR; Part 84 when used with MSA Advantage Respirator Cartridges

Protected Area: Half Facepiece

Body Material: Thermoplastic Rubber

Color: Blue



SKU	Size Group	Suspension
454-815444	Medium	Single Neckstrap
454-815452	Large	Single Neckstrap
454-815692	Medium	2-Piece Neckstrap
454-815700	Large	2-Piece Neckstrap

Advantage® 3000 Respirators

Features:

- Wrap around lens with a soft, pliable silicone facepiece
- Standard nosecup
- Pre-adjustable straps

Test & Approvals: ANSI-Z87.1 2003

Protected Area: Full Facepiece

SKU	Size Group
454-10028995	Medium



MSA

The Safety Company

Comfo Classic® Respirators**Features:**

- SoftFeel® facepiece material increases the comfort factor dramatically
- Unique face seal design that gives wearers an exceptional fit

Test & Approvals: NIOSH**Protected Area:** Half Facepiece

SKU	Size Group	Body Material
454-808071	Medium	Silicone
454-808073	Large	Silicone
454-808074	Medium	Hycar™ Rubber

Ultra-Twin® Respirators**Features:**

- Inturned lip around the edge for secure, comfortable seal against the face
- Large chin cup makes it easy to position
- Five suspension headstraps and roller buckles hold the facepiece in place while minimizing hair entanglement
- Wide polycarbonate lense is coated to resist scratching and chemical attack
- Lens is held in place by a two-piece lens ring which is color-coded to indicate the size of the facepiece
- Speaking diaphragm for clear, short range communication
- Nosecup reduces lense fogging in low temperatures or high-humidity conditions

Protected Area: Full Facepiece**Body Material:** Silicone**Lens Material:** Polycarbonate**Suspension:** Strap**Color:** Black

SKU	Size Group	Wt.
454-480259	Medium	1.7 lb
454-480267	Large	1.72 lb

NORTH

by Honeywell

5400 Series Low Maintenance Full Facepiece Respirators**Features:**

- Lightweight design offers a level of comfort that ensures greater worker acceptance
- Provides comfort and protection
- The facepiece seal is made from a soft, pliable elastomer material with high chemical resistance to assure excellent comfort, fit and performance

Material: Elastomer

SKU	Size Group
068-54001	Medium/Large

5500 Series Low Maintenance Half Mask Respirators**Features:**

- All parts are replaceable, extending the useful life of the respirator
- Made of extremely soft non-allergenic elastomer for comfort and fit
- The 5500 Series incorporates the comfortable and efficient design of the popular 7700 series half mask with the low cost and convenience of a disposable

Material: Elastomer

SKU	Size Group
068-550030L	Large
068-550030M	Medium

7600 Series Silicone Full Facepiece Respirators**Features:**

- Designed to provide eye, face and respiratory protection while ensuring optimal comfort and performance
- Its dual flange silicone seal gives this facepiece superior fitting characteristics
- Lens provides over 200 degree field of vision, provides excellent optics, is scratch resistant and meets ANSI standards for impact and penetration resistance

Lens Material: Hard-Coated Polycarbonate

SKU	Size Group
068-760008A	Regular
068-760008AS	Small

7700 Series Half Mask Respirators**Features:**

- Silicone facepiece conforms to facial features and doesn't harden with age
- Contoured sealing flange and cradle suspension system eliminates discomfort caused by pressure points on facial nerves
- Cradle suspension system allows the facepiece to seal evenly on the face without creating pressure points

Body Material: Silicone

SKU	Size Group
068-770030L	Large
068-770030M	Medium
068-770030S	Small



by Honeywell

S-Series Survivair Opti-Fit APR Full Facepiece Respirators

Features:

- Survivair Opti-Fit APR Optimum fit, comfort and superior optics in a full face respirator
- The Opti-Fit offers the ultimate in performance and affordability
- With features usually reserved for more expensive respirators, the Opti-Fit can help you get the most from your respiratory protection budget
- Opti-Fit features a distortion-free lens with exceptional view
- Lightweight construction reduces head and neck stress even during extended wear

Test & Approvals: NIOSH approved

Protected Area: Full Facepiece

Suspension: 5-Point Strap

Color: Black



SKU	Size Group
695-762000	Medium
695-772000	Large



2000 Series Filters

Features:

- Nuisance level organic vapor/acid gas relief
- It provides approved protection in environments where oil aerosols may be present

Test & Approvals: NIOSH

For Model: 6000 Series; 7000 Series

Usage: Welding

Quantity: 100 per case



Usage: Arsenic; Asbestos; Brazing; Cadmium; Gas Cutting; Lead; Metal Pouring; Soldering

SKU	Filtration Grade	Resistance
142-2091*	P100	Oil & Non-Oil Based Particles
142-2096	P100	Acid Gases
142-2097	P100	Nuisance Level Organic Vapor
142-2097	P100	Nuisance Level Organic Vapor

* 7800 Series; FF - 400 Series

Usage: Dusty Operations; Finishing Operations; Metal Pouring

SKU	Filtration Grade	Resistance
142-2078	P95	Acid Gases; Organic Vapors

Usage: Grinding; Sanding

SKU	Filtration Grade
142-2071	P95

6000 & 7000 Series Half and Full Facepiece Cartridges & Filters

Features:

- Low-profile design helps maintain good field of vision



Test & Approvals: NIOSH approval for chlorine, hydrogen chloride, sulfur dioxide, chlorine dioxide, or hydrogen sulfide (escape only).;

UL registered firm

Usage: Contaminants

SKU	Resistance	Quantity
142-6002	Acid Gases	60 per case

Test & Approvals: UL registered firm; NIOSH approved.

Usage: Contaminants

SKU	Resistance	Quantity
142-6004	Ammonia; Methylamine	60 per case

Usage: Contaminants

SKU	Resistance	Quantity
142-6006	Formaldehyde; Organic Vapors	60 per case

Features:

- Unique design for enhanced comfort and visibility

Usage: Contaminants

SKU	Filtration Grade	Resistance	Quantity
142-6003		Acid Gases; Organic Vapors	60 per case
142-60921	P100	Organic Vapors	60 per case
142-60923	P100	Acid Gases; Organic Vapors	60 per case
142-60929	P100	Mercury Vapor; Chlorine Gas	60 per case

Test & Approvals: NIOSH approval for certain organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide (escape only), ammonia/formaldehyde, or hydrogen fluoride.;

UL registered firm

Usage: General Protection

SKU	Filtration Grade	Resistance	Quantity
142-60926	P100	Multi-Gas/Vapor	60 per case

Test & Approvals: NIOSH approval for certain organic vapors.;

UL registered firm

Usage: Contaminants

SKU	Resistance	Quantity
142-6001	Organic Vapors	60 per case

Features:

- Bulk packaging

Test & Approvals: UL registered firm

Usage: General Protection

SKU	Filtration Grade	Quantity
142-7093B	P100	144 per case

Usage: General Protection

SKU	Filtration Grade	Quantity
142-5N11	N95	100 per case
142-5N11	N95	100 per case
142-5P71	P95	100 per case
142-7093	P100	60 per case

3M

6000 Series Half and Full Facepiece Accessories

Features:

- It permits the wearer to use his/her corrective lenses and to make position adjustment that is most comfortable

Used With: Full Facepieces

SKU	Height	Quantity
142-6878	1 1/2 in	1 per box




Features:

- Helps protect the lens

Used With: Full Facepieces

SKU	Color	Quantity
142-6885	Clear	25 per bag



Features:

- Use with 3M Half and Full Facepieces 6000 Series
- These replacement parts and accessories allow the use of different cartridges and filters and enhance the versatility of these facepieces

SKU	Quantity
142-6893	40 per bag



Features:

- Use with 3M Half and Full Facepieces 6000 Series
- These replacement parts and accessories allow the use of different cartridges and filters and enhance the versatility of these facepieces

SKU	Includes	Quantity
142-6894	Inhalation Valves	1 per bag



Features:

- Use with 3M Half and Full Facepieces 6000 Series
- These replacement parts and accessories allow the use of different cartridges and filters and enhance the versatility of these facepieces

Used With: Full Facepieces 6700, 6800, 6900; Full Facepieces 6700, 6800, 6900

SKU	Quantity
142-6897	5 per case



Features:

- Helps protect the lens

Used With: Half and Full Facepieces

SKU	Color
142-6898	Clear



Adapters & Retainers

Features:

- Used to hold 3M™ 5N11 and 5P71 Filters in place on 3M™ 5000 Series Respirators and 3M™ 6000 Series cartridges



SKU	Test & Approvals	Quantity
142-501	UL registered firm	100 per case
142-502		100 per case

Organic Vapor Cartridges

Features:

- Cartridge is used with the 3M Belt-Mounted and Vehicle-Mounted Powered Air Purifying Respirator (PAPR) Systems
- Attaches to the motor blower and filters the air supplied to the headgear

Usage: Contaminants



SKU	Resistance	Quantity
142-GVP-401	Organic Vapors	6 per pack

Organic Vapor/HEPA Cartridges

Features:

- NIOSH-approved cartridge used for respiratory protection against certain organic vapors
- Also operates as a high-efficiency particulate filter

Usage: Contaminants



SKU	Resistance
142-GVP-441	HEPA; Organic Vapors

Respirator Cleaning Wipes

Features:

- Alcohol-free and will not damage the facepiece materials
- Individually wrapped to hold moisture and are stored in a convenient dispenser box



SKU	Quantity
142-504	100 per box



Cleaning Pads

Features:

- Offered in alcohol free

SKU	Quantity
037-1001	100 per box
037-3001*	100 per box

*Alcohol Free



Respirator Storage Bags

Features:

- Cleaning instructions are printed on bag
- Designed to hold half mask or full mask sizes
- Reusable storage bags keep equipment contaminant free

Closure Type: Zipper

Material: Poly

SKU	Size Group	Thickness
037-2000	Large	10 mil



8000 Series Gas/Vapor Cartridges

Features:

- New inhalation valve with each cartridge change
- Easy snap-in mount eliminates mis-threading and mis-aligning

Test & Approvals: NIOSH approved

Resistance: Organic Vapors

Used With: 8001, 8002, 8003 Facepieces

SKU	Quantity
507-8100	1 pair per package



8000 Series Particulate Filters

Features:

- 100% PVC-Free
- Lighter than traditional filter cartridge

Test & Approvals: NIOSH approved

Filtration Grade: N95

Resistance: Non-Oil Based Particulates

Used With: 8020 Filter Retainer (for use with a cartridge); 8900 as a Standalone Filter

SKU	Quantity
507-8910	5 pair per package



The Safety Company

Advantage® Respirator Cartridges

Features:

- Advantage line of particulate, chemical, and combination cartridges are lightweight, low profile performance

- Cartridges fit both 200 LS Half Mask and 3000 Full-Facepiece Advantage respirators

Test & Approvals: NIOSH Approved to 42 CFR Part 84

Usage: Contaminants



Resistance: Ammonia; Chlorine; Chlorine Dioxide; Formaldehyde; Hydrogen Chloride; Hydrogen Fluoride; Hydrogen Sulfide; Mercury Vapor; Methylamine; Organic Vapors; Sulfur Dioxide

SKU	Filtration Grade	Quantity
454-815366	P100	2 per package

Resistance: Chlorine; Chlorine Dioxide; Hydrogen Chloride; Hydrogen Sulfide; Organic Vapors; Sulfur Dioxide

SKU	Filtration Grade	Quantity
454-815364	P100	2 per package

Features:

- Comfortable, lightweight protection
- Self adjusting crown straps
- Consists of a polyethylene shell and suspension system working together as a protection system
- Also fits 420 Half-Mask Respirators and 1000, 3000 and 4000 Full-Mask Respirators

Resistance: Mercury Vapor; Organic Vapors

SKU	Filtration Grade	Quantity
454-815362	P100	2 per package
454-815362	P100	2 per package

Features:

- Comfortable, lightweight protection
- Self adjusting crown straps
- Consists of a polyethylene shell and suspension system working together as a protection system
- Also fits 420 Half-Mask Respirators and 1000, 3000 and 4000 Full-Mask Respirators

Resistance: Organic Vapors

SKU	Quantity
454-815355	2 per package

Resistance: Particulate Cartridge

SKU	Filtration Grade	Quantity
454-815369	P100	2 per package



The Safety Company

Clip-On Welders Adapter w/Cover Lenses

Features:

- Clip-on welder's adapter for ultravue and ultra twin facepiece
- comes with cover lens
- MSA welder's adapters are molded by polycarbonate plastic which has high resistance to impact, heat and welding splatter
- Clip-on adapter attaches to the ultravue or ultra-twin facepiece by molded in clips
- Integral adapter is attached by removing the facepiece lens and replacing with the adapter

Used With: Ultra Twin Facepieces; Ultravue Facepieces



SKU	Height	Length	Width
454-472859	5 in	12 in	9 in

Comfo® Respirator Cartridges

Features:

- N95-Particulate Filter (95% filter efficiency level) effective against particulate aerosols free of oil
- R95-Particulate Filter (95% filter efficiency level) effective against all particulate aerosols
- P100-Particulate Filter (99.97% filter efficiency level) effective against all particulate aerosols

Usage: Contaminants



Resistance: Ammonia; Chlorine; Chlorine Dioxide; Formaldehyde; Hydrogen Chloride; Hydrogen Fluoride; Hydrogen Sulfide; Methylamine; Organic Vapors; Sulfur Dioxide

SKU	Filtration Grade	Quantity
454-492790	N95; R95	10 per package
454-815182	P100	6 per package

Resistance: Chlorine; Chlorine Dioxide; Hydrogen Chloride; Hydrogen Sulfide; Organic Vapors; Sulfur Dioxide

SKU	Filtration Grade	Quantity
454-815180	P100	6 per package

Resistance: Organic Vapors

SKU	Filtration Grade	Quantity
454-464031	N95; R95	10 per package

SKU	Filtration Grade	Quantity
454-815175	P100	10 per package
454-815177	P100	10 per package

Flexi-Filter® Pads for Advantage Respirators

Features:

- Their swept-back design provides improved vision and comfort
- These low-profile, flexible pads fit well under a welding hood and with other personal protective equipment

Test & Approvals: NIOSH Approved to 42 CFR Part 84

Filtration Grade: P100

Usage: Contaminants

Quantity: 2 per package



SKU	Resistance
454-818342	Particulates
454-818343	Nuisance Level Organic Vapor; Ozone Removal

Full Facepiece Respirator Cover Lenses

Features:

- Protects the facepiece lens from scratches during storage, handling and use

Color: Clear



SKU	Height	Length	Width	Quantity
454-456975	1/2 in	8 in	4 in	25 per package

OptimAir TL PAPR Accessories/Respirator Cartridges

Features:

- Every cartridge has its own sealing gasket
- Insertion of the cartridges and breathing hose to the blower housing activate flow control sensors

Resistance: Ammonia; Organic Vapor; Acid Gas

Usage: Contaminants

Used With: OptimAir TL PAPR



SKU	Quantity
454-10080455	6 per package

SAFETY & SECURITY



by Honeywell

Combination Gas and Vapor Cartridges

Features:

- Cartridge/Filter Combination

Resistance: Ammonia; Chlorine; Chlorine Dioxide; Formaldehyde; Hydrogen Chloride; Hydrogen Fluoride; Methylamine; Sulfur Dioxide; Hydrogen Sulfide (Escape)

SKU	Filtration Grade
068-75SCP100	P100

Resistance: Chlorine; Chlorine Dioxide; Formaldehyde; Hydrogen Chloride; Hydrogen Fluoride; Sulfur Dioxide; Hydrogen Sulfide (Escape)

SKU	Filtration Grade	Type
068-7582P100	P100	Acid Gas

SKU	Type
068-7583P100L	Organic Vapor/ Acid Gas

Gas and Vapor Cartridges

Features:

- Lower profile so cartridges don't intrude into the work zone
- Easy user seal check
- Threaded connectors that fit North half masks and full facepieces

Resistance: Ammonia; Chlorine; Chlorine Dioxide; Formaldehyde; Hydrogen Chloride; Hydrogen Fluoride; Methylamine; Organic Vapors; Sulfur Dioxide; Hydrogen Sulfide (Escape)

SKU	#
068-75SCL	1

Resistance: Organic Vapor

SKU	#
068-N75001L	2

Pancake Series Filters

Features:

- Low profile fits under welding helmets and faceshields
- They are flexible enough to fit in even the tightest spots, yet still firm enough to easily perform negative pressure user seal checks

Filtration Grade: P100

SKU	Resistance
068-75FFP100	Dust; Fumes; Mist
068-75FFP100NL	Nuisance Odor Relief; Organic Vapors



Particulate Filters

Features:

- Easy to perform user seal checks, even on the gas and vapor cartridges
- Low profile with curved top will not catch on pipes or other objects



SKU	Filtration Grade	Resistance	Quantity
068-7506N95	N95	Non-Oil Particulates	10 per pack
068-7580P100	P100	All particulates	72 pair per box

Respirator Cleaning Wipes

Features:

- Wipes contain alcohol

SKU	Quantity
068-7003	100 per box



Respirator Cartridges

Features:

- Organic Vapors/ P100 particulate (OV/ P100) Combo cartridge filter S-Series



Test & Approvals: 42 CFR 84 Approved

Resistance: Organic Vapors

SKU	Filtration Grade	For Model
695-105110	P100	Sperian "S-Series"

Features:

- Screw-on cartridges thread easily for tightening cartridge on seal
- For Survivair S-Series masks

SKU	Filtration Grade
695-B100100	N95

3M

Adflo™ Powered Air Purifying Respirator High Efficiency System

Features:

- Replacement battery for 3M™ Adflo™ Powered Air Purifying Respirator (PAPR)
- Environmentally-friendly NiMH battery charges in less than 3 hours
- Battery can be removed or installed in turbo unit during charging



SKU	Height	Length	Width
711-15-1099-07	7.13 in	2 1/4 in	6 in

JACKSON**R60 AIRMAX* Powered Air Purifying Respirators****Features:**

- Variable auto-darkening filter
- The ADF automatically detects weld arc and switches to weld shade
- Flame-retardant face seal around welding helmet protects against sparks during use
- Weight blower unit with adjusting waist belt
- Audible alarm signals user when need new filter or battery charge
- Intuitive set and lock into place for quick and easy replacement

Test & Approvals: NIOSH

Includes: Air Flow Indicator; Battery Charger; Blower Unit; Breathing Hose w/Flame Retardant Cover; HE Filter; Lithium-Ion Battery; Variable ADF Lens; Waist Belt; Welding Helmet w/Flame Retardant Face Seal

Batt. Life: 8 hr

Battery Type: Lithium Ion

Lens Coating/Shade: 9 - 13; Light Shade 4



SKU	Wt.
138-12993	9 lb

3M**Battery Chargers****Features:**

- Battery charger is for use with 3M PAPR NiCd battery
- Will keep the battery properly charged

Used With: 3M PAPR Battery GVP-111



SKU	Height	Length	Width	Quantity
142-GVP-112	2.4 in	5 in	3 1/2 in	1 per pack

Battery Packs**Features:**

- Battery pack supplies the power to operate the motor blower of a powered air purifying respirator system
- Nickel cadmium battery has overcharge protection

Batt. Life: 1000 Charge-Discharge Cycles

Battery Type: NiCad

Used With: Breathe Easy™ Turbo PAPR Assembly 520-17-00; Breathe Easy™ Turbo PAPR Unit 022-00-03R01; Powerflow™ Face-Mounted PAPR System

Operating Time: 8 h



SKU	Height	Length	Width
142-GVP-111	2.8 in	6 1/2 in	6.2 in

BE-10 Tychem® QC Head Covers**Features:**

- This double bib respirator hood is lightweight and comfortable
- It helps provide respiratory protection for a wide range of applications

Color: White



SKU
142-BE-10-20

GVP-Series Belt-Mounted PAPR Assemblies

Battery Type: NiCd - Rechargeable

Features:

- Belt-mounted powered air purifying respirator assembly includes components needed to make a complete, comfortable PAPR system
- Offers high airflow to the worker



Includes: PAPR Unit GVP-100; Blower Plugs GVP-115; Charger GVP-112; Flow Meter GVP-113; Power Cord GVP-110; Comfort Belt CB 1000;

SKU
142-GVP-CB

Features:

- This belt-mounted powered air purifying respirator assembly includes components needed to make a complete PAPR system
- Helps provide respiratory protection when combined with 3M™ Headgear and breathing tube

Includes: Battery GVP-111; Blower Plugs GVP-115; Charger GVP-112; Flow Meter Adapter L-181; Flow Meter GVP-113; Motor Blower GVP-100; Power Cord GVP-110; Web Belt GVP-127

SKU
142-GVP-1

H-Series Hood Accessories**Features:**

- When vision becomes obstructed, the cover can be peeled off leaving a clean shield

Color: Clear



SKU	Quantity
142-H-111-100	100 per case

3M

High Pressure Hoses

Features:

- Equipped with MPT fittings at both ends and accepts 1/4 inch FPT fittings
- You may not combine 25 or 50 foot lengths of the 3M™ Supplied Air Hose W-9435

Color: Black



SKU	Inner Dia	Wt.
142-W-9435-25	3/8 in	4.1 lb

Hood and Head Cover Accessories

Features:

- This hood is a replacement for 3M™ Hood Assemblies H-411 and H-412

Material: Tychem® QC Fabric



SKU
142-H-410-10

L-Series Breathing Tubes

Features:

- Breathing tube, for all L-Series headgear

SKU	Wt.
142-L-122	1 lb



L-Series Headgear Faceseals

Features:

- Faceseal material is designed for applications such as spray painting
- It attaches to the extender on the wide view faceshield

Used With: 3M Bumpcap L-501/37008(AAD)

SKU	Height	Length	Width
142-L-121-5	9.8 in	1/2 in	5 3/4 in



L-Series Headgear Shrouds

Features:

- This shroud is designed for welding applications or where high heat or sparks are expected
- It drapes over the worker for safety purposes

Includes: Chin Strap L-112; Hanger Suspension L-117; Headband; Sweat Pad L-115; Sweat Pad L-116

Used With: L-Series Headgear



SKU
142-L-113-2

Features:

- This heavy duty shroud is intended for use in welding applications or where high heat or sparks are expected. It drapes over the worker for safety purposes

Usage: Spark & Light

Used With: Headgear L-900 Series



SKU	Material
142-L-127	Leather

Features:

- It is a general purpose faceshield which should not, by itself, be used for welding applications
- It attaches to the headgear using a positioning cam mechanism

Used With: L-Series Headgear



SKU
142-L-130

Features:

- This shroud is designed for welding applications or where high heat or sparks are expected
- It drapes over the worker for safety purposes

Resistance: Flame Retardant

Usage: Spark & Light

Used With: Series L-900 Headgear



SKU
142-L-125-2

Features:

- This lens is part of the 3M™ Wide-view Faceshield Assembly L-130
- It can easily be removed and replaced with a new lens when damaged

Used With: L-Series Headgear




SKU	Color
142-L-132-10	Clear

Features:

- The cover fits over the lens and protects it from scratching or overspray of paint and chemicals
- Up to five covers can be attached, one on top of the other

Used With: Wide View Lens

SKU	Color
142-L-133-100	Clear





L-Series Headgear Sweat Pads

Features:

- The sweat pad attaches to the headband in the area of the user's forehead
- It helps absorb perspiration and adds to the overall comfort of the user

Used With: L-Series Headgear



SKU	Quantity
142-L-115-10	10 per pack

L-Series Wide-View Faceshield Lenses

Features:

- This lens is part of the 3M™ Wide-view Faceshield Assembly L-130
- It can easily be removed and replaced with a new lens when damaged

Color: Clear

Used With: L-Series Headgear



SKU	Quantity	Wt.
142-L-131-10	10 per pack	1 1/4 lb

Motor Blowers

Features:

- This belt-mounted powered air purifying respirator unit provides a level of air flow that surpasses NIOSH requirements
- Constant flow of air can provide cooling for the worker, resulting in greater comfort for the wearer



SKU	Flow
142-GVP-100	7 CFM - 9.5 CFM

PAPR System Accessories

Features:

- Cover fits over the lens and protects it from scratching or overspray of paint and chemicals
- Up to five covers can be attached, one on top of the other



SKU	#	Quantity
142-L-133-25	1	25 per case

Features:

- NIOSH-approved high efficiency particulate filter used for GVP systems from 3M
- Helps provide high efficiency respiratory protection in environments containing particulates

Used With: 3M GVP Belt-Mounted Powered Air Purifying Respirator Systems



SKU	#	Color
142-GVP-440	2	Magenta

Features:

- NIOSH-approved P3 particulate cartridge used for Breathe Easy systems from 3M for high efficiency respiratory protection against particulates
- Powered Air Purifying Respirators (PAPR) are motorized systems powered by a battery pack which draw air through a filter or cartridge to provide respiratory protection to the wearer
- The blower unit can be mounted on the waist, face, or head, depending on the system selected

Used With: 3M Breathe Easy™ Powered Air Purifying Respirator

SKU	#	Color
142-450-00-01R12	2	Magenta

Sontara® Faceseal

Features:

- Natural rubber contains proteins that may cause reactions in persons who are allergic to latex or natural rubber products

Material: Rubber

Used With: Breathe Easy™; Supplied Air Systems



SKU
142-527-01-19R10



Speedglas™ Adflo™ PAPR System Replacement Parts

Features:

- For use with Speedglas™ 9100 Series Auto-Darkening Filter
- It has an assigned protection factor of 1000 X PEL
- May be configured for use with either Adflo or GVP turbo units and Supplied Air
- Turbo and SA units sold separately

Test & Approvals: Meets ANSI Type I, II requirements for industrial headgear

SKU	Height	Length
711-L-905SG	11 in	14.2 in

Features:

- It has shroud options and provides an assigned protection factor of 1000 x PEL
- This helmet can be used with 3M™ Powered Air Purifying Respirator (PAPR) or Supplied Air Respirator Systems

Test & Approvals: It meets ANSI Type I, II hardhat requirements

SKU	Height	Length
711-L-901SG	11 1/2 in	15 1/8 in

Versaflo™ Accessories

Features:

- Made from Nomex(R), the M-447 Outer Shroud is a flame resistant outer shroud for 3M(TM) Versaflo(TM) M-400 Helmets
- A M-444 Inner Shroud (sold separately) must be zipped into the outer shroud

SKU	Height	Length	Width
142-M-447	12 1/2 in	2 3/4 in	12.1 in



Vortex Cooling Assemblies

Features:

- Keep workers comfortable by cooling supplied air by as much as 50°F
- Requires up to 20 cfm at 60-90 psi depending on hose length
- Wearer can adjust levels of air flow

Includes: Cooling Tube; Holder; Waist Belt
Cooling Method: Air

SKU	Cooling Temp. [Max]	Pressure
142-V-100	50 °F	60 psi - 90 psi



SCBA Bags

Features:

- This durable rectangular carry bag features reinforced handles, shoulder strap and dual zipper entry
- Internal padding protects SCBA and mask
- Accessory zipper pouch and internal straps with side release buckle



SKU	Height	Length	Width
037-4100-45	13 in	30 in	12 in



Shadowaire™ II Replacement Components

Features:

- The Shadowaire™ Powered Air Purifying Respirator provides comfort while protecting you from harsh work environments
- Lightweight and durable, even when used for the toughest jobs



SKU	Quantity
138-16124	6 per pack



by Honeywell

Continuous Flow Supplied Air Respirator Accessories Replacement Hood

Features:

- Single bib DuPont® Tyvek® hood covers the neck and collar providing protection from overspray, dust, and other contaminants
- Lightweight
- Equipped with acetate lens for pharmaceutical and chemical handling
- Durable

Body Material: DuPont® Tyvek®



SKU
695-14900409



The Safety Company

W65 Self-Rescuer Respirators

Features:

- Provides emergency respiratory protection against carbon monoxide gas resulting from underground fires or explosions
- One time use device for escape purposes only
- Protected by a rugged stainless steel case
- Do not use in atmospheres containing less than 19.5% oxygen or in atmospheres containing other toxic gases and vapors.

Test & Approvals: NIOSH Approval No. TC-14g-82, for self-rescue from carbon monoxide.; MSHA approved.

Resistance: Carbon Monoxide

Includes: Protective Steel Case



SKU	Wt.
454-455299	2.42 lb



Lock Boxes

Features:

- Accepts up to 13 individual locks
- Simplifies lockout of large equipment
- Ensures that no one employee has access to the box unless ALL employees have removed their locks or tags

Color: Red



SKU	Length	Width	Height	Wt.
262-65699	11 in	4 1/2 in	8 in	4.27 lb

Master Lock

Master Lock Group Lock Boxes

Features:

- Red lockout color identifies the safety lockout application
- Effective alternative to requiring each authorized lockout team member to place one of their personal safety locks at every lockout point in the system
- Up to 13 workers can apply their personal safety locks

Material: Steel



SKU	Length	Width	Height	Wt.
470-498A	9 1/4 in	3 3/4 in	6 in	3.8 lb

Safety Series™ Latch Tight™ Lock Boxes

Features:

- Exclusive Latch Tight™ feature ensures that keys cannot be accessed until the very last lock is removed regardless of padlock shackle diameter or length
- Integrated storage organizes up to 12 keys or hundreds of bulk keys
- Up to 14 workers can apply their personal safety padlocks or hasps

Color: Red

Mounting: Portable; Wall

Material: Steel

Handle Material: Stainless Steel



SKU	Length	Width	Height
470-503RED	3 1/2 in	6 3/8 in	12 3/4 in



Solid Aluminum Padlocks

Features:

- Highly corrosion resistant
- Laser engraveable
- Available in red, blue, black, green, orange, purple, gold, and brown colors

Shackle Dia: 1/4 in

Shackle Material: Case Hardened Boron Alloy Steel

Body Width: 1 1/2 in

Body Thickness: 3/4 in

Body Material: Aluminum

No. of Pins: 5

Combination/Keying: Keyed Different



SKU	Shackle Length	Shackle Inner Width	Color
045-A1105RED	1 in	3/4 in	Red
045-A1105YLW	1 in	3/4 in	Yellow
045-A1106BLU-KD	1 1/2 in	3/4 in	Blue
045-A1106RED-KD	1 1/2 in	3/4 in	Red
045-A1107BLU-KD	3 in	3/4 in	Blue
045-A1107GRN-KD	3 in	3/4 in	Green
045-A1107RED-KD	3 in	3/4 in	Red



SECURITY PRODUCTS

Sesamee® Keyless Padlocks

Features:

- You set the combination
- Shackle Dia:** 5/16 in
- Shackle Material:** Hardened Steel, Chrome Plated

Features:

- All brass internal mechanisms for non-corrosive durability
- Double locking shackle for extra protection against prying

Finish: Black Epoxy

Body Material: Heavy Pressure Cast



SKU	Shackle Length	Shackle Inner Width	Body Width
197-K500-2-1/4	2 1/4 in	1 in	1 7/8 in
197-K500-3/4	1 in	1 in	1 7/8 in

Features:

- All brass mechanisms
- Lifetime guarantee

Body Material: Marine Type Brass

SKU	Shackle Length	Shackle Inner Width	Body Width
197-K0437	2 1/4 in	1 in	1 7/8 in

Features:

- All brass internal mechanisms for non-corrosive durability
- Double locking shackle for extra protection against prying

Finish: Satin

Body Material: Marine Type Brass Solid Brass

SKU	Shackle Length	Shackle Inner Width	Body Width
197-K436	1 in	1 in	1 7/8 in
197-K437	2 1/4 in	1 in	1 7/8 in



Master Lock

No. 1 Laminated Steel Pin Tumbler Padlocks

Features:

- Dual locking levers provide extra pry resistance
- Hardened bottom plate for drill resistance
- Top and bottom bumpers for greater scratch resistance
- Thousands of key changes maximize key integrity
- Proprietary rustproofing for longer life
- 4 pin tumbler cylinder helps prevent picking

Shackle Inner Width: 3/4 in

Shackle Material: Hardened Steel

Body Material: Laminated Steel

No. of Pins: 4

Combination/Keying: Keyed Different



SKU	Shackle Dia	Shackle Length	Body Width
470-1D	5/16 in	15/16 in	1 3/4 in
470-1DCOM	5/16 in	15/16 in	1 3/4 in

No. 140 Solid Brass Padlocks

Features:

- Solid brass lock body is stylish and strong
- Non-rekeyable

Shackle Material: Hardened Steel

Body Material: Solid Brass

No. of Pins: 4

Combination/Keying: Keyed Different



SKU	Shackle Dia	Shackle Length	Shackle Inner Width	Body Width
470-140D	1/4 in	7/8 in	13/16 in	1 9/16 in

No. 1500 Combination Padlocks

Features:

- Hardened steel shackle for extra cut resistance
- Combination security for keyless convenience
- 3-digit dialing and 1,500 combinations for maximum security

Shackle Material: Hardened Steel

Body Width: 1 7/8 in

Body Material: Stainless Steel

Code Format: 3 Step Dial



SKU	Shackle Dia	Shackle Length	Shackle Inner Width
470-1500	9/32 in	3/4 in	13/16 in

Master Lock

No. 1525 General Security Combination Locker Lock Padlocks

Features:

- For schools, health clubs, and employee lockers; where an administered locker security system is required
- Easy, dependable 3-number dialing with automatic scrambling feature to prevent reopening of lock
- Double reinforced construction with stainless steel outer case and cold rolled steel inner case for strength and durability
- Nickel plated hardened steel shackle resists rust
- Standard black dial

Shackle Material: Hardened Steel

Body Material: Stainless Steel

Combination/Keying: Combination Different

Code Format: 3 Step Dial



SKU	Shackle Dia	Shackle Length	Shackle Inner Width	Body Width
470-1525	9/32 in	3/4 in	13/16 in	7/8 in

No. 175 Combination Brass Padlocks

Features:

- Set-your-own combination convenience
- Resetttable to any of 10,000 personalized combinations
- Hardened Steel Shackle

Body Material: Solid Brass

Combination/Keying: Settable Combination

Code Format: 4 Step Dial



SKU	Shackle Dia	Shackle Length	Shackle Inner Width	Body Width
470-175	5/16 in	1 in	1 in	2 in
470-175D	5/16 in	1 in	1 in	2 in
470-175DLH	5/16 in	2 1/4 in	1 in	2 in
470-175LH	5/16 in	2 1/4 in	1 in	2 in

No. 178 Solid Brass Combination Padlocks

Features:

- Set-your-own combination convenience and security
- 4 digit dialing allows for thousands of possible combinations

Shackle Material: Hardened Steel

Body Material: Die cast

Combination/Keying: Settable Combination



SKU	Shackle Dia	Shackle Length	Shackle Inner Width	Body Width
470-178BLK	5/16 in	1 in	1 in	2 in

No. 3 Laminated Steel Pin Tumbler Padlocks

Features:

- Dual locking levers provide extra pry resistance
- Hardened bottom plate for drill resistance
- Top and bottom bumpers for greater scratch resistance
- Thousands of key changes maximize key integrity
- Proprietary rustproofing for longer life
- 4 pin tumbler cylinder helps prevent picking

Shackle Material: Hardened Steel

Body Material: Laminated Steel

No. of Pins: 4

Combination/Keying: Keyed Different



SKU	Shackle Dia	Shackle Length	Shackle Inner Width	Body Width
470-3D	9/32 in	3/4 in	5/8 in	1 9/16 in
470-3DCOM	9/32 in	3/4 in	5/8 in	1 9/16 in

No. 5 Laminated Steel Pin Tumbler Padlocks

Features:

- Dual locking levers provide extra pry resistance
- Hardened bottom plate for drill resistance
- Top and bottom bumpers for greater scratch resistance
- Thousands of key changes maximize key integrity
- Proprietary rustproofing for longer life
- 4 pin tumbler cylinder helps prevent picking

Shackle Material: Hardened Boron Alloy Steel

Body Material: Laminated Steel

No. of Pins: 4

Combination/Keying: Keyed Different



SKU	Shackle Dia	Shackle Length	Shackle Inner Width	Body Width
470-5DCOM	3/8 in	1 in	15/16 in	2 in

No. 7 Laminated Steel Pin Tumbler Padlocks

Features:

- Hundreds of key changes maximize key integrity
- Proprietary rustproofing for longer life
- 4 pin tumbler cylinder helps prevent picking

Shackle Material: Steel

Body Material: Laminated Steel

No. of Pins: 4

Combination/Keying: Master Keyed



SKU	Shackle Dia	Shackle Length	Shackle Inner Width	Body Width
470-7KD	3/16 in	9/16 in	1/2 in	1 1/8 in

Master Lock**Pro Series® High Security Padlocks-Solid Steel****Features:**

- Dual deadbolt locking for resistance to prying
- Body provides excellent security against physical attacks
- Boron alloy shackle for superior cut resistance
- Provide tens of thousands of key changes
- Rekeyable for ease of replacing cylinder or shackle

Body Material: Solid Steel**Combination/Keying:** Keyed Different

SKU	Shackle Dia	Shackle Length	Shackle Inner Width	Body Width
470-7050	3/8 in	1 1/2 in	29/32 in	2 in

Pro Series® High Visibility Aluminum Padlocks**Features:**


- Safety color recognition plus high security
- Available in six vibrant colors for easy lockout customization - add desired suffix - RED, ORJ, GRN, YLW, BLU, BLK
- Baked-on powder-coated finish stays bright
- Ideal for corrosive and tough environments
- Tens of thousands of key changes available - restricted 400 series cylinder option at no extra charge
- Rekeyable for easy key system maintenance
- Key retaining optional - ensures that padlocks are not left unlocked
- Photo I.D. labels available

**Shackle Material:** Hardened Steel**Body Material:** Aluminum**No. of Pins:** 5**Combination/Keying:** Keyed Different**Color:** Red

SKU	Shackle Dia	Shackle Length	Shackle Inner Width	Body Width
470-6835RED	1/4 in	1 1/16 in	25/32 in	1 9/16 in

Steel Body Safety Padlocks**Features:**


- Six bumper colors for segmentation by department, etc. - Add Desired Color Suffix - RED, YLW, GRN, BLU, BLK, WHT
- Reinforced laminated steel construction
- 1400 key changes available
- Four-pin tumbler cylinder
- Ideal when locks may be subjected to physical abuse

Shackle Material: Steel**Body Material:** Laminated Steel**No. of Pins:** 4**Combination/Keying:** Keyed Different**Color:** Red**Includes:** 2 Brass Keys

SKU	Shackle Dia	Shackle Length	Shackle Inner Width	Body Width
470-3RED	9/32 in	3/4 in	5/8 in	1 9/16 in

**Breaker Lockouts****Features:**

- Enhanced device will lock out most single pole circuit breakers
- Accepts up to 9/32" shackle diameter lock
- Provides secure locking protection
- Easy to install
- Patent No. 5,122,624

Voltage: 220 V

SKU	Width	Length	Height
262-65965	7 in	5.3 in	2.2 in

Prinzing Economy Lockout Kits**Features:**

- Our economy lockout kit provides 9 components to ensure equipment is either de-energized or lockout out in accordance with OSHA regulation 1910.47

Includes: 1-10 Pack Lockout Tags With Ties (LT-10); 1-Large Plug Lockout (PLO23-BI); 1-Lockout Training Booklet (2112X); 1-Rugged Polyethylene Carrying Case (7"H x 12"W x 5"D); 14-2 Padlock Identifier Stickers (LID-2); 2-Multi-Pole Breaker Lockouts (BL03); 3-1 1/2" Steel Lockout Hasps (T220); 3-Blue Prinzing Padlocks (LC041-BU); 3-Single Pole Breaker Lockouts (BL01)



SKU	Width	Length	Height	Depth
262-LKX	8.4 in	6 1/2 in	12 1/2 in	5 in

Standard Ball Valve Lockouts**Features:**

- Easy to use
- Easy to use

Material: Powder-Coated Steel**Color:** Red**Pipe Diam:** 1 1/4 in - 3 in

SKU	Shackle Dia	Width	Length	Height
262-65669	9/32 in	1.7 in	4.8 in	3.3 in

Ten Lock Station**Features:**

- Bumper padlocks
- Do Not Operate tags
- Safety lockout
- Includes:** 25" Do Not Operate" tags; Includes 10 blue bumper padlocks; three 1" Safety lockouts

SKU	Length	Wt.
262-65680	14.9 in	8.92 lb



Master Lock

Grip Tight™ Circuit Breaker Lockouts

Features:

- Secure and simple mounting for a solid lockout
- Grips tight with simple thumb turn and clamping handle
- Accept all American Lock and Master Lock safety padlock shackle and lockout hasp diameters
- Durable construction with powder coated steel and reinforced polymer allows operation in harsh environments



SKU
470-493B

No. 410 & 411 Lightweight Xenoy Safety Lockout Padlocks

Features:

- Designed by safety directors specifically for OSHA lockout compliance - 1 3/4" tall
- Durable, lightweight, non-conductive xenoy lock body
- Customize on-site with permanent, write-on labels
- Compliance with OSHA "One Employee, One Lock, One Key" directive
- High security, reserved-for-safety cylinder - Up to 100,000 key changes
- Key retaining - Ensures that padlocks are not left unlocked
- Eight Colors Available - Add Desired Suffix - RED, YLW, BLU, GRN, BLK, ORJ, PRP, TEAL



Shackle Dia: 1/4 in

Shackle Material: Steel

Body Material: Non-Conductive Xenoy

Combination/Keying: Keyed Different

Body Width: 1 1/2 in

SKU	Shackle Length	Shackle Inner Width	Color
470-410BLK	1 1/2 in	25/32 in	Black
470-410BLU	1 1/2 in	25/32 in	Blue
470-410BLU	1 1/2 in	25/32 in	Blue
470-410GRN	1 1/2 in	25/32 in	Green
470-410LTRED	3 in	25/32 in	Red
470-410ORJ	1 1/2 in	25/32 in	Orange
470-410RED	1 1/2 in	25/32 in	Red
470-410YLW	1 1/2 in	25/32 in	Yellow
470-411RED	1 1/2 in	25/32 in	Red

Safety Lockout Hasps

Features:

- Compatible with Nos. 3, 410, 411 and 6835 safety lockout padlocks
- Allows for lockout by up to six workers
- Heavy gauge steel resists prying

Material: Steel

Color: Red



SKU	Jaw Dia	Quantity
470-420	1 in	12 per box
470-421	1 1/2 in	12 per box

Safety Series™ "Do Not Operate" I.D. Tags

Features:

- Durable polyester laminate resists water, grease and extreme temperatures
- Heavy-Duty construction withstands up to 80 lbs. of pullout force (Meets OSHA Requirements); Prevents accidental removal
- Customize with name, department, expected completion
- 7/16" Diameter brass grommet accepts all safety padlocks



SKU	Width	Height	Quantity
470-497A	3 in	5 3/4 in	12 per bag

Safety Series™ Lockout Hasps

Features:

- Keeps equipment inoperative while repairs are being made
- Attach device to energy disconnect switch
- Control cannot be turned on until last workers padlock is removed

No. of Padlocks: 6

Material: Aluminum



SKU	Width	Length	Jaw Dia
470-416	1 1/2 in	4 3/8 in	1 in

Safety Series™ Lockout Stations

Features:

- Exclusive translucent cover protects contents
- Easy to carry, zippered pouch holds a worker's personal padlocks and other small lockout devices
- Innovative hinge holds cover open for easy product selection
- Integrated, one - piece molded construction eliminates loose parts
- Key registration card included to track and record all key codes in the facility
- Lockable to prevent loss of valuable safety lockout padlocks
- Reinforced snap lock clips provide easy vVpadlock and hasp storage and removal
- Resilient polycarbonate material provides twice the heat resistance and quadruple the impact strength of typical stations

Includes: (2) 420 Hasps

Includes: (1) 497A Tags (12/pk); (4) 3RED Padlocks

SKU	#	Width	Height	Depth
470-1482BP3	1	16 in	12 1/4 in	1 3/4 in

Includes: (10) 1106RED Padlocks; (2) 497A Tags (12/pk)

SKU	#	Width	Height	Depth
470-1483BP1106	2	22 in	15 1/2 in	1 3/4 in





by Honeywell

Group Lock Boxes

Features:

- Tamper Resistant

Material: Steel

Color: Red



SKU	No. of Padlocks
068-GLB03/E	13

Lockout Tagouts

Features:

- GROMMET
- Other options available

Depicted Text: Danger Do Not Operate



SKU	Width	Length	Height
068-ELA290G/1	3 in	6 in	1 3/4 in



Globe Mechanical Seals

Features:

- Self-locking, permanent mechanical closure
- Features prenumbers



SKU	Width	Height	Quantity
337-2799GN	8 1/2 in	5/16 in	1,000 per package

Premier Automatic Seals

Features:

- Self-locking, permanent mechanical closure
- Features prenumbers

Material: Metal



SKU	Width	Height	Quantity
337-2799PN	8 3/4 in	5/16 in	1,000 per package



Flammable Liquid Storage

Features:

- 2 in raised leak-proof sill
- 2-2 in vents with baffles
- 3-point key lock
- Adjustable galvanized shelves
- Leveling legs
- Powder coat finish
- Reinforced double-wall construction with 1 1/2 in airspace

Test & Approvals: FM; NFPA; OSHA

No. of Doors: 2

Door Type: Hinged

Material: Steel

Handle Type: Lever

Locking Type: Key

Applications: Flammable Liquids

Usage: Chemicals

Resistance: Corrosive Process



SKU	Capacity Vol.	Width (in)	Depth (in)	Height (in)	No. of Shelves	Wt.
258-1932*	30 gal	43	18	48	1	257 lb
258-1947	45 gal	43	18	65	2	353 lb
258-1962	60 gal	31 1/4	31 1/4	65	2	364 lb
258-1992	90 gal	43	34	65	2	485 lb

* Test & Approvals: UFC



Sure-Grip® EX Aerosol Can Safety Cabinets

Features:

- Fits virtually anywhere for hassle free organization of 24 cans
- 24-gauge galvanized steel roll out shelves with "easy-glide" plastic rollers and stop guard protection
- Two fixed position shelves have twelve 2-3/4" diameter openings, accepting cans up to 10" tall, and removable for easy cleaning

Height: 29 in

Door Type: Manual

Material: 18 Gauge Steel

Handle Type: Sure-Grip®



SKU	Width	Depth	Length	Wt.
400-890500	23 in	18 in	2 in	99 lb



Sure-Grip® EX Slimline Flammable Safety Cabinet

Features:

- U-Loc™ pad lockable handle
- Haz-Alert™ reflective labeling
- SpillSlope™ safety shelves
- 3-point self-latching, easy close doors with double key set
- Double wall construction with 1 1/2" of insulating air space
- Durable lead-free powder paint finish, inside and out, for maximum chemical resistance
- Feature dual 2" vents with flame arresters, four adjustable self-leveling feet, grounding connector, and trilingual warning label
- Manual-close door(s) opens to a full 180 degrees and self-latches when pushed closed
- Patented SpillSlope® galvanized steel shelves direct spills to back and bottom of a leakproof 2 in bottom sump
- Use alone or alongside larger cabinets for expanded storage when floor space is limited

Test & Approvals: Designed in accordance with NFPA Code 30 Regulation; Complies with OSHA regulations; FM Tested and Approved; Complies with UFC

Capacity Vol.: 22 gal

Load Cap.: 350 lb

No. of Shelves: 3

No. of Doors: 2

Material: Galvanized Steel

Handle Type: Sure-Grip®; Paddle with lock

Locking Type: 3 point locking system

Usage: Chemicals

Resistance: Flammables

SKU	Width	Depth	Height	Wt.
400-892200	23 1/4 in	18 in	65 in	208 lb



Yellow Countertop & Compact Cabinets

Features:

- U-Loc™ pad lockable handle
- Haz-Alert™ reflective labeling
- 3-point self-latching, easy close doors with double key set
- SpillSlope™ safety shelves
- Double wall construction with 1 1/2" of insulating air space
- Sturdy 18-gauge steel, welded for strength, long life, and greater fire protection
- Durable lead-free powder paint finish, inside and out, for maximum chemical resistance
- Dual 2" vents with flame arresters

Test & Approvals: Designed in accordance with NFPA Code 30 Regulation; Complies with OSHA regulations; FM Tested and Approved

No. of Shelves: 1

Material: 18 Gauge Steel

Handle Type: Sure-Grip®

Usage: Chemicals

Resistance: Chemical; Flammables

No. of Doors: 1

Capacity Vol.: 12 gal

SKU	Width	Depth	Height	Length	Wt.
400-891200	26 in	18 in	36 in	21 in	133 lb

No. of Doors: 2

Capacity Vol.: 4 gal

SKU	Width	Depth	Height	Length	Wt.
400-890400	17 in; 22 in	17 in	22 in; 23 in	18 in	62 lb





Yellow Safety Cabinets for Flammables

Features:

- U-Loc™ pad lockable handle
- Haz-Alert™ reflective labeling
- SpillSlope™ safety shelves
- Double wall construction with 1 1/2" of insulating air space
- Sturdy 18-gauge steel, welded for strength, long life, and greater fire protection
- Durable lead-free powder paint finish, inside and out, for maximum chemical resistance
- Four adjustable leveling feet provide a wobble-free base
- Self-close style features fusible links to hold doors open and concealed self-close mechanism for obstruction-free access
- Dual 2" vents with flame arresters

Test & Approvals: Designed in accordance with NFPA Code 30 Regulation; Complies with OSHA regulations; FM Tested and Approved; UL listed; Complies with UFC

No. of Doors: 2

Material: 18 Gauge Steel

Color: Yellow

Handle Type: Sure-Grip®

Usage: Chemicals

Resistance: Chemicals; Flammables



SKU	Capacity Vol.	Depth	No. of Shelves	Wt.
Door Type: Manual				
400-893000	30 gal	18 in	1	216 lb
400-894500	45 gal	18 in	2	300 lb
400-896000	60 gal	34 in	2	366 lb
400-899000	90 gal	34 in	2	421 lb
Door Type: Self-Close				
400-893020	30 gal	18 in	1	219 lb
400-894520	45 gal	18 in	2	309 lb
400-896020	60 gal	34 in	2	368 lb
400-899020	90 gal	34 in	2	436 lb



Storage Series

Features:

- Designed for storage and transportation of cylinders
- Constructed of gauge square tubing and expanded metal
- They also have a lockable door

Load Cap.: 4,500 lb

No. of Doors: 1

Material: Metal

Cage Material: Wire Mesh

Color: Green



Cylinder Cap.: (20) Hi-Pressure Cylinders
Height: 79 in

SKU	#	Width	Depth	Length	Wt.
339-ST5-20	1	50 in	50 in	50 in	692 lb

Cylinder Cap.: (9) Hi-Pressure Cylinders
Height: 85 in

SKU	#	Width	Depth	Length	Wt.
339-ST5-9	2	32 in	32 in	32 in	429 lb



Large Protector Cases

Features:

- Easy open Double Throw latches
- Open cell core with solid wall design - strong, light weight
- Automatic Pressure Equalization Valve
- Stainless steel hardware and padlock protectors
- 2 level Pick N Pluck™ with convoluted lid foam
- O-ring seal

Test & Approvals: Nat codified and tested to MIL C-4150J (Military Standard), IP-67 (Ingress Protection)

Body Material: Copolymer Polypropylene

Color: Black

Resistance: Dust; Water; Crush



MADE IN THE U.S.A.

Features:

- Comfortable rubber over-molded handle

Temp. Range: -40 °F - 210 °F

Wt.: 13.67 lb

SKU	Inner Width (in)	Inner Depth (in)	Inner Length (in)	Depth (in)
562-1550-BLACK	14	7.62	18.43	8.12

Features:

- Retractable extension handle
- 4 strong polyurethane wheels with stainless steel bearings

Temp. Range: -40 °F - 210 °F

Wt.: 28.89 lb

SKU	Inner Width (in)	Inner Depth (in)	Inner Length (in)	Depth (in)
562-1650	17.52	10.65	57.57	12.45

Medium Protector Cases

Features:

- Easy open Double Throw latches
- Open cell core with solid wall design - strong, light weight
- Automatic Pressure Equalization Valve
- Comfortable rubber over-molded handle
- Stainless steel hardware and padlock protectors
- Pick N Pluck™ with convoluted lid foam
- O-ring seal

Test & Approvals: NATO-codified and tested to MIL C-4150J (Military Standard), IP-67 (Ingress Protection) and ATA (Air Transportation Association)

Depth: 6.93 in

Temp. Range: -40 °F - 210 °F

Body Material: Copolymer Polypropylene

Color: Black

Resistance: Dust; Water; Crush



MADE IN THE U.S.A.

SKU	Inner Width	Inner Depth	Inner Length	Wt.
562-1500-BLACK	11.18 in	6.12 in	16 3/4 in	7 lb



Aerosolv® Aerosol Can Disposal Systems

Features:

- An easy-to-use, effective method of relieving pressure in spent aerosol cans
- It changes them from solid hazardous waste to a non-hazardous, fully recyclable state
- Every 100 cans punctured and emptied by Aerosolv® increases recyclable scrap metal by 25 lb. and reduces solid waste by 10 cubic feet, making Aerosolv® extremely cost effective

Includes: Anti-static Wire; Coalescing/Carbon Filter; Goggles; Puncturing Unit w/Plastic Sleeve



SKU	Length	Width	Height
401-28202	18 in	18 in	7 in

Safety Drum Funnels

Features:

- Fits into a 2" bung on a 30 and 50-gallon drum
- Wide-mouth opening with hinged, stay-open lid
- Self-closing cover has a fusible link that melts 165° F to shut the cover automatically in case of fire
- Accept lock to prevent unauthorized access

Test & Approvals: Complies with EPA regulations; FM Approved; Complies with OSHA regulations

Includes: 6 in. flame arrester

Material: Galvanized Steel

Neck Material: Brass

Resistance: Chemicals; Wear

Used With: Flammables



SKU	Dia.
400-08207	10 3/4 in



Type I Safety Cans

Features:

- Eagle cans feature environmentally friendly Lead free Technology
- Spring closing lid with neoprene gasket vents at 5 PSI internal pressure
- They feature deep drawn, 2-piece, no-weld construction with no top or side seams, non-sparkling brass pour spout and flame arrester and a spring-closing lid with neoprene gasket

Test & Approvals: Eagle Type I Cans meet OSHA and NFPA Code 30 requirements

Material: Galvanized Steel

Resistance: Flame Retardant

Rating: Type I



SKU	Dia.	Height	Color
2 gal			
258-UI-20-FS*	11 1/4 in	9 1/2 in	Red
5 gal			
258-UI-50-SY	12 1/2 in	13 1/2 in	Yellow
258-UI-50-FS*	12 1/2 in	13 1/2 in	Red
258-UI-50-FSY*	12 1/2 in	13 1/2 in	Yellow
258-UI-50-S	12 1/2 in	13 1/2 in	Red

* Includes: Funnel



Type II Safety Cans

Features:

- Eagle cans feature environmentally friendly Lead free Technology
- Spring closing lid with neoprene gasket vents at 5 PSI internal pressure
- They feature deep drawn, 2-piece, no-weld construction with no top or side seams, non-sparkling brass pour spout and flame arrester and a spring-closing lid with neoprene gasket

Test & Approvals: FM; UL; ULC

Color: Red

Material: Galvanized Steel

Usage: Chemicals

Resistance: Flame Retardant

Rating: Type II

Includes: 7/8 in. Flex Metal Spout



SKU	#	Capacity Vol.	Dia.	Height	Wt.
258-U2-26-S	1	2 gal	11 1/4 in	9 1/2 in	8 lb
258-U2-51-S	2	5 gal	12 1/2 in	13 1/2 in	10 lb



Red Oily Waste Cans

Features:

- Self-closing cover isolates contents from fire sources
- Rugged, lead-free galvanized steel body with durable powder coat paint finish
- Raised flow-through base dissipates heat
- Convenient carrying handle
- Trilingual safety label

Test & Approvals: FM Approved; UL listed

Color: Red

Material: 24-gauge Premium Coated Steel

Usage: General Protection

Resistance: Combustibles; Flame Retardant; Wear



SKU	Capacity Vol.	Dia.	Wt.
400-09100	6 gal	11 7/8 in	8 lb
400-09300	10 gal	13 15/16 in	13 lb
400-09500	14 gal	16 1/16 in	15 lb
400-09700	21 gal	18 3/8 in	22 lb

Type I Safety Cans

Features:

- Fully compliant Safety Cans feature a high performance, chemical resistant stainless steel flame arrester that stops flashback ignition, provides faster liquid flow, and offers exceptional durability and corrosion protection for long life
- This extra long precision mesh screen is a full 3 1/2" (88 mm) to ensure safe insertion of gas nozzle with metal-to-metal contact eliminating the potential of a spark and possible explosion
- Self-closing lid controls vapors and spills and unique counterbalanced, ergonomic design makes it easy to use
- Leakproof, positive pressure relief cap automatically vents to guard against rupture or explosion
- Rounded comfort handle that swings to help in carrying heavy loads, reinforcing ribs for bumper guard protection, and large 1/2" (13 mm) grip lip along bottom to support pouring

Test & Approvals: 100% leak tested;

Meets OSHA and

NFPA. FM, UL/ULC Listed. CARB Compliant;

Worldwide usage – TÜV certified

Material: Galvanized Steel

Rating: Type I



SKU	Capacity Vol.	Dia.	Color	Wt.
Diesel				
400-7150200	5 gal	11 1/2 in	Yellow	8 lb
Flammables				
400-7110100	1 gal	9 1/2 in	Red	4 lb
400-7120100	2 gal	9 1/2 in	Red	5 lb
400-7125100	2 1/2 gal	11 1/2 in	Red	6 lb
400-7150100	5 gal	11 1/2 in	Red	8 lb
400-7150110*	5 gal	11 1/2 in	Red	8 lb

*Includes: Funnel

JUSTRITE

Type II AccuFlow™ Safety Cans



Features:

- The exclusive vented AccuFlow™ manifold and Safe-Squeeze™ trigger handle provide superior pour control and smooth liquid flow
- Ergonomically designed offset combination fill/pour port with comfort lift bar makes filling easier than ever
- Fill port is equipped with a long length, long life stainless steel flame arrester which reliably dissipates heat to prevent flashback ignition
- Leak proof, positive pressure relief lid automatically vents to prevent rupture or explosion and self-closes to control vapors and spills
- Flexible metal hose

Test & Approvals: 100% leak tested; Meets OSHA and NFPA. FM, UL/ULC Listed. CARB Compliant; Worldwide usage – TÜV certified

Hose Length: 9 in

Material: Galvanized Steel

Applicable Materials: Diesel

Color: Yellow

SKU	#	Capacity Vol.	Dia.	Hose O.D.	Rating
400-7250230	1	5 gal	11 1/2 in	1 in	Type II

Applicable Materials: Flammables

Color: Red

SKU	#	Capacity Vol.	Dia.	Hose O.D.	Rating
400-7210120	2	1 gal	9 1/2 in	5/8 in	Type II
400-7220120	2	2 gal	9 1/2 in	5/8 in	Type II
400-7225120	2	2 1/2 gal	11 3/4 in	5/8 in	Type II
400-7225130	3	2 1/2 gal	11 3/4 in	1 in	Type I
400-7250120	1	5 gal	11 1/2 in	5/8 in	Type II
400-7250130	1	5 gal	11 1/2 in	1 in	Type II

Funnel Attachments for Type I Steel Safety Cans

Features:

- Economical way to aid pouring into smaller openings
- Slip-on quickly, and allows can to be filled with funnel attached
- For Type I steel cans only

Test & Approvals: FM Approved

Connection Type: Slip-On

Material: Polyethylene

Usage: Spill Control



SKU	Neck Length	Neck Size
400-11202Y	11 1/4	1/2 in

3M

High-Capacity Maintenance Folded Sorbents

Features:

- This is the easy-to-use solution for cleaning up spills, drips and fluid leaks
- It can be used as a boom, pillow, pad, or roll, which means you stock one product to meet your sorbent needs
- Perforations every 16 inches
- The compact, handy dispenser box allows easy, on-site use
- Simplifies reclamation for recycling of valuable liquids and reuse of sorbent
- Minimizes sorbent waste for disposal

Usage: Spill Control



SKU	Absorption	Quantity
498-M-FL550DD	10.5 gal	3 per case

High-Capacity Petroleum Sorbent Pads

Features:

- High Capacity Petroleum Sorbents selectively absorb petroleum-based liquids and repel water making them not only exceptionally effective but also economical

Usage: Spill Control

Color: White



SKU	Width	Length	Absorption	Quantity
498-HP255	19 in	17 in	0.66 gal	50 per bale

High-Capacity Petroleum Sorbent Rolls

Features:

- These petroleum sorbent rolls are perfect for lining drawers, covering workbenches, or masking areas from oversprays
- Rolls can be cut to cover small areas or laid on open waters, shorelines, or discharge streams
- With a scrim on one side, HP-100 can be wrung out and reused many times to reduce

Usage: Spill Control



SKU	Absorption	Wt.
498-HP-100	73 gal	20 lb

3M**Petroleum Sorbent Pads****Features:**

- Extremely easy to apply, retrieve, and reuse, these pads are double the standard thickness and recommended for congested areas such as under docks, in shallow water, rocky shorelines, marshes, and beaches
- Pads can also be used to wipe off oil-contaminated rocks, boats, and equipment
- Like rolls, they are ideal for in-plant use in place of clay granules



SKU	Absorption	Quantity
498-T-156	0.41 gal	100 per bale

Features:

- Low-profile design, can be easily placed in tight areas
- Ideal for cleaning up small spills and wiping down contaminated areas
- Has a scrim on one side to increase strength and help eliminate linting
- Conveniently sized, allows the user to quickly spread sorbent over and in the path of a spill

SKU	Absorption	Quantity
498-HP-156	0.38 gal	100 per bale

Features:

- These pads work as an excellent wipe for petroleum-based liquids of all types
- Conveniently sized, each pad allows the user to quickly spread sorbent on and in the path of a thin spill. Pads may also be used on a work surface in anticipation of a spill

SKU	Absorption	Quantity
498-T-151	0.217 gal	200 per bale

Petroleum Sorbent Rolls**Features:**

- Rolls are an economical way to attack any size of spill or discharge
- Cut them to cover small surfaces or spread over large areas
- Lay directly on open waters, shorelines, or discharge streams or place on docks, in boats, and under leaking machines

Usage: Spill Control

SKU	Absorption	Wt.
498-T-100	84 gal	38 lb

**Oil Only Sorbents****Features:**

- For use with oil and petroleum based fluids
- Products are comprised of meltblown polypropylene



SKU	Width	Length	Quantity
103-AB-BRO120	15 in	15 in	1 per bale
103-AB-BPO200	18 in	15 1/2 in	200 per bale
103-AB-BPO100	15 in	17 in	100 per bale
103-AB-BPO500	15 in	17 in	100 per bale

Universal Sorbent Pads**Features:**

- Absorbs all industrial liquids (water, petroleum, and chemical based fluids) in facility
- Dimpled & perfed
- Perfect fit for indoor spills
- Universal sorbents are designed for use around machinery, under leaky pipes or fittings, in messy traffic areas and for general maintenance projects



SKU	Width	Length	Quantity
103-AB-BPU100	15 in	17 in	100 per bale
103-AB-BPU500	15 in	17 in	100 per bale

Universal Sorbents**Features:**

- Absorbs all industrial liquids (water, petroleum, and chemical based fluids) in facility
- Dimpled & perfed
- Perfect fit for indoor spills
- Universal sorbents are designed for use around machinery, under leaky pipes or fittings, in messy traffic areas and for general maintenance projects



SKU	Width	Length	Quantity
103-AB-BPU200	18 in	15 1/2 in	200 per bale
103-AB-BRU120	30 in	120 ft	1 per bale

**BattleMat™ Sorbents****Features:**

- BM soaks up oil, water, coolants, solvents, acids and bases
- Perfect as walk-on mats or single use absorbents in manufacturing plants and similar environments
- Durable-abrasion resistant upper layer draws moisture into bottom layer and makes BattleMat the floor mat of choice whenever there is over-spray or heavy traffic
- Camouflage pattern masks drips and spills
- Heavy weight, double perfed

Ply: 3

SKU	Width	Length	Absorption	Quantity
655-BM15	18 1/2 in	18 1/2 in	25 gal	1 per case
655-BM30	30 in	150 ft	52 gal	1 per case

Dri-Zorb® Granular Absorbents**Features:**

- An all-natural corncob product that quickly absorbs cutting oils, grease, water and other liquids
- Dri-Zorb is particularly useful as an alternative to clay when disposal methods dictate your absorbent medium
- Not for use with aggressive liquids




SKU	Capacity Wt.
655-DZ-100	40 lb



Env™ Oil Sorbents-Contractor Grade

Features:

- Ideal for environmental applications
- They are comprised of the best available basic meltblown polypropylene
- ENV Oil Sorbents are packed in distinctive green bags and are the obvious choice when you need low cost plus high performance
- For use with oil and petroleum based fluids



Features:

- Economy, heavy weight

Ply: 1

SKU	Width	Length	Absorption	Quantity
655-ENV100	15 in	19 in	28.5 gal	100 per bale

Features:

- Economy, medium weight

Ply: 1

SKU	Width	Length	Absorption	Quantity
655-ENV150	30 in	144 ft	54 gal	1 per bale

Features:

- Economy, with blue sleeve, lint free

SKU	Dia.	Length	Absorption	Quantity
655-ENV510	5 in	10 ft	32 gal	4 per bale
655-ENV810	8 in	10 ft	65 gal	4 per bale

Ply: 1

SKU	Width	Length	Absorption	Quantity
655-ENV300	15 in	19 in	24 gal	100 per bale
655-ENV200	15 in	19 in	32 gal	200 per bale

GP™ Sorbents

Features:

- General purpose maintenance pads can be used to clean up virtually any liquid
- Constructed of high quality dimpled universal polypropylene
- Gray in color to help hide the dirt
- Full size pad, heavy weight
- Economy weight




Ply: 1

SKU	Width	Length	Absorption	Quantity
655-GP100	15 in	19 in	25 gal	100 per bale
655-GP200	15 in	19 in	27.5 gal	200 per bale

High Traffic Sorbents

Features:

- Built for durability and high absorbency
- This universal sorbent is tough enough for even your forklift traffic
- Medium weight, double-perfed



Ply: 3

SKU	Width	Length	Absorption	Quantity
655-HT303	19 in	19 in	63 gal	1 per bale

MRO Plus™ Sorbents



- Is highly effective for cleanup and removal of oil and water-based liquids
- A gray dimpled material combining thickness, strength and high absorbency, low-linting
- Perforations contribute to economy by allowing the user to take precisely the right amount of material to do the job
- The dirt masking gray color fosters longer use before disposal
- For use with oil and water-based fluids

Ply: 3

- Full size, heavy weight perfed

Absorption: 26 gal

SKU	Width	Length	Quantity
655-MRO100	15 1/2 in	19 1/2 in	100 per case

- Heavy weight, perfed every 18"

Absorption: 24 gal

SKU	Width	Length	Quantity
655-MRO15-P	15 in	150 ft	1 per case

- Heavy weight, perfed every 15" & up center

Absorption: 49 gal

SKU	Width	Length	Quantity
655-MRO30-DP	30 in	150 ft	1 per case

- Medium weight

Absorption: 20.5 gal

SKU	Width	Length	Quantity
655-MRO300	15 in	19 in	100 per case

- Heavy weight, perfed every 30"

Absorption: 49 gal

SKU	Width	Length	Quantity
655-MRO30P	17 1/4 in	17 5/16 in	1 per case

- Absorbs all industrial liquids (water, petroleum and chemical-based fluids)

- Gray color masks drips and spills
- Heavy and medium weight alternatives
- Three-ply constructions makes it stronger, more durable and reduces lint

SKU	Width	Length	Quantity
655-MRO315P	18 1/2 in	18 1/2 in	1 per case

- Medium weight, double-perfed

Absorption: 38 gal

SKU	Width	Length	Quantity
655-MRO350-DP	30 in	150 ft	1 per case



Oil Plus™ Sorbents

Features:

- Dimpled material notable for its low linting, thickness and strength
- It is equally effective in absorbing oil and petroleum fluids will not pick up water or water-based liquids
- Full size, heavy weight perped

Absorption: 26 gal

Ply: 3



SKU	Width	Length	Quantity
655-OP100	15 in	19 in	100 per case

Premium Oil Absorbent

Features:

- It is a recycled waste product that contains naturally occurring microorganisms and nutrients
- No harm will ever be done to the environment by the use of Oil Gator
- Oil Gator® is an all-natural, biodegradable absorbent with the ability to encapsulate 2-6 times its weight in oil or oil-based products



SKU	Width	Length	Height	Wt.
655-GS-10	5 1/2 in	22 in	14 in	18 lb

Re-Form™ Plus Sorbents

Features:

- Perforated – use only what you need
- Re-Form Plus material has the same absorbency performance as the basic Re-Form material but adds a spunbond coverstock making it ideal for handling foot traffic and wiping applications



SKU	Absorption	Wt.
655-RFP28DP	62 gal	33 lb

Slikwik Socs™ Absorbents

Features:

- Mold around corners and conform to uneven surfaces to prevent and soak up spills and drips



Features:

- Corncob-filled SOC for quick, dependable pick-up of all but aggressive fluids

Brand Name: Slikwik®

SKU	Width	Length	Absorption	Quantity
655-SW46	3 in	42 in	20 gal	40 per case

Features:

- Specialized oil-only polypropylene SOC for use against oil and petroleum based spills

Brand Name: Oil Only

SKU	Width	Length	Absorption	Quantity
655-OIL430	3 in	4 ft	3.53 L	30 per case

Features:

- All-purpose maintenance polypropylene SOC, suitable for most industrial applications


Brand Name: Allwik®

SKU	Width	Length	Absorption	Quantity
655-AW430	3 in	4 ft	3.76 L	30 per case

SPC Sorbent Rugs

Features:

- Economy rug made from recycled cotton and polyester fibers
- Ideal for maintenance, repair, and industrial environments
- Provides good footing, masks dirt and absorbs spills
- Soaks up oil, water-based and solvent-based liquids



SKU	Height	Wt.
655-RAG36150	36 in	47 lb

SPC™ Oil Sorbents

Features:

- Designed to contain and control petroleum based fluids
- They will not deteriorate, disintegrate, or sink, extruded from polypropylene

Ply: 1



SKU	Width	Length	Absorption	Quantity
655-SPC300	15 in	19 in	24 gal	100 per bale
655-SPC500	15 in	19 in	16 gal	100 per bale

Features:

- Heavy weight, dimpled and perped

SKU	Width	Length	Absorption	Quantity
655-SPC100	15 in	19 in	31 gal	100 per bale



SXT™ Industrial Oil Sorbents

Features:

- Abrasion resistant and nonabrasive
- Non-woven structure on both sides and a low-linting meltblown core
- Significantly stronger than ordinary meltblown polypropylene; and remains intact even when saturated
- Is chemically inert and will not absorb water
- Full size, heavy weight perfed
- Significantly stronger than ordinary meltblown polypropylene and remains intact even when saturated



Ply: 3

Quantity: 100 per case

SKU	Width	Length	Absorption
655-SXT100	15 in	19 in	19.5 gal

UXT™ Universal “X-tra Tough” Sorbents

Features:

- Abrasion resistant and nonabrasive
- Highly effective against oils, acids, solvents, bases, chemicals, coolants and antifreeze
- Non-woven structure on both sides and a low-linting meltblown core
- Is significantly stronger than ordinary meltblown polypropylene and remains intact even when saturated
- Full size, heavy weight perfed



Ply: 3

Quantity: 100 per case

SKU	Width	Length	Absorption
655-UXT100	15 in	19 in	19 gal



Industrial Absorbents

Features:

- Absorbs fuels, organic chemicals, paints, glycol and more



SKU	Absorption	Wt.
671-SS-2B	9 gal - 12 gal	25 lb
671-SS-2-60	9 gal - 12 gal	55 lb



Drum Spill Kits

Test & Approvals: Drum meets UN specifications

Includes: Emergency Response Handbook; Goggles; Nitrile Gloves



Features:

- Allwik for oil, water based and chemical spills
- Open and close this lever locked drum for fast response

SKU	Drum Size	Absorption	Includes
655-SKA55	55 Gal	38 gal	(4) SOCs, 3 in x 12 ft; (5) Disposal Bags; (50) Pads, 15 x 19 in; (8) Pillows, 17 x 19 in
655-SKA55	55 Gal	38 gal	(4) SOCs, 3 in x 12 ft; (5) Disposal Bags; (50) Pads, 15 x 19 in; (8) Pillows, 17 x 19 in

Features:

- Allwik for oil, water based and chemical spills
- UN approved water and chemical resistant polyethylene Lab Pack container with screw top lid for small to medium response

SKU	Drum Size	Absorption	Includes
655-SKA20	20 Gal	15 gal	(12) Pads, 15 x 19 in; (2) Pillows, 17 x 19 in; (3) Disposal Bags; (3) SOCs, 3 in x 12 ft
655-SKA20	20 Gal	15 gal	(12) Pads, 15 x 19 in; (2) Pillows, 17 x 19 in; (3) Disposal Bags; (3) SOCs, 3 in x 12 ft

Features:

- Oil Only, for oil and petroleum based spills
- Open and close this lever locked drum for fast response

SKU	Drum Size	Absorption	Includes
655-SKO-55	55 Gal	38 gal	(4) SOCs, 3 in x 12 ft; (5) Disposal Bags; (50) Pads, 15 x 19 in; (8) Pillows, 17 x 19 in

Portable Spill Kits

Features:

- Allwik for oil, water based and chemical spills
- This highly visible yellow PVC bag is “just right” for small spills

Includes: (1) Disposal Bag; (10) Pads, 15 x 19 in; (2) SOCs, 3 in x 4 ft; Instruction Sheet; Nitrile Gloves



SKU	Absorption
655-SKA-PP	5 gal



2-Drum Budget Basins

Features:

- Low cost spill containment


Capacity Vol.: 34 gal

Resistance: Chemicals

Material: Polyethylene

Load Cap.: 5,000 lb

Color: Yellow



SKU	Width	Depth	Height	Wt.
258-1631	26 1/4 in	51 1/2 in	6 1/2 in	28 lb

2-Drum Modular Platforms

Features:

- Low profile for easy loading/unloading

Capacity Vol.: 30 gal

Resistance: Chemicals

Material: Polyethylene

Load Cap.: 5,000 lb

Color: Yellow



SKU	Width	Depth	Height	Wt.
258-1632	26 1/4 in	51 1/2 in	6 1/2 in	32 lb

4-Drum Modular Platforms

Features:

- 30 gallon spill capacity per 2 drum side
- Arrange in endless configurations

Resistance: Chemicals

Material: Polyethylene

Load Cap.: 10,000 lb

Color: Yellow



SKU	Width	Depth	Height	Wt.
258-1634	52 1/2 in	51 1/2 in	6 1/2 in	65 lb

Spill Containment Pallets

Features:

- 4-drum low profile design
- 3/4" drain and plug
- 4-way fork-liftable
- Removable grating for ease of cleaning

Capacity Vol.: 66 gal

Resistance: Chemicals

Material: Polyethylene

Load Cap.: 8,000 lb

Color: Yellow



SKU	Width	Depth	Height	Wt.
258-1645	51 1/2 in	51 1/2 in	8 in	65 lb

Spill Containment Platforms

Features:

- Constructed of yellow high density polyethylene (HDPE) for excellent durability and chemical resistance
- Black HDPE flat top grate removes for easy cleaning

Capacity Vol.: 63 gal; 66 gal

Resistance: Chemicals

Material: Polyethylene

Load Cap.: 8,000 lb

Color: Yellow



SKU	Width	Depth	Height	Wt.
258-1647	106 in	30 1/4 in	6 3/4 in	74 lb



IBC Spill Pallets Plus

Features:

- Offers excellent chemical resistance and will not rust or corrode
- Forkliftable — allows convenient positioning to desired locations
- Large 52" x 52" deck allows safe and convenient placement of IBC tanks

Test & Approvals: Meets EPA Container Storage Regulation 40 CFR 264.175, 264.177(c) and 265.177(c)

Capacity Vol.: 360 gal

Load Cap.: 8,500 lb

Material: Polyethylene



SKU	Length	Width	Height	Wt.
877-1157	62 in	62 in	28 in	280 lb



Replacement Pads

Features:

- Each pad contains 60 shoe-cleaning tacky sheets
- Treated with an anti-microbial agent
- Replacement pads can be added to two tray sizes available for your specific usage
- When top layer is dirty, simply peel and discard

Thickness: 1/8 in

Surface: Adhesive Acrylic with Non-toxic Anti-microbial Additive

Color: Gray



SKU	Width	Length
171-WCRPLPAD	24 in	30 in



Safety-Walk™ General Purpose Treads 600 Series

Features:

- Mineral-coated, slip-resistant material features a highly durable surface
- Low-profile design reduces trip hazard
- For use on smooth, flat surfaces

Color: Black



SKU
488-19223



Collapsible Safety Cones

Features:

- Top-Mounted red LED flasher runs on (2) AAA batteries (not included)
- Two large high-reflect stripes and tough Nylon® construction will take a beating

Test & Approvals: Meets MUTCD standards

Color: Orange

Material: Nylon

Includes: (1) Cone; (1) LED Flasher Unit; (1) Poly Storage Bag w/Zipper; Carrying Bag



SKU	Height	Wt.
205-1190	2 in - 18 in	1.85 lb
205-1191	2 in - 28 in	3.17 lb



PVC Traffic Cones

Features:

- Sturdy PVC Traffic cone
- All vinyl construction assures durability and flexibility in all weather conditions
- Long lasting, brilliant fluorescent color provides high visibility protection
- Ultraviolet stabilized color provides maximum resistance to fading
- High density base creates low center of gravity for maximum stability

Color: Orange



SKU	Height	Base Width	Wt.
831-03-500-07	28 in	14 1/2 in	7 lb




Safety/Barrier Fences

Features:

- Designed to meet the requirements of state and local governments
- Laminar design gives this fence more surface area for greater wind loading

Applications: Access Roads; Airports; Highway Departments; Ski Areas



SKU	Height	Length	Wt.
626-OSF60	4 ft	100 ft	23 lb

Features:

- This product was developed to give the consumer a strong but cost effective answer to crowd control
- Is stretched under heat, producing maximum strength
- Has a 3000 pound tensile strength across a 4 foot width
- Flat laminar design gives a higher visibility

Applications: Construction Warning Barricade; Ski Areas; Sporting Events

SKU	Height	Length	Wt.
626-OL30	4 ft	100 ft	10 1/2 lb



Mobile Barriers

Features:

- 16 articulating panels, has two 5" non-marking wheels, and four locking straps to secure barrier in closed position

Material: Plastic

Color: Yellow



SKU	Height	Length	Wt.
640-9S11	40 in	2 ft - 13 ft	32 lb



Fluorescent Pennants

Features:

- Double sewn on plastic-covered, hi-strength, sag-resistant Nablom™

No. of Pennants: 68

Pennant Size Width @ Length: 9 in @ 12 in

Material: Plasticcloth



SKU	Color	Length
567-PC100-A	Green; Orange; Pink; Red; Yellow; Blue	100 ft
567-PC100-F	Blaze Orange	100 ft



PRESCO

Presco Stake Flags

Features:

- Use this orange wire stake marking flag for a variety of industries
- From utility constructions to line locating, hardware to forestry, landscaping and lawn care to pet containment

Color: Orange

Flag Size Width @ Height: 5 in @ 4 in



SKU	Length	Temp. Range
764-45210	21 in	-40 °F



Floor Safety Signs

Features:

- Yellow wet floor sign (written in English)

Depicted Text: Caution Wet Floor

Color: Yellow



SKU	Length	Width	Height	Depth
640-6112-77-YEL	26 in	11 in	25 in	12 in


3M

Hazard Marking Vinyl Tape 766

Features:

- Stripes promote employee safety by marking pinch points or gears on equipment
- Prevent accidents by providing temporary floor marking around equipment or spills
- Mark risers on stairways or low-clearance areas

Color: Black/Yellow



SKU	Quantity
405-021200-43181	24 per case

IBERU
PLASTICS CORPORATION
AND SUBSIDIARIES

TAPES AND COATINGS DIVISION

Barrier Safety Tapes

Features:

- Allows for quick and easy way to warn people of hazards or dangerous situations

Thickness: 2 mil

Material: Polyethylene



SKU	Depicted Text	Color	Width	Length
573-700022P	Danger	Red	3 in	1,000 ft
573-700023P	Danger Do Not Enter	Red	3 in	1,000 ft
573-700024P	Caution Do Not Enter	Yellow	3 in	1,000 ft

Empire

Safety Barricade Tapes

Color Text: Black

Material: Plastic

Features:

- Reinforced fibers run throughout the tape
- Reusable safety tape with heavy-duty 300 lb break strength is 16x stronger than regular barricade tape



SKU	Depicted Text	Color	Height
272-76-0600	Caution	Yellow	3 in
272-76-0600	Caution	Yellow	3 in
272-76-0604	Danger	Red	3 in
272-76-0604	Danger	Red	3 in

Features:

- Safety tapes indicating warning or danger areas

SKU	Depicted Text	Color
272-11-081	Danger Do Not Enter	Red
272-71-1001	Caution	Yellow
272-77-1001	Caution	Yellow
272-77-1004	Danger	Red

ipg intertape polymer group®

Intertape Polymer Group Barricade Tapes

Features:

- For limiting access, marking, surveying and other uses at home and on worksites

Thickness: 2.5 mil

Material: Polyethylene



SKU	Depicted Text
761-600CC-300	Caution

IRWIN
STRAIT-LINE

Flagging Tapes

Features:

- Weatherproof poly vinyl chloride for harsh outdoor conditions
- Ideal for construction, landscaping, excavating, identification of trees or hazards, and locating underground cables or pipe
- 1-3/16" wide
- Bright, fade-resistant color for maximum visibility
- Constructed of non-adhesive, non conducting vinyl
- 1-3/16" wide, 2 mil thick

Color: Glo Orange



SKU	Width	Length
586-65602	1 3/16 in	150 ft



PRESCO

Presco Flagging Tapes

Features:

- Versatile, visible
- Material:** PVC



SKU	Color	Width	Length
764-FLAG-ORANGE	Orange	1 3/16 in	300 ft
764-FLAG-ORANGLO	Orange Glo	1 3/16 in	150 ft
764-FLAG-RED	Red	1 3/16 in	300 ft

Empire

Detectable Warning Tapes


Features:

- Use for location and early warning protection for underground lines
- Middle foil layer allows for both inductive and conductive locating

Color: Yellow

Color Text: Black

Depicted Text: Caution Gas Line Below



SKU	Height
272-31-140	2 in



GloWear® 8210HL Class 2 Economy Vest

Features:

- Tape Type: 2-inch Level 2 ANSI Certified Tape
- Tape Specs: (1) 360°, (2) Vertical

Test & Approvals: ANSI 107-Class 2

Material: Polyester Mesh

Closure Type: Hook & Loop

Color: Lime



SKU	Size Group
150-21027	2XL/3XL

GloWear® 8210Z Class 2 Economy Vest

Features:

- Tape Type: 2-inch Level 2 ANSI Certified Tape

- Tape Specs: (1) 360°, (2) Vertical

Test & Approvals: ANSI 107-Class 2

Material: Polyester Mesh

Closure Type: Zipper



SKU	Size Group	Color
150-21047	2XL/3XL	Orange
150-21055	L/XL	Lime

GloWear® Economy Safety Vests

Features:

- Tape Type: 2-inch Level 2 ANSI Certified Tape
- Tape Specs: (1) 360°, (2) Vertical
- 2 in Level 2 ANSI-compliant reflective material
- ANSI-compliant polyester mesh

Test & Approvals: ANSI 107-Class 2

Material: Polyester Mesh



SKU	Size Group	Closure Type	Color
150-21057	2XL/3XL	Zipper	Lime
150-21025	L/XL	Hook and Loop	Lime
150-21045	L/XL	Zipper	Orange

GloWear® Non-Certified Standard Safety Vests

Features:

- 1" retroreflective tape
- Tape Specs: (2) vertical
- Features hook and loop closure

Material: Polyester Mesh

Closure Type: Hook and Loop

Color: Lime



SKU	Size Group
150-20040	One Size



by Honeywell

Economical Mesh Traffic Vests

Features:

- Elastic sides
- 3" front closure
- 1" gray reflective vertical stripes on front and back

Material: Polyester Mesh

Color: Hi-Viz Orange



SKU	Size Group
068-TV15RSC	One Size Fits All



Economy Non-ANSI Vest

Features:

- Other sizes available
- 1" gloss reflective tape
- Elastic side straps
- 1 inside pocket

Material: Mesh; Polyester Mesh

Closure Type: Hook & Loop

Color: Hi-Viz Orange; Yellow Tape



SKU	Size Group
561-LUX-XGTM-OXL	X-Large



Class II Economy Safety Vests

Features:

- 2" silver reflective striping and adjustable front closure
- This vest has a left bottom pocket, a left chest pocket and a right inside pocket

Material: 100% Polyester

Closure Type: Hook & Loop

Color: Lime



SKU	Size Group
611-VCL2SLL	Large
611-VCL2SLXL	X-Large

Safety Vests

Features:

- Bright colors for high visibility
- Tough, yet lightweight
- 3/4" yellow reflective stripes sewn vertically from front to back

Color: Orange



SKU	Material
611-V211R	Mesh