Floor Pads





FLOOR PADS

A. PRIME	SOURCE	® FLOOR	PADS	PRIME SOURCE®
Black Stripp	oing Pads			
For long-last	ing, heavy-d	uty stripping		
75004989	75004989			5/cs.
75004425	75004425			5/cs.
75004392	75004392			5/cs.
75004404	75004404			5/cs.
75004395	75004395			5/cs.
75004434	75004434			5/cs.
75004398	75004398			5/cs.
75004442	75004442			5/cs.
75004451	75004451			5/cs.
75004459	75004459			5/cs.
Dark Blue S			rmance Stri	-,
				commended for use on
machines op				offilinoriada for add off
75004970		13", Dark B		5/cs.
75004971		17", Dark B		5/cs.
75004971		20", Dark B		5/cs.
Emerald II S		,	iue	5/65.
			ovo ovon tho	toughest heel marks and
				web, highly abrasive, tear
				ncy. Durable and
aggressive fo				Γ/a-a
75004416	75004416	13", Emera		5/cs.
76007860	76007860	16", Emera	ld Green	5/cs.
75004417		17", Emera		5/cs.
75004418		20", Emera		5/cs.
Maximum P				
				commended for use on
machines op				
75004428		17", Dark B	lue	5/cs.
Stripping Pa				
			s such as ha	lls and stairs. Easily
removes old				
75004411		13", Brown		5/cs.
75004419		14", Brown		1/ea.
75004985		20", Brown		5/cs.
Green Scrul				
For wet, hea				
75004426	75004426	13", Green		5/cs.
75004495		14", Green		5/cs.
75004393	75004393	16", Green		5/cs.
75004435	75004435	17", Green		5/cs.
75004443	75004443	19", Green		5/cs.
75004452	75004452	20", Green		5/cs.
75004460		21", Green		5/cs.
		•		

FI OOR P	SOURCE PADS (COM		PRIME SOURCE®
Blue Clean		11.)	FIXINIL SOURCE
		crubbing or heavy s	spray cleaning. Use with
	eeds of 175-		opray oldarinig. God with
75004424			5/cs
75004403	75004403		5/cs
75004433			5/cs
75004441			5/cs
75004450	75004450		5/cs
75004458			5/cs
Convention	nal Cleaning	Pads	
Designed fo	r moderate s	crubbing or heavy	spray cleaning. Use with
machine sp	eeds of 175-3	300+RPM.	
75004972	75004972	14", Blue	5/cs
75004976	75004976	18", Blue	5/cs
Aqua Burni			
A superior s	oft pad that I	ightly polishes the f	floor for a reflective appearance
Recommend			ing at 1000-3000+ RPM.
75004973		19", Aqua	5/cs
75004471		20", Aqua	5/cs
75004975		24", Aqua	5/cs
75004472		27", Aqua	5/cs
	Burnishing		
		hing pad for a softe	
75004423		13", Beige	5/cs
75004432		17", Beige	5/cs
75004440		19", Beige	5/cs
75004449		20", Beige	5/cs
75004457	75004457	21", Beige	5/cs
75004408	75004408	24", Beige	5/cs
75004465	75004465	27", 1/4" BH, Beig	je 5/cs
75004466		27", 31/4" CH, Beig	ge 2/cs
	e UHS Burni		
	dium-duty so		
75004438	75004438	19", Champagne	5/cs
75004454	75004454	20", Champagne	5/cs
75004409	75004409	24", Champagne 27", 1/4" BH, Chai	5/cs
75004412	75004412	27", 1/4" BH, Chai	mpagne 2/cs
75004413		27", 31/4" CH, Cha	mpagne 2/cs
	/ UHS Burni		
			a hard and aggressive binder.
		s of 1000 to 3000+	KPM. 5/cs
	ファハハメハフフ	r Manifal	
75004977	75004977		
75004977 75004978	75004978	19", Natural	5/cs
75004977	75004978 75004475		

Floor Pads/Bonnets







A.	PRIME SOURCE®	
FΙ	OOR PADS (CONT)	

PRIME SOURCE®

Light Blue UHS Burnishing Pads

Use where burnishing is required on a frequent basis. Soft binders with fine synthetic fiber create a super soft pad for dry burnishing.

75004437	75004437	19", Light Blue	5/cs.
75004445	75004445	20", Light Blue	5/cs.
75004397	75004397	21", Light Blue	5/cs.
75004410	75004410	24", Light Blue	5/cs.
75004414	75004414	27", 1/4" BH, Light Blue	2/cs.
75004415	75004415	27", 31/4" CH, Light Blue	2/cs.
Natural Coo	A LINE Dade		

Natural lubricating factors contribute to the pad's efficiency. Coconut fibers are both organic and biodegradable. Recommended for use on machines operating at 1500-3000+ RPM.

75004990	17", Natural	5/cs.
75004991	19", Natural	5/cs.
75004992	20", Natural	5/cs.
75004993	21", Natural	5/cs.
	75004991 75004992	75004990 17", Natural 75004991 19", Natural 75004992 20", Natural 75004993 21", Natural

Natural Hair UHS Burnishing Pads

A blend of synthetic fibers and natural hair. Pads last longer with lubricating effect of a hair pad. 7500//301 7500/301 17" Light-Duty

75004391	75004391	17 , Light-Duty	5/CS.
75004430	75004430	17"	5/cs.
75004470	75004470	18", Light-Duty	5/cs.
75004984	75004984	19", Light-Duty	5/cs.
75004421	75004421	19"	5/cs.
75004399	75004399	20", Light-Duty	5/cs.
75004447	75004447	20"	5/cs.
75004986	75004986	21", Light-Duty	5/cs.
75004455	75004455	21"	5/cs.
75004987	75004987	24", Light-Duty	5/cs.
75004473	75004473	24"	5/cs.
75004474	75004474	27", Light-Duty	2/cs.
75004491	75004491	27", Light-Duty	5/cs.
75004979	75004979	27"	5/cs.
75004463	75004463	27", 1/4" BH	2/cs.
75004464	75004464	27", 3¹/₄" CH	2/cs.
Red Spray E	Suffing Pads	S	
Hood in dry l	ouffing and c	-	

Used in dry l	buffing and s	oray buffing or light	scrubbing applications.	
75000042	75000042	12", Red		5/cs.
75004980	75004980	12", Red		5/cs.
75004427	75004427	13", Red		5/cs.
75004429	75004429	14", Red		5/cs.
75004406	75004406	15", Red		5/cs.
75004407	75004407	16", Red		5/cs.
75004436	75004436	17", Red		5/cs.
75004981	75004981	18", Red		5/cs.
75004444	75004444	19", Red		5/cs.
75004453	75004453	20", Red		5/cs.
75004461	75004461	21" Red		5/cs

A. PRIME SOURCE® FLOOR PADS (CONT.)

PRIME SOURCE

Polishing Pads

An ideal pad for light cleaning and dry buffing, producing a sparkling shine. Use with 175-300 rpm machines.

75004997	75004997	20", Tan	5/cs.
White Supe	r Polishing	Pads	
Produces a l	high-gloss, "	wet-look" shine in polishing applications.	
75004422	75004422	13", White	5/cs.
75004405	75004405	14", White	5/cs.
75004401	75004401	15", White	5/cs.
75004394	75004394	16", White	5/cs.
75004431	75004431	17", White	5/cs.
75004469	75004469	18", White	5/cs.
75004439	75004439	19", White	5/cs.
75004448	75004448	20", White	5/cs.
75004456	75004456	21", White	5/cs.
75004462	75004462	27", 31/4" CH, White	2/cs.

B. FLOOR PADS

Conventional Thickline Stripping Pads

For long lasting, heavy-duty stripping. Recommended for use on machines operating at 175-350 RPM.

20", Black 27600446 20014 5/cs.

Jackeroo Lite™ Ultra High Speed Burnishing Pads

A natural hair pad that excels in bringing out the luster on softer, buffable floor finishes. Recommended for use on machines operating at 1000-3000+ RPM.

27600322 20442 20", Natural 5/cs.

Conventional Thickline Spray Buffing Pads

For dry buffing, spray buffing or light-duty scrubbing. Recommended for use on machines operating at 175-300 RPM.

27601975 20050 17", Red 5/cs. 20", Red 27600085 20053 5/cs.

White Super Polishing Pads

For dry polishing or with water to ensure a high gloss. Recommended for use on machines operating at 175 to 350 rpm.

27604417 14417 17", White 5/cs.

BONNETS

C. KING COTTON BONNET™

PRIME SOURCE® CARPET BONNETS

Thick profile pad with looped-end, small diameter cotton yarn provides maximum absorption.

750047861	75004786	17"	1/ea.
75004786	75004786	17"	6/cs.
750047871	75004787	19"	1/ea.
75004787	75004787	19"	6/cs.

Bonnets/Vacuums

A. QUEEN BONNET™ CARPET BONNETS PRIME SOURCE®

Medium profile pad with aggressive scrubbing strips. Constructed of absorbent blended looped-end yarn for extra durability.

 75004789
 75004789
 17"
 6/cs.

 75004790
 75004790
 19"
 6/cs.

 75004788
 75004788
 21"
 6/cs.



CCP

CCP





This high profile bonnet has looped yarn for high absorption and durability.

27602016 *N002019* 19", Standard Nylon Poly 6/cs.





C. QUEEN BONNET™ CARPET BONNET

Medium profile pad with aggressive scrubbing strips. Constructed of absorbent blended looped-end yarn for extra durability.

276070181 *N007017* 17" 1/ea



Low-profile bonnet with scrub strips adds additional scrubbing action for improved cleaning performance. Use with a standard rotary floor machine for intensive carpet maintenance.

17700555	P267	17"	5/cs.
17700269	P269	19"	5/cs.
17700078	P271	21"	5/cs.



E. BACKPACK VACUUM CLEANER RUBBERMAID

Lightweight with comfortable harness design. Narrow profile for unrestricted mobility. Very quiet operation for day cleaning. Four stage filtration system. Closed bag design and security latches for cleaner air, no leaks. 50' 3-wire cord. Flexible hose, crevice tool, floor tool, aluminum wands, dusting brush, and upholstery tool included. Optional HEPA bags available. CRI Green Label certification for improved indoor air quality. 110 CFM. 100" waterlift. 8A.

17700983 9VBP06 6 qt., 11¹/₂"L x 13"W x 21¹/₁₀"H 1/ea.



F. MANUAL HEIGHT UPRIGHT VACUUM CLEANERS RUBBERMA

Nozzle easily removes for service; no tools required for assembly. Easy to replace bags, brush rollers, and filters. Easy to remove clogs. Electronic indicator lights for full bag and brush jam warnings. On-board tool storage. Optional HEPA filtration kit. CRI Green Label certification for improved indoor air quality. 105 CFM. 98" waterlift. 10A.

17700988 *9VMH12* 12º/s"L x 12"W x 46"H, 12" 1/ea. **17700987** *9VMH15* 12º/s"L x 15"W x 46"H, 15" 1/ea.



G. POWER HEIGHT UPRIGHT VACUUM CLEANER RUBBERMAID

Automatic carpet height adjustment for increased productivity. Industry leading 1.8 hp dual motor vacuum provides one pass cleaning, maximizing cleaning performance. Electronic indicator lights for full bag and brush jam warnings. Nozzle easily removes for service; no tools required for assembly. Easy to replace bags, brush rollers, and filters. Easy to remove clogs. On-board tool storage. Optional HEPA filtration kit. CRI Green Label certification for improved indoor air quality. 105 CFM. 98" waterlift. 11A.

17700996 *9VPH15* 13⁴/₅"L x 15"W x 46"H, 15" 1/ea.





H. TRADITIONAL UPRIGHT VACUUM CLEANER RUBBERMAID

Easy-empty paper bag within cloth bag and bag collar seal for improved indoor air quality. 50' power cord. Six-position carpet height adjustment. Durable metal handle tube and bottom plate. Robust furniture guard. CRI Green Label certification for improved indoor air quality. 156.5 CFM. 7A.

17700986 9VCV12 16¹/₂"L x 13¹/₁₀"W x 46¹/₁₀"H, 12"





Vacuums/Indoor Sweepers/Matting



A. ULTRA LIGHT UPRIGHT VACUUM CLEANER

RUBBERMAID

Weighs less than 10 lbs. (without cord). Built-in, center-balanced, "easy-carry" handle. Floating nozzle enables cleaning of both hard and soft floor surfaces. 40' power cord. Large outboard wheels improve maneuverability. No tools required for assembly. Unique extension cord hook allows easy connection to the extension cord. CRI Green Label certification for improved indoor air quality. 79.5 CFM. 4A.

7700999 *9VUL12* 9²/₅"L x 12¹/₂"W x 46²/₅"H, 12"



INDOOR SWEEPERS

B. HUSKEE™ POWERROTOR™ FLOOR SWEEPER

CCP

1/ea.

Floor sweeper cleans hard floors and carpets. The self-cleaning flexible rubber blades beat the floor with high frequency, creating friction and momentum that cleanly transports dirt, food, lint and other debris into the dust compartments. Durable plastic body resists scratches and dents and is easy on walls, doors and furniture.

276053271 *5325* 9½"W 1/ea. **27605327** *5325* 9½"W 5/cs.



C. BRUSHLESS MECHANICAL SWEEPER

RUBBERMAID

Perfect for food service applications. Low profile for easy maneuverability and cleaning under furniture. Clear tinted window tells you when the sweeper needs emptying. Two debris canisters with one-touch emptying doors. Four natural boar bristle corner brushes for fine cleaning.

17700023 4215 7¹/₂" Path, Black 4/c



D. DUAL ACTION FLOOR/CARPET SWEEPER

Two types of brushes provide maximum cleaning and versatility on bare floors or low pile carpets. Dual debris pans with one-touch cleaning doors. Wide sweep path with protective bumper. Soft rubber wheels and brushes conform to floor surface. Designed for large debris as well as smaller crumbs and dirt. Made of durable galvanized steel and tough ABS plastic.

17704213 421388 71/2" Path, Black 4/cs.



E. FLOOR/CARPET SWEEPER

RUBBERMAID

Natural boar-bristle brushes in each corner. Easy open debris pan for effortless cleaning. Constructed of durable galvanized steel and tough ABS plastic. For bare floors or low pile carpets.

17708232 4212GRAY 6½" Path, Gray 4/cs.



MATTING

F. CLEAN STEP SCRAPER MATS

MILLENNIUM MAT

All-rubber mat ideal for any outside entryway. The superior molded tread aggressively scrapes shoes clean of dirt and grime and traps it into the base of the mat. Available in black only. Certified slip-resistant by the National Floor Safety Institute.

 C5440150
 14030500
 3' x 5', Black
 1/ea.

 C5440151
 14040600
 4' x 6', Black
 1/ea.



G. ECOGUARD® INDOOR MATS

MILLENNIUM MAT

Made from 99% recycled material, EcoGuard is the most eco-friendly and ecologically responsible mat ever. Carpeted surface is made from 100% post-consumer PET plastic bottles. The all rubber backing is made from used tires, preventing landfill waste.

 C5440200
 EG020304
 2' x 3', Charcoal
 1/ea.

 C5440201
 EG030504
 3' x 5', Charcoal
 1/ea.

 C5440202
 EG031004
 3' x 10', Charcoal
 1/ea.

 C5440203
 EG040604
 4' x 6', Charcoal
 1/ea.



H. FLEX STEP ANTI-FATIGUE MATS

MILLENNIUM MAT

Reduces fatigue and discomfort while increasing productivity. Air domes offer flexible and comfortable support, and low-profile beveled edges reduce the risk of tripping. Accepted by the American Podiatric Medical Association. Certified slip-resistant by the National Floor Safety Institute.

C5440300 24020300 2' x 3', Black 1/ea. **C5440301** 24030500 3' x 5', Black 1/ea.